



'Good night'

(less pain)



'Good morning'

(more mobility)

for many arthritic patients

Indocid
Indomethacin [®]
Suppositories

When night pain and morning stiffness are prominent symptoms in arthritis, 'Indocid' Suppositories are particularly valuable. One suppository taken at bedtime frequently gives relief for 12 to 16 hours—a better night's sleep is thus obtained, morning stiffness is reduced and the patient has a better start to the working day.



Merck Sharp & Dohme Limited
Hoddesdon, Hertfordshire
Telephone, Hoddesdon 67123

Supplied as 100 mg polyethylene glycol suppositories, and also as 25 mg capsules, and suspension (25 mg/5 ml).

Detailed information is available to physicians on request.

® denotes registered trademark.


all clear

in sinusitis, otitis media and coryza

'Triogesic' provides decongestion with analgesia.

Revised Formula	TABLETS		ELIXIR	
	scored (per tablet)		cherry flavoured (per 5 ml.)	
	Phenylpropanolamine-HCl Paracetamol B.P.	12.5 mg. 500 mg.	Phenylpropanolamine-HCl Paracetamol B.P. Alcohol (95%)	3 mg. 125 mg. 0.5 ml.
Packs	tubes of 30		bottles of 8 and 20 fl. oz.	
Basic N.H.S. Price	3/6d. for 30 tablets		5/10d. for 8 fl. oz.	

Literature and sample on request. A. WANDER LTD. Pharmaceutical Division, King's Langley, Hertfordshire



M438E

**After debilitating illness one
injection of Deca-Durabolin makes
the difference between seeing this
face once in a while . . .**



If there is a medical villain responsible for harassing the doctor and the patient it is the recurrence of illness or infection before depleted body reserves have been restored.

To ensure speedy recovery in debilitated patients or the elderly, the priority need is to improve protein synthesis; this is the rôle of Deca-Durabolin (Nandrolone decanoate), the most powerful anabolic substance known. A single 25 mg intramuscular injection restores positive nitrogen balance, reduces calcium loss, improves appetite, and increases bodyweight, strength and well-being, safely and surely.

Deca-Durabolin

Packs:

25 mg per ml—1 ml ampoules in 3's and 25's
—1 ml Orgaject disposable syringes in 1's and 25's
50 mg per ml—1 ml ampoules in 3's and 25's
—1 ml Orgaject disposable syringes in 1's and 25's

Contraindications: pregnancy; prostatic carcinoma
Further information upon request



Organon Laboratories Ltd.
Crown House · Morden · Surrey · England

**. . . and this one
more times
than is fair to
either of you.**



First visit



Repeat visit



Repeat visit



Repeat visit



Repeat visit

The major dressing for minor wounds

For most of the punctures, cuts and lacerations treated in hospital casualty departments, for small-scale industrial injuries and for minor surgical






procedures, the Elastoplast Airstrip Wound Dressing fills the gap between 'first aid' dressings

and the large Airstrip Theatre & Ward Dressing.



Airstrip Wound Dressings are compact - only 3½" x 2½" - but have thick, extra-absorbent, Melolin XA pads large enough


for wounds which, though deep and damaging,



are small in area. These ready-to-use dressings save valuable time and give maximum protection from water, infection, shock and tampering.

Elastoplast Airstrip Wound Dressing

Elastoplast Airstrip dressings - with their unique microporous PVC backing and lattice-spread adhesive - are the only dressings that are waterproof and bacteria-proof but allow air to reach the wound and the skin to breathe.



Airstrip waterproof microporous PVC backing

Adhesive lattice-spread to prevent occlusion

Melolin XA extra-absorbent pad with non-adherent perforated film cover

Individually wrapped and sterilised

Waterproof Microporous Plastic Wound Dressing BPC. (WMP Wound Dressing. Drug Tariff). 9 x 6 cm. (3½" x 2½") with 5.7 x 3 cm. (2½" x 1½") Melolin XA pad. Cartons of 50 Order No 15399.

'Elastoplast' and 'Airstrip' are registered trade marks of T. J. Smith & Nephew Ltd.



Samples and literature from

Smith & Nephew Limited, Welwyn Garden City, Hertfordshire

Screening for Health Theory and Practice

by H. P. Ferrer, with a foreword by Professor Andrew B. Semple

This timely book emphasizes the importance of screening tests in close association with health education in a comprehensive health service. Based on material compiled for the Diploma of Public Health at Liverpool University, it covers the classical periods of screening from mass radiography to cancer tests, hypertension, anaemia, urine infections, diabetes and numerous screening tests that have not hitherto been fully explored in medicine. 1968 232 pages illustrated 55s.

Modern Trends in Immunology-2

edited by Robert Cruickshank and D. M. Weir
A series of critical essays on some of the recent developments in immunology, the first few chapters dealing with modern developments in immunological protection from infectious diseases, including the mode of action of adjuvants. 1967 350 pages illustrated 70s.

A Doctor's Guide to Court

by Keith Simpson *second edition*
A short guide to medical evidence which will reassure the doctor in his preparation for court attendance and make him a better witness. 1967 208 pages illus. 45s.

Modern Trends in Dermatology-3

edited by R. M. B. MacKenna
After a philosophical opening this volume deals with subjects such as allergy, percutaneous absorption and virus diseases, and then covers some of the latest advances in the para-clinical and clinical aspects of dermatology. 1966 350 pages illustrated 77s. 6d.

The Neuroses

by Henry P. Laughlin
An exceptional book which provides the reader with a firm clinical foundation for a fuller comprehension of this complex area of psychiatric study. 1967 1,088 pages illus. £10 10s.

BUTTERWORTHS

88 Kingsway London WC2

Gamma Globulin Kabi 16% Human Normal Immunoglobulin

GAMMA GLOBULIN KABI is prepared by fractionating pooled human serum to give a product of uniform antibody titre many times greater than that of normal serum.

INDICATIONS : In prophylaxis against measles, rubella (in pregnant women) and infectious hepatitis. Hypogamma-globulinaemia, agammaglobulinaemia and

reduced immunity. Severe bacterial infections. Burns.

PACK : Ampoule of 2 ml for intramuscular injection.

FORMULA : Sterile solution human normal immunoglobulin 0.16 g in glycine buffered solution, preserved with 0.01% thiomersal.

STORAGE : Refrigerator (+5° C).

SHELF LIFE : 3 years.



For further information contact sole supplier in the U.K. :
KABI PHARMACEUTICALS LIMITED, Bilton House, Uxbridge Road,
Ealing, London, W.5. Telephone 01-567 4717.

in hay fever daytime treatment with 'BANISTYL'



Highly effective
Little if any soporific effect
Well tolerated by patients of all ages
One tablet three times daily
effective in the majority of adult cases

'Banistyl' is generally well tolerated at the recommended dosage levels : side-effects are usually of a mild and transient nature. Somnolence is infrequent and generally not marked ; when it does occur, it frequently subsides after the first few days of treatment or may be controlled by dosage adjustment. Other side-effects which have been reported and which are usually of little significance include nausea, epigastric pain, vertigo, diarrhoea and headache.

Although there is no evidence to suggest that 'Banistyl' is embryopathic, it is a sound medical principle to avoid, wherever possible, prescribing a new drug during the first three months of pregnancy.

Certain activities, including control of vehicles or machinery, should not be undertaken by a patient starting a course of 'Banistyl' until it is evident that the drug has no soporific or other central nervous system side-effects, or until any such effects have subsided.

'Banistyl' is supplied as tablets containing the equivalent of 20 mg. dimethothiazine (as mesylate).

References : *Practitioner*, **198**, 834, 1967.
Practitioner, **198**, 711, 1967.
Br. J. Clin. Pract. **21**, 401, 1967.
Clin. Trials J. **4**, 781, 1967.

Detailed information is available on request.



'Banistyl' is a trade mark of the manufacturers,
MAY & BAKER LTD DAGENHAM ESSEX



Life in your hands? Get a Minuteman there fast!


If a man stops breathing after an accident, you have only seconds in which to save his life. Send for the Minuteman at once, of course—there should be one in every works First Aid department. Meanwhile, get air into the victim's lungs by whatever method of artificial respiration is known to you.

The sooner the Minuteman takes over the better. It is designed to maintain respiration effectively and automatically under any conditions, for as long as may be required. It is self-adjusting to the patient's lung capacity, and can be used even in non-respirable atmospheres, where access is difficult, or where it would be dangerous to move the patient. The built in aspirator quickly clears the air passages of fluids which might otherwise prevent air from reaching the lungs.


The Minuteman is a complete self contained life saving system, which any competent first aider can

quickly learn to use. It has saved hundreds of lives and yet it costs less than £100.

Write or telephone your nearest British Oxygen branch for details



THE BRITISH OXYGEN COMPANY LIMITED
Medical Department, London W.6.




An invaluable X-Ray Service to I.M.O.s, throughout the country

Portable X-Rays Limited are regularly employed by industrial organisations for chest examinations of workers and staff on site. Full size films are supplied, thus providing an invaluable means of detecting pulmonary affections, especially where dust hazard still exists.

The services includes

- Full size films
- Chest examinations for workers on site
- New entrants examined at frequent periods
- Night-shift workers X-rayed during working hours
- Annual survey of entire staff
- Periodical visits at monthly or other intervals

**POWER ROAD
CHISWICK
LONDON W4**
Tel: CHIswick 7836



**British Council for Rehabilitation
of the Disabled**

(President: H.R.H. Prince Philip, Duke of Edinburgh, K.G.)

Rehab present the Third International
Seminar and Exhibition

World problems in rehabilitation of the disabled

30th June to 6th July, 1968—Hotel
Metropole, Brighton. (Hotel bookings
arranged. Simultaneous translation in
English, French, German and Spanish.)

Conference fee £12.



Details from:

Conference Registrar,
Rehab,
Tavistock House South,
Tavistock Square,
London, W.C.1.



THE CARE OF RADIATION CASUALTIES

By JOHN BLAKELY, M.D., D.P.H., D.I.H.
*Medical Officer-in-Charge, Chapelcross Works,
United Kingdom Atomic Energy Authority*

The purpose of this book is to provide information for medical staff who are confronted by casualties from a radiation accident, so that they can understand what has happened, recognize the early stages of the illness and treat the patients during the first few days. The doctor concerned may work in a hospital or industrial medical department, or he may merely be the nearest medical man available; but whichever it is, he will require knowledge which does not appear in standard textbooks.

Contents: Introduction; Simple Physics, units and measurement; Effects of radiation on the body and radiation protection; The acute radiation syndrome; Radiation and the skin; Internally deposited radioactive material (Internal contamination); The late effects of irradiation; Contamination and decontamination; First aid, rescue and transport; Protective clothing and equipment; Public relations; Bibliography; Index.

152 pages

24 illustrations 2 colour plates.

30s. net

William Heinemann Medical Books Ltd.
23 Bedford Square, London, W.C.1

DIPLOMA IN INDUSTRIAL HEALTH

of the

SOCIETY OF APOTHECARIES OF LONDON

The Society of Apothecaries of London, conscious of the paramount importance of an efficient health service in industry, has instituted this Diploma in Industrial Health which is of a very high standard and is open to registered medical practitioners, members of H.M. Services, and others, such as appointed Factory Doctors, etc.

The Examination—which consists of three Papers, Oral and Clinical—is held in January and July.

The next Examination begins on July 8th 1968.

Regulations and Forms of Application for Admission to the Examinations may be obtained from.

The Registrar,
SOCIETY OF APOTHECARIES OF LONDON
BLACK FRIARS LANE, E.C.4

ABSTRACTS OF WORLD MEDICINE

The selective abstracting journal

CONCISE · READABLE · ACCURATE

As well as covering the whole field of medicine and many allied subjects, the 'ABSTRACTS' is now publishing a series of Review Articles each dealing with some subject of topical interest.

*Annual Subscription (12 issues) £6 6s.
(U.S.A. \$18.00)*

ORDER YOUR SUBSCRIPTION NOW

From the Subscription Manager:
ABSTRACTS OF WORLD MEDICINE
B.M.A. House, Tavistock Square,
London W.C.1

Squibb

Fungilin


an Important Advance in antifungal therapy by Squibb

Fungilin amphotericin B Squibb


Please see

**oral thrush : for the first time :
specific, acceptable treatment**


Unlike nystatin, amphotericin B is virtually tasteless, making possible the formulation of palatable **lozenges**


vaginal 'thrush'

The rapid disintegration of Fungilin **pessaries** can give a high rate of clinical and mycological clearance of infection


cutaneous candidosis

Amphotericin B, unlike nystatin, is stable in aqueous media, allowing the formulation of **cream and lotion** in addition to Fungilin **ointment**


intestinal candidosis

Fungilin oral **tablets** can control the intestinal reservoir of Candidal infection which often causes a recurrence of the original condition



technical booklet for information

E. R. Squibb and Sons Limited, Regal House, Twickenham, Middlesex

Fungilin trademark