
British Journal of Industrial Medicine

Volume 38, 1981

EDITOR H A Waldron

ASSISTANT EDITORS M A Cooke G L Leathart L Magos

EDITORS, INFORMATION SECTION C Lawrence-Jones D K Lund

EDITORIAL COMMITTEE

J A Bonnell	W R Lee	Editor,
J E Cotes	R I McCallum	<i>British Medical Journal</i>
Joan M Davies	D Malcolm	
K P Duncan	C White	
G Kazantzis		

TECHNICAL EDITOR Elizabeth Bond

BRITISH MEDICAL ASSOCIATION TAVISTOCK SQUARE LONDON WC1

Contents

	PAGE
No 1 FEBRUARY 1981	
Relative importance of cigarette smoking in occupational lung disease	
P C Elmes	1
An experimental study on the combined effects of <i>n</i>-hexane and toluene on the peripheral nerve of the rat	
Y Takeuchi, Y Ono, and N Hisanaga	14
Urinary excretion of the metabolites of <i>n</i>-hexane and its isomers during occupational exposure	
L Perbellini, F Brugnone, and G Faggionato	20
Soft-tissue sarcomas and exposure to chemical substances: a case-referent study	
M Eriksson, L Hardell, N O Berg, T Möller, and O Axelson	27
Lung function of office workers exposed to humidifier fever antigen	
I Ashton, A T Axford, C Bevan, and J E Cotes	34
Laboratory animal allergy: a clinical survey of an exposed population	
A J M Slovak and R N Hill	38
Intrabronchial instillation of paraquat in rats: lung morphology and retention study	
I Wyatt, A W Doss, D C Zavala, and L L Smith	42
Occupational exposure to polychlorinated biphenyls in electrical workers. I Environmental and blood polychlorinated biphenyls concentrations	
M Maroni, A Colombi, Susanna Cantoni, E Ferioli, and V Foa	49
Occupational exposure to polychlorinated biphenyls in electrical workers. II Health effects	
M Maroni, A Colombi, G Arbosti, Susanna Cantoni, and V Foa	55
Concentrations of lead in the tissues of children	
P S I Barry	61
Scanning electron-microscopic and light-optics investigations of erythrocytes in toxic anaemia	
V D Arutjunov, Ju D Batsura, I A Gribova, and G G Kruglikov	72
Chronic cadmium poisoning in a pigment manufacturing plant	
P E de Silva and M B Donnan	76
Locally induced digital vasospasm detected by delayed rewarming in Raynaud's phenomenon of occupational origin	
C Juul and S L Nielsen	87
Induction of microsomal drug metabolism in man and in the rat by exposure to petroleum	
A W Harman, D B Frewin, and B G Priestly	91
Correlation of urinary thioethers with chemical exposure in a rubber plant	
I Kilpikari	98
Information section	101
No 2 MAY 1981	
Quinonoid constituents as contact sensitisers in Australian blackwood (<i>Acacia melanoxylon</i> RBR)	
B M Hausen and H Schmalle	105
A study of the health of Malaysian plantation workers with particular reference to paraquat spraymen	
J K Howard, N N Sabapathy, and P Anne Whitehead	110
Health of workmen in the chromate-producing industry in Britain	
M R Alderson, N S Rattan, and L Bidstrup	117
Relation between progressive massive fibrosis, emphysema, and pulmonary dysfunction in coalworkers' pneumoconiosis	
J P Lyons and H Campbell	125
Mortality of workers certified by pneumoconiosis medical panels as having asbestosis	
G Berry	130
Prevalence of byssinosis in Swedish cotton mills	
P Haglund, Monica Lundholm, and R Rylander	138
An investigation of operating theatre staff exposed to humidifier fever antigens	
A Cockcroft, J Edwards, C Bevan, I Campbell, G Collins, K Houston, D Jenkins, S Latham, M Saunders, and D Trotman	144
Ventilatory function changes over a workshift	
H D Dimich and T D Sterling	152

Contents

Hanford radiation study III: a cohort study of the cancer risks from radiation to workers at Hanford (1944-77 deaths) by the method of regression models in life-tables	
G W Kneale, T F Mancuso, and Alice M Stewart	156
Lymphocyte reactivity of workers exposed to carcinogenic and non-carcinogenic chemicals	
S Kumar, G Taylor, Wendy Hurst, P Wilson, and C B Costello	167
Urinary β_2 microglobulin in the biological monitoring of cadmium workers	
Morag Stewart and E G Hughes	170
Arginase and kallikrein activities as biochemical indices of occupational exposure to lead	
Jadwiga Chmielnicka, Elżbieta Komsta-Szumaska, and Jadwiga A Szymańska	175
Arsenic and selenium in lung, liver, and kidney tissue from dead smelter workers	
P O Wester, D Brune, and G Nordberg	179
Renal cadmium overload without nephrotoxicity	
R R Ghose, W D Morgan, and P E Cummins	185
Enhanced excretion of thioethers in urine of operators of chemical waste incinerators	
R van Doorn, CH-M Leijdekkers, R P Bos, R M E Brouns, and P TH Henderson	187
Search for benzidine and its metabolites in urine of workers weighing benzidine-derived dyes	
P F Meal, J Cocker, H K Wilson, and J M Gilmour	191
Experimental exposure to toluene: further consideration of cresol formation in man	
W Woiwode and K Drysch	194
For discussion	
Assessment of risk by biological monitoring	
D Gompertz	198
Notes and miscellanea	
Hanford radiation study	
S C Darby and J A Reissland	202
Book reviews	204
Notice	204
Information section	205
No 3 AUGUST 1981	
Determination of lead in plasma and studies on its relationship to lead in erythrocytes	
P E Desilva	209
Nasal cancer in England and Wales: an occupational survey	
E D Acheson, R H Cowdell, and E H Rang	218
An epidemiological survey of eight oil refineries in Britain	
L Rushton and M R Alderson	225
Mortality of nickel workers: experience of men working with metallic nickel	
J E Cox, R Doll, W A Scott, and S Smith	235
A case-control study of bladder cancer in the United States rubber and tyre industry	
H Checkoway, A H Smith, A J McMichael, F S Jones, R R Monson, and H A Tyroler	240
Mortality of United Kingdom acrylonitrile polymerisation workers	
J B Werner and J T Carter	247
Classification of chest radiographs for epidemiological purposes by people not experienced in the radiology of pneumoconiosis	
Liz Copland, J Burns, and M Jacobsen	254
Behaviour of indicators of exposure and effect after cessation of occupational exposure to lead	
L Alessio, M R Castoldi, P Odone, and I Franchini	262
Erythrocyte factors concerned in the inhibition of ALA-D by lead	
T Sakai, S Yanagihara, and K Ushio	268
Ventilatory function in Nigerian coal miners	
B L Jain and J M Patrick	275
Hand-arm vibration in the aetiology of hearing loss in lumberjacks	
I Pyykkö, J Starck, M Färkkilä, M Hoikkala, O Korhonen, and M Nurminen	281
First report of byssinosis in Hong Kong	
P G M Morgan and S G Ong	290

Contents

Castor bean allergy in the upholstery department of a furniture factory	
M D Topping, F H Tyrer, and R K Lowing	293
Lead accumulation in teeth as a function of age with different exposures	
Anne Steenhout and M Pourtois	297
Thin-layer chromatography of hippuric and m-methylhippuric acid in urine after mixed exposure to toluene and xylene	
Grażyna Bieniek and T Wilczok	304
Book reviews	307
Notice	308
Information section	309
No 4 <i>NOVEMBER 1981</i>	
Relationship between type of simple coalworkers' pneumoconiosis and lung function. A nine-year follow-up study of subjects with small rounded opacities	
A W Musk, J E Cotes, Carol Bevan, and M J Campbell	313
Factors predisposing to the development of progressive massive fibrosis in coal miners	
D H Shennan, J S Washington, D J Thomas, J A Dick, Y S Kaplan, and J G Bennett ..	321
Respiratory cancer in a cohort of nickel sinter plant workers	
A Chovil, R B Sutherland, and Mabel Halliday	327
Sensitisation against environmental antigens and respiratory symptoms in swine workers	
Marja-L Katila, R A Mäntyjärvi, and Tarja H Ojanen	334
Ventilatory function in workers exposed to tea and wood dust	
Y S Zuhair, C J Whitaker, and F F Cinkotai	339
Acute behavioural effects of styrene exposure: a further analysis	
Nicola Cherry, B Rodgers, Helen Venables, H A Waldron, and G G Wells	346
Some observations on workers exposed to methylene chloride	
Nicola Cherry, Helen Venables, H A Waldron, and G G Wells	351
Occupational and individual factors in acute shoulder-neck disorders among industrial workers	
A Bjelle, M Hagberg, and G Michaelsson	356
Magnitude and distribution of trunk stresses in telecommunications engineers	
A S Nicholson, P R Davis, and N J Sheppard	364
Testicular function among epichlorohydrin workers	
T H Milby, M D Whorton, H A Stubbs, C E Ross, R E Joyner, and L I Lipshultz ..	372
A study of the mortality of Cornish tin miners	
A J Fox, P Goldblatt, and L J Kinlen	378
Screening for occupational vitiligo in workers exposed to hydroquinone monomethyl ether and to paratertiary-amyl-phenol	
J J O'Sullivan and C J Stevenson	381
Non-invasive magnetopneumographic determination of lung dust loads in steel arc welders	
A P Freedman, S E Robinson, Kathleen O'Leary, L Goodman, and Jeanne M Stellman ..	384
A technique to prepare asbestos air samples for light and electron microscopy	
T W S Pang and Ann E Robinson	389
Cotton bacterial endotoxin assessed by electron microscopy	
I Helander and K Lounatmaa	394
Notes and miscellanea: Silicosis	397
Information section	398
Index to volume	401
Correction: Relation between progressive massive fibrosis, emphysema, and pulmonary dysfunction in coalworkers' pneumoconiosis (May 1981, p 125-9)	333
Correction: Health of workmen in the chromate-producing industry in Britain (May 1981, p 117-24)	333

Information section

Grateful acknowledgement is made to the U.K. MEDLARS Centre and to the National Library of Medicine for their help with this project.

The references cited below have not been checked by the publisher.

1 Historical, legislative, and general

- Conibear SA. Refining the specialty of occupational medicine. *Occup Health Saf* 1980;49:49-52.
- Day NE, Brown CC. Multistage models and primary prevention of cancer. *J Natl Cancer Inst* 1980;64:977-89.
- Dinman BD. Occupational health and the reality of risk—an eternal dilemma of tragic choices. *JOM* 1980;22:153-7.
- Hansen G. OSHA reform: the time has come. *Occup Health Saf* 1980;49:48-50.
- Gerson A. Increasing the chances for a compensation claim. *Occup Health Saf* 1980;49:39, 42.
- Rona E. Laboratory contamination in the early period of radiation research. *Health Phys* 1979;37:723-7.
- Homberger E, Reggiani G, Sambeth J, Wipf HK. The Seveso accident: its nature, extent and consequences. *Ann Occup Hyg* 1979;22:327-67.
- Higginson J. Proportion of cancers due to occupation. *Prev Med* 1980;9:180-8.
- van der Laan G, Zielhuis RL. Cancer and occupation. *Ned Tijdschr Geneesk* 1980;124:792-800.

2 Organization of medical and nursing services and education

- Gregory J. OH in the health service. *Occup Health (Lond)* 1980;32:196-201.
- Pearson CE. The emerging role of the occupational physician in preventive medicine, health promotion and health education. *JOM* 1980;22:104-6.

3 Physiological, psychological, and organizational aspects of work and rehabilitation

- Asma FE, Hilker RR, Shevlin JJ, Golden RG. Twenty-five years of rehabilitation of employees with drinking problems. *JOM* 1980;22:241-4.
- Angersbach D, Knauth P, Loskant H, Karvonen MJ, Undeutsch K, Rutenfranz J. A retrospective cohort study comparing complaints and diseases in day and shift workers. *Int Arch Occup Environ Health* 1980;45:127-40.
- Work history following coronary bypass surgery. *Stat Bull Metropol Life Ins Co* 1979;60:2-4.
- Calhoun GL. Hospitals are high-stress employers. *Hospitals* 1980;54:171-2,175-6.
- Iglesias R, Terrés A, Chavarria A. Disorders of the menstrual cycle in airline stewardesses. *Aviat Space Environ Med* 1980;51:518-20.
- Corcoran JF, Humphreys DJ. Psychiatric impairment of Air Force physicians. *Milit Med* 1980;145:322-4.

4 Traumatic conditions, accidents, and accident prevention

- Luopajarvi T, Kuorinka I, Virolainen M, Holmberg M. Prevalence of tenosynovitis and other injuries of the upper extremities in repetitive work. *Scand J Work Environ Health* 1979;5:48-55.
- Kuorinka I, Koskinen P. Occupational rheumatic diseases and upper limb strain in manual jobs in a light mechanical industry. *Scand J Work Environ Health* 1979;5:39-47.
- Waris P. Occupational cervicobrachial syndromes. A review. *Scand J Work Environ Health* 1979;5:3-14.
- Waris P, Kuorinka I, Kurppa K, et al. Epidemiologic screening of occupational neck and upper limb disorders. Methods and criteria. *Scand J Work Environ Health* 1979;5:25-38.
- Kurppa K, Waris P, Rokkanen P. Peritendinitis and tenosynovitis. A review. *Scand J Work Environ Health* 1979;5:19-24.
- Lavery I. Safety: a model code of practice. *Occup Health (Lond)* 1980;32:187-91.

5 Effects of inorganic substances and minerals

- Morgan LG, Rouge PJ. A study into the correlation between atmospheric and biological monitoring of nickel in nickel refinery workers. *Ann Occup Hyg* 1979;22:311-7.
- Pan SK, Imura N, Yamamura Y, Yoshida M, Suzuki T. Urinary methylmercury excretion in persons exposed to elemental mercury vapor. *Tohoku J Exp Med* 1980;130:91-5.
- Szymusik A, Czaczkó B, Gatarski J, et al. Evaluation of state of central nervous system in persons chronically exposed to action of mercury vapours (Author's translation). *Przegl Lek* 1979;36:795-8.
- Jaromin A. Psychological analysis of psychological state of persons chronically exposed to action of mercury vapours (Author's translation). *Przegl Lek* 1979;36:781-4.
- Ishizaki T, Tsukuda K, Hattori K, Miyabo S, Omura T, Migita S. Serum inter-alpha-trypsin inhibitor (I alpha I) and pulmonary function in workers exposed to diatomaceous earth dust (Author's translation). *Nippon Kyobu Shikkan Gakkai Zasshi* 1979;17:677-85.
- Tada S. Silicosis with bilateral hilar lymphadenopathy (Author's translation). *Rinsho Hohasen* 1980;25:323-4.
- Hayes RB, Lilienfeld AM, Snell LM. Mortality in chromium chemical production workers: a prospective study. *Int J Epidemiol* 1979;8:365-74.
- Herber RF. Estimation of blood lead values from blood porphyrin and urinary 5-aminolevulinic acid levels in workers. *Int Arch Occup Environ Health* 1980;45:169-79.

- Meredith PA, Moore MR. The in vivo effects of zinc on erythrocyte delta-aminolaevulinic acid dehydratase in man. *Int Arch Occup Environ Health* 1980;45:163-8.
- Cianciara MJ, Volkova AP, Aizina NL, Alekseeva OG. A study of humoral and cellular responsiveness in a population occupationally exposed to beryllium. *Int Arch Occup Environ Health* 1980;45:87-94.
- Arzt GH, Pirtkien R, Rosenthal H. Review of lung function data in 195 patients with asbestosis of the lung. *Int Arch Occup Environ Health* 1980;45:63-79.
- Vaccaro S, Barghigiani C, Colombetti G, et al. The free erythrocyte protoporphyrin assay in monitoring lead-exposed workers. Comparison of two fluorometric methods. *Int Arch Occup Environ Health* 1980;45:35-48.
- Lange R, Worth G, Smidt U, Stahlmann W. Longitudinal study of the radiology of coal workers' pneumoconiosis. I. Small and large opacities. *Int Arch Occup Environ Health* 1980;45:1-13.
- McMillan GH. Studies of the health of welders in naval dockyards. *Ann Occup Hyg* 1978;21:377-92.
- Daubs J. Flight crew exposure to ozone concentrations affecting the visual system. *Am J Optom Physiol Opt* 1980;57:95-105.
- Martínez Vea A, Soriano Marín E, Segura Porta F, García Sanmiguel J. Lead encephalopathy in the adult. An unusual form of poisoning. *Rev Clin Esp* 1979;155:467-9.
- Horiguchi S. A case of lung cancer due to exposure to arsenical compounds in an insecticides factory. (Studies on lead arsenate poisoning, part 4.) *Osaka City Med J* 1979;25:45-50.
- Appelman AC, Roelofsma J. Pneumoconiosis in workers of the Dutch coal mines: a retrospective view in relation to the closing of the mines. *Ned Tijdschr Geneesk* 1979;123:2131-5.
- Pambuccian G, Filicescu M. Reactional lesions of the gingiva caused by chronic exposure to lead. *Morphol Embryol (Bucur)* 1980;26:47-9.
- Perbellini L, De Grandis D. Neuro-arteriopathy probably caused by exposure to nickel and chromium (Author's translation). *Med Lav* 1979;70:318-22.
- Fabbri L, Mapp C, Rossi A, Sarto F, Trevisan A, De Rosa E. Pulmonary changes due to low level occupational exposure to ozone. *Med Lav* 1979;70:307-12.
- Corsi G, Rossi A, Maestrelli P, Bartolucci GB, Picotti G. An episode of subacute poisoning by inorganic arsenic compounds (Author's translation). *Med Lav* 1979;70:282-91.
- Morgan WK, Lapp NL, Seaton D. Respiratory disability in coal miners. *JAMA* 1980;243:2401-4.
- Iwao S, Tsuchiya K, Sakurai H. Serum and urinary beta-2-microglobulin among cadmium-exposed workers. *JOM* 1980;22:399-402.
- Mishonova VN, Stepanova PA, Zarudin VV. Characteristics of the course of pregnancy and labor in women coming in contact with low concentrations of metallic mercury vapors in manufacturing work places. *Gig Tr Prof Zabol* 1980;2:21-3.
- Forni A, Sciame A, Bertazzi PA, Alessio L. Chromosome and biochemical studies in women occupationally exposed to lead. *Arch Environ Health* 1980;35:139-46.
- Lauwerys R, Vos A, Roels H, Buchet JP, Bernard A. Monitoring of a workman discharged from his place of business following discovery of renal lesions induced by cadmium. *Arch Belg Med Soc* 1979;37:137-46.
- Irlweck K, Czitober H, Machata G. Fluorine in the urine and bones of occupationally exposed workers and non-exposed men. *Acta Med Austriaca* 1979;6:99-103.
- Rostohinskii EN, Bondarev AF. Fatal poisoning with sodium nitrite. *Sud Med Ekspert* 1980;23:58.
- Langer AM, Rohl AN, Selikoff IJ, Harlow GE, Prinz M. Asbestos as a cofactor in carcinogenesis among nickel-processing workers. *Science* 1980;209:420-2.
- Westerholm P. Silicosis. Observations on a case register. *Scand J Work Environ Health* 1980;6:1-86.
- Roto P. Asthma, symptoms of chronic bronchitis and ventilatory capacity among cobalt and zinc production workers. *Scand J Work Environ Health* 1980;6:1-49.
- Maillard JM. Silicosis and bronchial cancer (Author's translation). *Poumon Coeur* 1980;36:41-8.
- Ouderkerk J, Roepeke WJ, Hohmann FR, Hulst SG. Two patients with pitoneal mesothelioma. *Ned Tijdschr Geneesk* 1980;124:783-6.
- Hughes EG. Medical surveillance of platinum refinery workers. *J Soc Occup Med* 1980;30:27-30.
- Woodyard JE. Injury, compensation claims and prognosis: Part I. *J Soc Occup Med* 1980;30:2-5.
- White DA. Hydrofluoric acid—a chronic poisoning effect. *J Soc Occup Med* 1980;30:12-4.
- Wayne WB, Kabnick EM, Alexander LL. Berylliosis. *J Natl Med Assoc* 1980;72:533-5.
- Langård S. A survey of respiratory symptoms and lung function in ferrochromium and ferrosilicon workers. *Int Arch Occup Environ Health* 1980;46:1-9.
- Menne T, Bachmann E. Permanent disability: rom hand dermatitis in females sensitive to nickel, chromium and cobalt. *Derm Beruf Umwelt* 1979;27:129-35.
- Husain MH, Dick JA, Kaplan YS. Rare earth pneumoconiosis. *J Soc Occup Med* 1980;30:15-9.

6 Effects of organic substances

- Harries MG, Burge PS, Samson M, Taylor AJ, Pepys J. Isocyanate asthma: respiratory symptoms due to 1,5-naphthylene di-isocyanate. *Thorax* 1979;34:762-6.
- Pérez García A, Panadero Sandoval J, Martín Abad L, García Martínez J, Cruz Rodríguez JM. Goodpasture's syndrome: 2 new cases. Possible role of some substances in its development. *Rev Clin Esp* 1980;156:203-6.
- Carlesi G, Ferrea E, Melino C, Messineo A, Pacelli E. Aspects of environmental health and of pathology caused by pollution with amoxicillin in a pharmaceutical industry. *Nuovi Ann Ig Microbiol* 1979;30:185-96.
- Sawada Y, Takahashi M, Ohashi N, et al. Computerised tomography as an indication of long-term outcome after acute carbon monoxide poisoning. *Lancet* 1980;1:783-4.
- Hane M, Hogstedt C, Sundell L. Questionnaires of neuropsychiatric symptoms for health screening among solvent exposed workers. *Lakartidningen* 1980;77:437-9.
- O'Berg MT. Epidemiological study of workers exposed to acrylonitrile. *JOM* 1980;22:245-52.
- Whorton MD, Milby TH. Recovery of testicular function among DBCP workers. *JOM* 1980;22:177-9.
- Richter ED, Cohen B, Luria M, Schoenberg J, Weisenberg E, Gordon M. Exposures of aerial spray workers to parathion. *Isr J Med Sci* 1980;16:96-100.
- Szadkowski D, Borkamp A, Lehnert G. Excretion of hippuric acid depending on circadian rhythm and nutritional effects (Author's translation). *Int Arch Occup Environ Health* 1980;45:141-52.
- Van Roosmalen PB, Klein AL, Drummond I. Simultaneous determination by gas chromatography of phenol, 2-chlorophenol, 2,4- and 2,6-dichlorophenol. *Int Arch Occup Environ Health* 1980;45:57-62.
- Zarembo OK, Gumennyi VS. Biological action of a vinylidene chloride monomer. *Gig Sanit* 1980;3:56-8.
- Ebner H, Helletzgruber M, Höfer R, Kolbe H, Weissel M, Winker N. Vitiligo from p-tert. butylphenol; a contribution to the problem of the internal manifestations of this occupational disease. *Derm Beruf Umwelt* 1979;27:99-104.
- Czernielewski A, Kięc-swierczyńska M, Gluszczyk M, Wóznik L. Dermatological aspects of so-called vinyl chloride monomer disease. *Derm Beruf Umwelt* 1979;27:108-12.
- Lukaszewski T. Acute tetrachloroethylene fatality. *Clin Toxicol* 1979;15:411-5.
- Thompson JS, Edmonds OP. Safety aspects of handling the potent allergen FDNB. *Ann Occup Hyg* 1980;23:27-33.
- Timonen TT, Palva IP. Acute leukaemia after exposure to a weed killer, 2-methyl-4-chlorophenoxyacetic acid. *Acta Haematol (Basel)* 1980;63:170-1.
- Kashin LM, Makotchenko VM, Malinina-Putsenko VP, Mikhailovskaia LF, Shmutter LM. Experimental and clinical hygienic studies of the toxicity of methylene chloride. *Vrach Delo* 1980;1:100-3.
- Mowé G. Lung damage because of isocyanates. An important occupational health problem. *Tidsskr Nor Laegeforen* 1980;100:92-5.
- De Luna Infante MJ, Alvarez García S, Gasco García MC. Professional risk of the anesthesiologist. Fluothane in the air of the operating room and means of its elimination. *Rev Esp Anestesiol Reanim* 1979;26:483-506.
- Mitelman F, Fregert S, Hedner K, Hillbertz-Nilsson K. Occupational exposure to epoxy resins has no cytogenetic effect. *Mutat Res* 1980;77:345-8.
- Nakayama S, Kitajima K, Ueno K, Hoshino T. Multiple myeloma in spouses—with special reference to BHC as a possible cause (Author's translation). *Rinsho Ketsueki* 1980;21:73-9.
- Nony CR, Bowman MC. Trace analysis of potentially carcinogenic metabolism of an azo dye and pigment in hamster and human urine as

- determined by two chromatographic procedures. *J Chromatogr Sci* 1980;18:64-74.
- Sobue I, Iida M, Yamamura Y, Takayanagi T. N-hexane polyneuropathy. *Int J Neurol* 1978;11:317-30.
- Robertson JM, Ingalls TH. A mortality study of carbon black workers in the United States from 1935 to 1974. *Arch Environ Health* 1980;35:181-6.
- Jusić A, Milic S, Jurenić D. Electromyographical neuromuscular synapse testing and neurological findings in workers exposed to organophosphorous pesticides. *Arch Environ Health* 1980;35:168-76.
- Patterson R, Robert M, Harris KE, Levitz D, Zeiss CR. Pulmonary and systemic immune responses of rhesus monkeys to intrabronchial administration of trimellitic anhydride. *Clin Immunol Immunopathol* 1980;15:357-66.
- Baxter RA. Evaluation and control of industrial exposure to acrylonitrile. *Ann Occup Hyg* 1979;22:429-35.
- Hardy HL, Devine JM. Use of organic isocyanates in industry—some industrial hygiene aspects. *Ann Occup Hyg* 1979;22:421-7.
- Israeli R, Potashnik G. Damage to spermatogenesis through exposure to 1,2-dibromo-3-chloropropan (DBCP) as a warning for the future. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl* 1980;30:20-2.
- Lukhtal VA. Enzymatic diagnosis of the early forms of chronic carbon disulphide poisoning. *Vrach Delo* 1980;4:100-1.
- Axelsson O, Sundell L, Andersson K, Edling C, Hogstedt C, Kling H. Herbicide exposure and tumor mortality. An updated epidemiologic investigation on Swedish railroad workers. *Scand J Work Environ Health* 1980;6:73-9.
- Husman K, Karli P. Clinical neurological findings among car painters exposed to a mixture of organic solvents. *Scand J Work Environ Health* 1980;6:33-9.
- Howard JK. Paraquat: a review of worker exposure in normal usage. *J Soc Occup Med* 1980;30:6-11.
- Reggiani G. Acute human exposure to TCDD in Seveso, Italy. *J Toxicol Environ Health* 1980;6:27-43.
- Smith AB, Brooks SM, Blanchard J, Bernstein IL, Gallagher J. Absence of airway hyperreactivity to methacholine in a worker sensitized to toluene diisocyanate (TDI). *JOM* 1980;22:327-31.
- Bingham E, Trosset RP, Warshawsky D. Carcinogenic potential of petroleum hydrocarbons: a critical review of the literature. *J Environ Pathol Toxicol* 1979;3:483-563.
- Gupta SK, Pandya MK, Jani JP, Kashyap SK. Health risks in ultra-low-volume (ULV) aerial spray of malathion for mosquito control. *J Environ Sci Health (B)* 1980;15:287-94.

7 Effects of animal and vegetable substances

- Olsen J, Sabroe S. A follow-up study of non-retired and retired members of the Danish Carpenter/Cabinet Makers' Trade Union. *Int J Epidemiol* 1979;8:375-82.
- Allwright SP, Murphy DL. Brucellosis in Irish meat workers. *Jr Med J* 1979;72:516-21.
- Kew C, Macnab GM. The dentist and hepatitis-B virus infection: three-way traffic in the dental surgery. *Tydskr Tandheelkd Ver S Afr* 1979;34:15-20.
- Hardt F, Aldershvile J, Dietrichson O, et al. Hepatitis B among Danish surgeons. *Ugeskr Laeger* 1979;142:1-3.
- Uragoda CG. Respiratory disease in tea workers in Sri Lanka. *Thorax* 1980;35:114-7.
- Tebekin AB, Lazovskaia AL, Brodilkin VA. M. avium infectivity in the personnel of poultry plants in Gorki Province. *Probl Tuberk* 1980;2:16-8.
- Nolte D. Immunological and allergic lung diseases. 2. Endogenous and exogenous immune complex diseases. *Fortschr Med* 1980;98:481-6.
- Pratt PC, Vollmer RT, Miller JA. Epidemiology of pulmonary lesions in nontextile and cotton textile workers: a retrospective autopsy analysis. *Arch Environ Health* 1980;35:133-8.

8 Effects of physical agents

- Stephenson MR, Nixon CW, Johnson DL. Identification of the minimum noise level capable of producing an asymptotic temporary threshold shift. *Aviat Space Environ Med* 1980;51:391-6.
- Corso JF. Age correction factor in noise-induced hearing loss: a quantitative model. *Audiology* 1980;19:221-32.
- Malchaire JB, Mullier M. Occupational exposure to noise and hypertension: a retrospective study. *Ann Occup Hyg* 1979;22:63-6.
- Nishiyama H, Lukes SJ, Feller PA, Van Tuinen RJ, Williams CC, Saenger EL. Survey of 99mTc contamination of laboratory personnel: its degree and routes. *Radiology* 1980;135:467-71.
- Solon LR. A local health agency approach to a permissible environmental level for microwave and radio frequency radiation. *Bull NY Acad Med* 1979;55:1251-66.
- McRee DI. Review of Soviet/Eastern European research on health aspects of microwave radiation. *Bull NY Acad Med* 1979;55:1133-51.
- Zubick HH, Tolentino AT, Boffa J. Hearing loss and the high speed dental handpiece. *Am J Public Health* 1970;70:633-5.
- Majewski W, Breborowicz D, Mackiewicz Z, Dyszkiewicz W. Clinical value of morphological studies of the circulation system in the fingertips in vibration disease. *Pol Przegl Chir* 1979;51:1205-10.
- Schwet F, Welleschik B. Audiological supervision of workers exposed to noise in Austria (Author's translation). *MMW* 1980;122:349-52.
- Mustain WD, Schoeny ZG. Psychoacoustic correlates of susceptibility to auditory fatigue. *Ear Hear* 1980;1:91-8.
- Färkkilä M, Pyykkö I, Korhonen O, Starck J. Vibration-induced decrease in the muscle force in lumberjacks. *Eur J Appl Physiol* 1980;43:1-9.
- Hickish DE. Standards for physical environmental factors. *Ann Occup Hyg* 1979;22:399-405.

9 Methods of investigation of body function

- Tsinker MN, Vetkov VI, Gordeev VG, Maksakov VV. Evaluation of the successfulness of prophylactic medical examinations. *Sov Med* 1980;1:85-8.
- Hammond CM. Dust control concepts in chemical handling and weighing. *Ann Occup Hyg* 1980;23:95-109.
- Amaducci S, Arossa W, Mastrangelo G, Paruzzo P, Scotti PG. Survey on the sensitivity and reproducibility of forced expiration indices used in epidemiological investigations of obstructive lung disease carried out at local occupational health centres (Author's translation). *Med Lav* 1979;70:266-75.
- Franchini I, Mutti A, Cavatorta A. Updating on biological monitoring of subjects occupationally exposed to chromium. *Med Lav* 1979;70:257-65.
- Stasiow A, Wesolowska H. Results of the electrocardiographic examination in pneumoconiosis of miners. *Med Pr* 1980;31:45-9.
- Gola A, Galazka Z, Tychowski K. Alpha 1-antitrypsin level and the state of the respiratory tract in arc welders. *Med Pr* 1980;31:41-4.
- Różniecki J, Szmidi M. Need to consider various factors predisposing to chronic nonspecific lung diseases in pre-employment orientation. Current state of the studies and research. *Med Pr* 1980;31:35-40.
- Tell RA, Harlen F. A review of selected biological effects and dosimetric data useful for development of radiofrequency safety standards for human exposure. *J Microwave Power* 1979;14:405-24.
- Teplitz RL, Belman MJ, Nathwani B, Valco Z, Yokota A. Cytological detection of a peripheral lung carcinoma in a coke oven worker. *JOM* 1980;22:413-5.
- Moore VL, Pedersen GM, Hauser WC, Fink JN. A study of lung lavage materials in patients with hypersensitivity pneumonitis: in vitro response to mitogen and antigen in pigeon breeders' disease. *J Allergy Clin Immunol* 1980;65:365-70.
- Epler GR, Saber FA, Gaensler EA. Determination of severe impairment (disability) in interstitial lung disease. *Am Rev Respir Dis* 1980;121:647-59.

10 Environmental measurement, control, and protection of the subject

- Wood JD, Birkett JL. External airflow effects on personal sampling. *Ann Occup Hyg* 1979;22:299-310.
- Bohgard M, Jangida BL, Akselsson KR. An analytical procedure for determining chromium in samples of airborne dust. *Ann Occup Hyg* 1979;22:241-51.
- British Occupational Hygiene Society technical guideline. Guide for the design of hearing protectors for general industrial use. BOHS Technology Committee Working Party on Hearing Protectors. *Ann Occup Hyg* 1979;22:203-11.
- A basis for hygiene standards for flax dust: British Occupational Hygiene Society Committee on Hygiene Standards, Sub-Committee on Vegetable Textile Dusts. *Ann Occup Hyg* 1980;23:1-17.
- Safety measures in microbiology. Minimum standards of laboratory safety. *WHO Chron* 1980;34:144-6.
- Borroni A, Mazza B, Nano G, Sinigaglia D. The working environment in the continuous casting department of an electric steel plant (Author's translation). *Med Lav* 1979;70:292-306.
- Rabenda A. Modular way of sampling for determination of the degree of occupational exposure at industrial plants with periodically changing dust concentration. *Med Pr* 1979;30:431-7.
- Cross FT. Exposure standards for uranium mining. *Health Phys* 1979;37:765-72.
- Durkin J. Electronic radon daughter dosimetry. *Health Phys* 1979;37:757-64.
- Knaak JB, Jackson T, Fredrickson AS, Rivera L, Maddy KT, Akesson NB. Safety effectiveness of closed-transfer, mixing-loading, and application equipment in preventing exposure to pesticides. *Arch Environ Contam Toxicol* 1980;9:231-45.
- Knaak JB, Jackson T, Fredrickson AS, Maddy KT, Akesson NB. Safety effectiveness of pesticide mixing-loading and application equipment used in 1976. *Arch Environ Contam Toxicol* 1980;9:217-29.
- Thomas HF. Some observations on occupational hygiene standards. *Ann Occup Hyg* 1979;22:389-97.
- Buchet JP, Lauwerys R, Roels H. Comparison of several methods for the determination of arsenic compounds in water and in urine. Their application for the study of arsenic metabolism and for the monitoring of workers exposed to arsenic. *Int Arch Occup Environ Health* 1980;46:11-29.

11 Miscellaneous

- Blair A, Mason TJ. Cancer mortality in United States counties with metal electroplating industries. *Arch Environ Health* 1980;35:92-4.
- Albert DM, Puliafito CA, Fulton AB, et al. Increased incidence of choroidal malignant melanoma occurring in a single population of chemical workers. *Am J Ophthalmol* 1980;89:323-37.
- Howe GR, Burch JD, Miller AB, et al. Tobacco use, occupation, coffee, various nutrients, and bladder cancer. *J Natl Cancer Inst* 1980;64:701-13.
- Withers JA. Hepatitis. A review of the disease and its significance to dentistry. *J Periodontol* 1980;51:162-6.
- Hemminki K, Franssila E, Vainio H. Spontaneous abortions among female chemical workers in Finland. *Int Arch Occup Environ Health* 1980;45:123-6.
- Gibson H, Vincent JH. On the impaction of airborne coarse dust into the eyes of human subjects. *Ann Occup Hyg* 1980;23:35-45.
- Fox AJ. The role of OPCS in occupational epidemiology: some examples. Office of Population Censuses and Surveys. *Ann Occup Health* 1978;21:393-403.
- Durocher LP. Occupational health in the printing industry. *Union Med Can* 1980;109:357-63.
- Rubisz-Brzezinska J, Musialowicz D, Olak Z. Occupational dermatitis in workers of the building materials' factory. *Med Pr* 1980;31:71-5.
- Szymczykiwicz K. Absenteeism due to sickness in coal miners. *Med Pr* 1980;31:51-62.
- Shmunis E. The importance of pre-employment examination in the prevention and control of occupational skin disease. *JOM* 1980;22:407-9.
- Gottlieb MS. Lung cancer and the petroleum industry in Louisiana. *JOM* 1980;22:384-8.
- Milby TH, Whorton D. Epidemiological assessment of occupationally related, chemically induced sperm count suppression. *JOM* 1980;22:77-82.
- de Laguna JC. Possible environmental factors in the aetiology of cancer. *Gac Med Mex* 1979;115:258-63.
- Miller AB. Identification of adults at high risk of lung cancer. *Can Med Assoc J* 1980;122:985-7.
- Skiendzielewski JJ. Cement burns. *Ann Emerg Med* 1980;9:316-8.
- Arievich AM, Selisskii GD. Occupational vitiligo. *Vestn Dermatol Venerol* 1980;5:46-9.
- Antman KH. Current concepts: malignant mesothelioma. *N Engl J Med* 1980;303:200-2.
- Bazas T. Effects of occupational exposure to dust on the respiratory system of cement workers. *J Soc Occup Med* 1980;30:31-6.
- Taylor SW. A prevalence study of virus warts on the hands in a poultry processing and packing station. *J Soc Occup Med* 1980;30:20-3.
- Sugita M, Yoshida O, Miyakawa M, et al. Mortality rates by causes of deaths in the area aggregated by dyeing factories in Kyoto (Author's translation). *Sangyo Igaku* 1980;22:40-9.
- Akbarkhanzadeh F. Long-term effects of welding fumes upon respiratory symptoms and pulmonary function. *JOM* 1980;22:337-41.
- Greenberg J. Implications for primary care providers of occupational health hazards on pregnant women and their infants. *J Nurse Midwife* 1980;25:21-30.
- Chow S, Westfried M, Lynfield M. Immersion foot: an occupational disease. *Cutis* 1980;25:662.