

Information section

Grateful acknowledgement is made to the U.K. MEDLARS Centre and to the National Library of Medicine for their help with this project.

The references cited below have not been checked by the publisher.

1 Historical, legislative, and general

- Alderson MR. Epidemiological studies of occupational carcinogens. *Arch Toxicol [Suppl]* 1980;3:3-12.
- Bridges BA. An approach to the assessment of the risk to man from DNA damaging agents. *Arch Toxicol [Suppl]* 1980;3:271-81.
- Holmstedt B. Prolegomena to Seveso. *Ecclesiastes* 1 18. *Arch Toxicol* 1980;44:211-30.
- Stock TH. The nonuniform application of TLV's as legal workplace standards. *Am Ind Hyg Assoc J* 1980;41:226-8.
- Falck FY Jr. Women in the workplace, the issues. *Am Ind Hyg Assoc J* 1980;41:157-60.
- Cole P, Merletti F. Chemical agents and occupational cancer. *J Environ Pathol Toxicol* 1980;3:399-417.
- Goldsmith JR. The "urban factor" in cancer: smoking, industrial exposures, and air pollution as possible explanations. *J Environ Pathol Toxicol* 1980;3:205-17.
- Higginson J. Multiplicity of factors involved in cancer patterns and trends. *J Environ Pathol Toxicol* 1980;3:113-25.
- Hanuš M, Verner P, Jirková H, Málek B. Urinary bladder tumours as an occupational hazard (Author's translation). *Cas Lek Cesk* 1980;119:310-3.
- Guidelines for the management of accidents involving microorganisms: a WHO memorandum. *Bull WHO* 1980;58:245-56.
- Johansen JP. Working conditions for chimney sweepers. *Ugeskr Laeger* 1980;142:1435-41.
- Olsen J, Mikkelsen S. Registration of occupationally conditioned diseases. Proposed establishment of a central occupational progress register under the auspices of the occupational health services. *Ugeskr Laeger* 1980;142:1309-13.
- Abrams HK. Occupational medicine in the People's Republic of China. *JOM* 1980;22:553-7.

2 Organisation of medical and nursing services and education

- Beaton GR, Pinkney-Atkinson V. The role of the occupational health nurse in South Africa. *S Afr Med J* 1979;56:218-20.

3 Physiological, psychological, and organisational aspects of work and rehabilitation

- Rosahl K, Vokac Z. The work physiology of fishing. *Psychother Psychosom* 1979;32:52-9.
- de Walden-Gatuszko K. Practical aspects of the study of fatigue among shipyard workers. *Bull Inst Marit Trop Med Gdynia* 1979;30:303-11.

4 Traumatic conditions, accidents, and accident prevention

- Nauwald G. Knee joint changes among welders in ship-building. *Beitr Orthop Traumatol* 1980;27:181-7.
- Solomon KA, Abraham SC. The index of harm: a useful measure for comparing occupational risk across industries. *Health Phys* 1980;38:375-91.

5 Effects of inorganic substances and materials

- Miller CS, Hoover WL, Culver WH. Exposure of pesticide applicators to arsenic acid. *Arch Environ Contam Toxicol* 1980;9:281-8.
- Verma DK, Middleton CG. Occupational exposure to asbestos in the drywall taping process. *Am Ind Hyg Assoc J* 1980;41:264-9.
- Reinl W, Schnellbacher F, Rahm G. Pulmonary fibrosis and inflammatory lung diseases following effect of cobalt contact mass. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl* 1979;29:318-24.
- Scott R, Haywood JK, Boddy K, Williams ED, Harvey I, Paterson PJ. Whole body calcium deficit in cadmium-exposed workers with hypercalciuria. *Urology* 1980;5:356-9.
- Sánchez Sánchez ML, Arroyo Civernte M, Millán Núñez-Cortes J, Calvo Manuel E, Espinos Pérez D, Rubio Pérez F. Evaluation of lead levels in an exposed population. I: analytical criteria and treatment. II: statistical study of the curve distribution of the same in comparison with the correspondent levels of a normal population. *Rev Clin Esp* 1980;157:35-42.
- Tibbits PA, Milroy WC. Pulmonary edema induced by exposure to cadmium oxide fume: case report. *Milit Med* 1980;145:435-7, 440.
- Lange R, Worth G, Smidt U, Stahlmann W. Longitudinal study of the radiology of coal workers' pneumoconiosis. II. Emphysema and hili. *Int Arch Occup Environ Health* 1980;45:251-9.
- Groth DH, Kommineni C, Mackay GR. Carcinogenicity of beryllium hydroxide and alloys. *Environ Res* 1980;21:63-84.
- Mancuso TF. Mortality study of beryllium industry workers' occupational lung cancer. *Environ Res* 1980;21:48-55.
- Sprince NL, Kazemi H. U.S.beryllium case registry through 1977. *Environ Res* 1980;21:44-7.
- Infante PF, Wagoner JK, Sprince NL. Mortality patterns from lung cancer and nonneoplastic respiratory disease among white males in the beryllium case registry. *Environ Res* 1980;21:35-43.
- Wagoner JK, Infante PF, Bayliss DL. Beryllium: an etiological agent in the induction of lung cancer, nonneoplastic respiratory disease and heart disease among industrially exposed workers. *Environ Res* 1980;21:15-34.

- Smith AB, Suzuki Y. Histopathological classification of bronchogenic carcinoma among a cohort of workers occupationally exposed to beryllium. *Environ Res* 1980;21:10-4.
- Hardy HL. Beryllium disease: a clinical perspective. *Environ Res* 1980;21:1-9.
- Swinyer LJ. Allergic contact dermatitis from metallic mercury. *Contact Dermatitis* 1980;6:226-7.
- Burrows D, Cooke MA. Trivalent chromium plating. *Contact Dermatitis* 1980;6:222.
- Barton RT, Hogtvelt AC. Nickel-related cancers of the respiratory tract. *Cancer* 1980;45:3061-4.
- Roggli VL, Greenberg SD, McLarty JL, Hurst GA, Spivey CG, Heiger LR. Asbestos body content of the larynx in asbestos workers. A study of five cases. *Arch Otolaryngol* 1980;106:533-5.
- Schumann GB, Lerner SI, Weiss MA, Gawronski L, Lohiya GK. Inclusion-bearing cells in industrial workers exposed to lead. *Am J Clin Pathol* 1980;74:192-6.
- Glatzel W, Tietze K, Grimm I, Ponsold W, Roschig M. Animal experiments and clinical observations on poisoning with metallic mercury. *Z Gesamte Inn Med* 1980;35:267-9.
- Levy H, Lewin JR, Ninin DT, Schneider HR, Milne FJ. Asymptomatic arsine nephrotoxicity. A case report. *S Afr Med J* 1976;56:192-4.
- Hillerdal G, Lindholm CE. Laryngeal cancer and asbestos (with 1 colour plate). *ORL* 1980;42:233-41.
- Araki S, Honma T, Yanagihara S, Ushio K. Recovery of slowed nerve conduction velocity in lead-exposed workers. *Int Arch Occup Environ Health* 1980;46:151-7.
- Hyodo K, Suzuki S, Furuya N, Meshizuka K. An analysis of chromium, copper, and zinc in organs of a chromate worker. *Int Arch Occup Environ Health* 1980;46:141-50.
- Fregert S, Poulsen J, Trulsson L. Yellow stained skin from sodium nitrite in an etching agent. *Contact Dermatitis* 1980;6:296.
- Vermeiden I, Oranje AP, Vuzevski VD, Stolz E. Mercury exanthem as occupational dermatitis. *Contact Dermatitis* 1980;6:88-90.

6 Effects of organic substances

- Hogstedt C, Westerlund B. Survey of the death causes in forest workers with and without exposure to phenoxyacid chemicals. *Lakartidningen* 1980;77:1828-31.
- Currier MF, McClimans CD, Barna-Lloyd G. Hexachlorobenzene blood levels and the health status of men employed in the manufacture of chlorinated solvents. *J Toxicol Environ Health* 1980;6:367-77.
- Sparks PJ, Peters JM. Respiratory morbidity in workers exposed to dust containing phenolic resin. *Int Arch Occup Environ Health* 1980;45:221-9.
- Lauwers RR, Kivits A, Lhoir M, et al. Biological surveillance of workers exposed to dimethylformamide and the influence of skin protection on its percutaneous absorption. *Int Arch Occup Environ Health* 1980;45:189-203.
- Koischwitz D, Marsteller HJ, Lackner K, Brecht G, Brecht T. Changes in the arteries in the hand and fingers due to vinyl chloride exposure (Author's translation). *ROEFO* 1980;132:62-8.
- Hopkins J. Vinyl chloride—part 5: mutagenicity in man. *Food Cosmet Toxicol* 1980;18:200-1.
- Hopkins J. Differences of opinion over TDI. *Food Cosmet Toxicol* 1980;18:199.
- Sal Monte PR, D'Imperio N, Biagini G, Guiliani Piccari G, Coccheri S. Examinations for the early diagnosis of toxic hepatopathies in a pesticide factory in Emilia. *G Clin Med* 1979;60:624-48.
- Davies DM, Smith DJ. Electrocardiographic changes in healthy men during continuous low-level carbon monoxide exposure. *Environ Res* 1980;21:197-206.
- Bekesi JG, Roboz J, Anderson HA, et al. Impaired immune function and identification of polybrominated biphenyls (PBB) in blood compartments of exposed Michigan dairy farmers and chemical workers. *Drug Chem Toxicol* 1979;2:179-91.
- Frenk E, Loi-Zedda P. Occupational depigmentation due to a hydroquinone-containing photographic developer. *Contact Dermatitis* 1980;6:238-9.
- Sugai T, Okuno F. Printing paste dermatitis due to guaiac. *Contact Dermatitis* 1980;6:234-5.
- Agathos M. Occupational dermatitis from celeriac. *Contact Dermatitis* 1980;6:225.
- Ducombs G, Tamisier JM, Texier L. Contact dermatitis to 1-H benzotriazole. *Contact Dermatitis* 1980;6:224-5.
- Slovak AJ. Contact dermatitis due to benzisothiazolone in a works analytical team. *Contact Dermatitis* 1980;6:187-90.
- Richter G. Allergic contact dermatitis from methylisothiocyanate in soil disinfectants. *Contact Dermatitis* 1980;6:183-6.
- Forycki Z. State of health of shipyard painters as index of exposure to the action of organic solvents. *Bull Inst Marit Trop Med Gdynia* 1979;30:259-68.
- Taccola A, Cipolli PL, Bossi MC, Gobba FM, Grampella D. Platelet changes and occupational carbon disulfide poisoning. I. Variations of platelet adhesiveness. *Boll Soc Ital Biol Sper* 1980;56:409-15.
- Oleru UG. Respiratory function study of Nigerian workers in a TDI-based foam plant. *Am Ind Hyg Assoc J* 1980;41:595-9.
- Hayes AL, Wise RA, Weir FW. Assessment of occupational exposure to organo-phosphates in pest control operators. *Am Ind Hyg Assoc J* 1980;41:568-75.
- Alekperov II, Shirinova SB, Lagunova VV. Functional state of the liver in workers of an allyl chloride plant. *Vrach Delo* 1980;6:111-3.
- Petersen R, Sabroe S. Occupational symptoms in linoleum layers cementing PVC floorings. *Ugeskr Laeger* 1980;142:1441-6.
- Müller FO, Hundt HK. Chronic organophosphate poisoning (Letter). *S Afr Med J* 1980;57:344-5.
- Abedin Z, Cook RC Jr, Milberg RM. Cardiac toxicity of perchloroethylene (a dry cleaning agent). *South Med J* 1980;73:1081-3.
- Durant PJ, Harris RA. Hydrazine and lupus (Letter). *N Engl J Med* 1980;303:584-5.
- Nethercott JR, Pierce JM, Likwornick G, Murrar AH. Genital ulceration due to Stoddard solvent. *JOM* 1980;22:549-52.
- Cook RR, Townsend JC, Ott MG, Silverstein LG. Mortality experience of employees exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). *JOM* 1980;22:530-2.
- Weiss W. The cigarette factor in lung cancer due to chloromethyl ethers. *JOM* 1980;22:527-9.
- Kharrazi M, Potashnik G, Goldsmith JR. Reproductive effects of dibromochloropropane. *Isr J Med Sci* 1980;16:403-6.
- Yamakega A, Ishikawa H, Saito Y, Hattori A. Occupational scleroderma-like disorder occurring in men engaged in the polymerization of epoxy resins. *Dermatologica* 1980;161:33-44.
- Rizzuto N, De Grandis D, Di Trapani G, Pasinato E. n-hexane polyneuropathy. An occupational disease of shoemakers. *Eur Neurol* 1980;19:308-15.
- Agren S, Dahlquist I, Fregert S, Persson K. Allergic contact dermatitis from the preservative N-methylol-chloracetamide. *Contact Dermatitis* 1980;6:302-3.
- Lidén C. Allergic contact dermatitis from 4,4'-diisocyanatol-diphenyl methane (MDI) in a molder. *Contact Dermatitis* 1980;6:301-2.
- Rudzki E, Napiórkowska T. Dermatitis caused by the Polish fungicide Sadoplon 75. *Contact Dermatitis* 1980;6:300-1.
- Boman A, Hagelthorn G, Jeansson I, Karlberg AT, Rystedt I, Wahlberg JE. Phenyl-alpha-naphthylamine—case report and guinea pig studies. *Contact Dermatitis* 1980;6:299-300.
- Panconesi E, Sertoli A, Spallanzani P, Giogini S. Balsam of Peru sensitivity from a perfumed cutting fluid in a laser factory. *Contact Dermatitis* 1980;6:297.
- Suhonen R. Contact allergy to dodecyl-di-(aminoethyl) glycine (Desimex i). *Contact Dermatitis* 1980;6:290-1.
- Malten KE. But-2-yne-1,4 diol, primary gloss improver and contact sensitizer in a nickel plating bath. *Contact Dermatitis* 1980;6:286-7.
- Sugai T, Yamamoto S. Decrease in the incidence of contact sensitivity to formaldehyde. *Contact Dermatitis* 1980;6:154.
- Nurse DS. Sensitivity to thiourea in plan printing paper. *Contact Dermatitis* 1980;6:153-4.
- Castelain PY, Pirious A, Raulot-Lapointe H, Robaglia JL. Sensitization to abieto-formo-phenolic resin in printing ink. *Contact Dermatitis* 1980;6:145-6.
- Bokelund F, Fregert S, Trulsson L. Sensitization from epoxy resin powder of high molecular weight. *Contact Dermatitis* 1980;6:144.
- Bach B, Pedersen NB. Contact dermatitis from a wood preservative containing tetrachloroisophthalonitrile. *Contact Dermatitis* 1980;6:142.
- Ratnof WD, Gress RE. The familial occurrence of polycythemia vera: report of a father and son, with consideration of the possible etiologic role of exposure to organic solvents, including tetrachloroethylene. *Blood* 1980;56:233-6.

7 Effects of animal and vegetable substances

- Renaud J, Pétavy AF, Duriez-Vaucell T, Guillot J, Coulet M. Antigenic analysis of cheese mites with a view to a study of cheese-makers-illness (Author's translation). *Rev Fr Mal Respir* 1979;7:441-7.
- Warren CP, Manfreda J. Respiratory symptoms in Manitoba farmers: association with grain and hay handling. *Can Med Assoc J* 1980;122:1259-64.
- Goldman WD, Marr JS. Are air-conditioning maintenance personnel at increased risk of Legionellosis? *Appl Environ Microbiol* 1980;40:114-6.
- Eisenburg J. Hepatitis. Disease fated for dentists? *Zahnärztl Prax* 1979;30:380-1.
- Hurlen B, Jonsen J, Aas E. Viral hepatitis among Norwegian dentists. Study of hepatitis at the meeting of the Norwegian Dental Society in 1979. *Nor Tannlaegeforen Tid* 1980;90:255-7.
- Buckley B. Q fever epidemic in Victorian general practice. *Med J Aust* 1980;1:593-5.
- McKelvie P. Q fever in a Queensland meatworks. *Med J Aust* 1980;1:590-3.
- Viejo Bañuelos JL, Gallo Marin F, Velasco Osés A. Bagassosis. Allergic pneumonitis in an industrial employer (Author's translation). *Med Clin (Barc)* 1980;75:71-4.
- Rodriguez Sanchón B, Pastor F, Poch J, Portús T, Coll R, Juncosa Orga J. Farmer's lung. Report of a case (Author's translation). *Med Clin (Barc)* 1980;75:65-8.
- Buck MG, Bouhuys A. Byssinosis: airway constrictor response to cotton bracts. *Lung* 1980;158:25-32.
- Grist NR. Hepatitis in clinical laboratories 1977-78. *J Clin Pathol* 1980;33:471-3.
- van Doorn R, Borm PJ, Leijdekkers CM, Henderson PT, Reuvers J, van Bergen TJ. Detection and identification of S-methylcysteine in urine of workers exposed to methyl chloride. *Int Arch Occup Environ Health* 1980;46:99-109.
- Van Grutten M. Carnation dermatitis in a flower seller. *Contact Dermatitis* 1980;6:289.
- Conde-Salazar L, Garcia Diez A, Rafeensperger F, Hausen BM. Contact allergy to the Brazilian rosewood substitute Machaerium scleroxylon Tul. (Pao ferro). *Contact Dermatitis* 1980;6:246-50.

8 Effects of physical agents

- Robinette CD, Silverman C, Jablon S. Effects upon health of occupational exposure to microwave radiation (radar). *Am J Epidemiol* 1980;112:39-53.
- Erickson DA, Fausti SA, Frey RH, Rappaport BZ. Effects of steady-state noise upon human hearing sensitivity from 8000 to 20 000 Hz. *Am Ind Hyg Assoc J* 1980;41:427-32.
- West D, Glaser Z, Thomas A, et al. Radiofrequency (RF) sealers and heaters: potential health hazards and their prevention. *Am Ind Hyg Assoc J* 1980;41:A22, A26, passim.
- Schwetz F, Doppler U, Schewczik R, Welleschik B. The critical intensity for occupational noise. *Acta Otolaryngol (Stockh)* 1980;89:358-61.
- Hyde ML, Alberti PW, Morgan PP, Symons F, Cummings F. Puretone threshold estimation from acoustic reflex thresholds—a myth? *Acta Otolaryngol Stockh* 1980;89:345-57.
- Henkel W, Rublack H. Combined effect of cyclohexanone and whole body vibration—assessment of the combined effect. *Z Gesamte Hyg* 1980;26:85-7.
- Chung DY, Gannon RP. Hearing loss due to noise trauma. *J Laryngol Otol* 1980;94:419-23.
- Bienvenue GR, Michael PL. Permanent effects of noise exposure on results of a battery of hearing tests. *Am Ind Hyg Assoc J* 1980;41:535-41.
- Henkel W, Morgenstern E, Meinhart P. A study of combined noise and vibration exposure of test persons. *Z Gesamte Hyg* 1980;26:414-7.

9 Methods of investigation of body function

- Arnvig E, Grandjean P, Beckmann J. Neurotoxic effects of heavy load exposure determined with psychological tests. *Toxicol Lett* 1980;5:399-404.
- Sennekamp J, Hildenbrand G, Begemann M, Lau P, Schmidtman W. Raised immunoglobulin G levels and hypergammaglobulinemia in patients exposed to bird dust. *Med Welt* 1980;31:850-4.
- Calvanico NJ, Ambegaonkar SP, Schlueter DP, Find JN. Immunoglobulin levels in bronchoalveolar lavage fluid from pigeon breeders. *J Lab Clin Med* 1980;96:129-40.
- Beckman G, Beckman L, Mikaelsson B, Rudolphi O, Stjernberg N, Wiman LG. Alpha-1-antitrypsin types and chronic obstructive lung disease in an industrial community in Northern Sweden. *Hum Hered* 1980;30:299-306.
- Miller A, Elliott JC, Thornton JC, Warsaw R, Geiger M, Anderson H. Comparison of spirometry performed on the same subjects by two teams using similar instruments: an investigation of variability in prevalence of impairment. *Environ Res* 1980;21:229-34.
- Pierce R, Turner-Warwick M. Skin tests with tuberculin (PPD) *Candida albicans* and *Trichophyton* spp. in cryptogenic fibrosing alveolitis and asbestos related lung disease. *Clin Allergy* 1980;10:229-37.
- Mäntyjärvi RA, Jousilahti P, Katila ML. Antibodies to *Aspergillus fumigatus* in farmers' lung patients measured by enzyme-linked immunosorbent assay (ELISA). *Clin Allergy* 1980;10:187-94.
- Barnad S. Enzyme-linked immunosorbent assay (ELISA) for IgG antibodies in farmers' lung disease. *Clin Allergy* 1980;10:161-71.
- Burge PS, Harries MG, O'Brien I, Pepys J. Bronchial provocation studies in workers exposed to the fumes of electronic soldering fluxes. *Clin Allergy* 1980;10:137-49.
- Rodriguez-Roisin R, Merchant JE, Cochrane GM, Hickey BP, Turner-Warwick M, Clark TJ. Maximal expiratory flow volume curves in workers exposed to asbestos. *Respiration* 1980;39:158-65.
- Harris DA. Microprocessor versus self-recording audiometry in industry. *J Aud Res* 1979;19:137-49.
- Kiviluoto M, Pyy L, Pakarinen A. Fingernail cystine of vanadium workers. *Int Arch Occup Environ Health* 1980;46:179-82.
- Yonemoto J, Suzuki S. Relation of exposure to dimethylformamide vapor and the metabolite, methylformamide, in urine of workers. *Int Arch Occup Environ Health* 1980;46:159-65.

10 Environmental measurement, control, and protection of the subject

- Campbell JE, Konzen RB. The development of a passive dosimeter for airborne aniline vapors. *Am Ind Hyg Assoc J* 1980;41:180-4.
- Royster LH. An evaluation of the effectiveness of two different insert types of ear protection in preventing TTS in an industrial environment. *Am Ind Hyg Assoc J* 1980;41:161-9.
- Iyer PS, Madhvanath U. A suggestion for reduction of maximum permissible dose to meet the requirements of high standards of safety in the radiation industry. *Health Phys* 1980;38:856-8.

11 Miscellaneous

- Morgan DP, Lin LI, Saikaly HH. Morbidity and mortality in workers occupationally exposed to pesticides. *Arch Environ Contam Toxicol* 1980;9:349-82.
- Van Ert MD, Arp EW, Harris RL, Symons MJ, Williams TM. Worker exposures to chemical agents in the manufacture of rubber tires: solvent vapor studies. *Am Ind Hyg Assoc J* 1980;41:212-9.
- Williams TM, Harris RL, Arp EW, Symons MJ, Van Ert MD. Worker exposure to chemical agents in the manufacture of rubber

- tires and tubes: particulates. *Am Ind Hyg Assoc J* 1980;41:204-11.
- Buckle PW, Kember PA, Wood AD, Wood SN. Factors influencing occupational back pain in Bedfordshire. *Spine* 1980;5:254-8.
- Gebbers JO, Burkhardt A, Tetzner C, Rüdiger HW, von Wichert P. "Hair-spray lung". Clinical and morphological findings. *Schweiz Med Wochenschr* 1980;110:610-5.
- Matsumura F, Madhukar BV. Exposure to insecticides. *Pharmacol Ther* 1980;9:27-49.
- Cohen EN, Gift HC, Brown BW, et al. Occupational disease in dentistry and chronic exposure to trace anesthetic gases. *J Am Dent Assoc* 1980;101:21-31.
- Workshop on the biological effects of mineral fibers and particulates. Sponsored by the Subcommittee to Coordinate Asbestos "Asbestiform" Research within the Public Health Service of the DHEW Committee of Coordinate Toxicology and Related Programs. Bethesda, Maryland, June 7-8, 1979. *Environ Health Perspect* 1980;34:1-111.
- Keskinen H, Kalliomäki PL, Alanko K. Occupational asthma due to stainless steel welding fumes. *Clin Allergy* 1980;10:151-9.
- Alderson M. The epidemiology of leukemia. *Adv Cancer Res* 1980;31:1-76.
- Rothbauer G. Infection hazards for dentists from spray and turbine treatment. *Zahnaerztl Prax* 1979;30:350-2.
- Rawlins JS. Medical problems in support of the offshore oil industry. *Trans Med Soc Lond* 1977-78;94:25-32.
- Rachootin P. Exogenous causes of infertility. A literature review. *Ugeskr Laeger* 1980;142:1537-40.
- Bernstein R, Prinsloo I, Zwi S, Andrew MJ, Dawson B, Jenkins T. Chromosomal aberrations in occupation-associated progressive systemic sclerosis. *S Afr Med J* 1980;58:235-7.
- Sluis-Cremer GK. Change in the prevalence of active pulmonary tuberculosis discovered at autopsy in black miners. *S Afr Med J* 1980;58:58-61.
- de Beer HA. Contact dermatitis in industry. *S Afr Med J* 1980;57:1091-4.
- Hisanaga N, Takeuchi Y, Ono Y, Kato Y, Shima S, Kato M. Two cases of aplastic anemia among over-glaze decoration workers and their working conditions in potteries (Author's translation). *Sangyo Igaku* 1980;22:96-110.
- Aoyama H, Chara H, Oze Y, Itani T. Recent trends in research on occupational cervicobrachial disorder. *J Hum Ergol (Tokyo)* 1979;8:39-45.
- Goldsmith DF, Smith AH, McMichael AJ. A case-control study of prostate cancer within a cohort of rubber and tire workers. *JOM* 1980;22:533-41.
- Albert DM, Robinson NL, Fulton AB, et al. Epidemiological investigation of increased incidence of choroidal melanoma in a single population of chemical workers. *Int Ophthalmol Clin* 1980;20:71-92.
- Tordoir WF. Field worker exposure during pesticide application. Report of an International Workshop in The Hague. *Int Arch Occup Environ Health* 1980;46:183-9.