

Information section

Grateful acknowledgement is made to the U.K. MEDLARS Centre and to the National Library of Medicine for their help with this project.

The references cited below have not been checked by the publisher.

1 Historical, legislative, and general

- Strasser AL. Confronting respiratory contamination in industry. *Occup Health Saf* 1980;49:14-5.
- Tepper LB. The right to know: the duty to inform. *JOM* 1980;22:433-7.
- Felton JS. The occupational history: a neglected area in the clinical history. *J Fam Pract* 1980;11:33-9.
- Pepys, J. Occupational asthma: review of present clinical and immunologic status. *J Allergy Clin Immunol* 1980;66:179-85.
- Hauffe R. The company physician. *Derm Beruf Umwelt* 1980;28:23-4.
- Recommended health-based limits in occupational exposure to heavy metals. Report of a WHO study group. *WHO Tech Rep Ser* 1980; 647:1-116.
- Conder JW. Health and safety information for regulatory purposes—an industrial point of view. *J Chem Inf Comput Sci* 1979;19:205-8.
- Waldron I. Employment and women's health: an analysis of causal relationships. *Int J Health Serv* 1980;10:435-54.
- Truhaut R. The problem of thresholds for chemical carcinogens—its importance in industrial hygiene, especially in the field of permissible limits for occupational exposure. *Am Ind Hyg Assoc J* 1980; 41:685-92.
- Morris E. Lead poisoning: an historic review. *Occup Health (Lond)* 1980;32:449-59.
- Cantineau A, Frimat P. Medico-legal and medico-social aspects of occupational asthma. *Lille Med* 1980;25:373-5.
- Amis RH. Health and safety at work: the employer's view. *J Soc Occup Med* 1980;30:98-102.
- Bibbings RE. Health and safety at work: the trade union view. *J Soc Occup Med* 1980;30:90-7.
- Schuman BJ. Physicians and patients in the occupational setting: the rules of the game. *JAMA* 1980;244:2417-8.
- Rogan WJ. The sources and routes of childhood chemical exposures. *J Pediatr* 1980;97:861-5.
- Wright DS. Man-made mineral fibres: a historical note. *J Soc Occup Med* 1980;30:138-40.

2 Organization of medical and nursing services and education

- Porat A. Safety: planning for emergencies. *Occup Health (Lond)* 1980; 32:463-6.

3 Physiological, psychological, and organizational aspects of work and rehabilitation

- Appelbaum SH. Managerial/organizational stress: identification of factors and symptoms. *Health Care Manage Rev* 1980;5:7-16.
- Bender LF. Attitudes toward disabled people. *Dev Med Child Neurol* 1980;22:427-8.
- Weiss L. Vocational evaluation: an individualized program. *Arch Phys Med Rehabil* 1980;61:453-4.
- Niveau J. Occupational medicine and alcoholism. *Rev Prat* 1980;30: 2441-6.
- Baker D. The use and health consequences of shift work. *Int J Health Serv* 1980;10:405-20.
- Lippin RA. Foreseeing the health demands on the traveling employee. *Occup Health Saf* 1980;49:62-6.
- Naldenov OF. Work of offices for treating alcoholism patients in industrial, construction and agricultural enterprises. *Med Sestra* 1980; 37:38-40.
- Garfield J. Alienated labor, stress, and coronary disease. *Int J Health Serv* 1980;10:551-61.

4 Traumatic conditions, accidents, and accident prevention

- Haynes CD, Webb WA, Fenno CR. Chain saw injuries: review of 330 cases. *J Trauma* 1980;20:772-6.
- Crabb DJ. Hand injuries in professional musicians. A report of six cases. *Hand* 1980;12:200-8.
- De Beaux JL. High-pressure water jet injury. *Br Med J* 1980;280: 1417-8.
- Agner E, Hein HO, Gyntelberg F. A study of occupational accidents treated in the emergency room of Copenhagen's District Hospital in Glostrup: could form a basis for measures against occupational accidents. *Sygeplejersken* 1980;80:20-4,27.
- Williams EA, Priestley SE. Fork lift truck injuries. *J Soc Occup Med* 1980;30:149-52.

5 Effects of inorganic substances and minerals

- Clark TC, Harrington VA, Asta J, Morgan WK, Sargent EN. Respiratory effects of exposure to dust in taconite mining and processing. *Am Rev Respir Dis* 1980;121:959-66.
- Yockey CC, Eden BM, Byrd RB. The McConnell missile accident. Clinical spectrum of nitrogen dioxide exposure. *JAMA* 1980;244: 1221-3.
- Federspiel CF, Layne JT, Auer C, Bruce J. Lung function among employees of a copper mine smelter: lack of effect of chronic sulfur dioxide exposure. *JOM* 1980;22:438-44.
- Grace M, Larson M, Hanson J. Bronchogenic carcinoma among former uranium mine workers at Port Radium, Canada—a pilot study. *Health Phys* 1980;38:657-61.

- Trakhtenberg IM, Talakin IuN, Leskova GE, Kakovskaia VN, Grideve NV. Prophylactic use of pectin in occupational mercurialism. *Gig Tr Prof Zabol* 1980;7:33-6.
- Rumiantsev GI, Kozlova TA, Atiakina IK, Vishnevskaja EP, Novikov SM. Problems of industrial hygiene in the manufacture of ammonium sulfate. *Gig Sanit* 1980;8:66-7.
- Morrow PE, Beiter H, Amato F, Gibb FR. Pulmonary retention of lead: an experimental study in man. *Environ Res* 1980;21:373-84.
- Burns CA, Zarkower A, Ferguson FG. Murine immunological and histological changes in response to chronic silica exposure. *Environ Res* 1980;21:298-307.
- Mayer R. The toxicity of mercury and/or amalgam. *Dtsch Zahnarztl Z* 1980;35:450-6.
- Eyssen GM. Development of radiographic abnormality in chrysotile miners and millers. *Chest* 1980;78:411-4.
- Jacobsen M. New data on the relationship between simple pneumoconiosis and exposure to coal mine dust. *Chest* 1980;78:408-10.
- Reisner MT. Results of epidemiologic studies on the progression of coal workers' pneumoconiosis. *Chest* 1980;78:406-7.
- Dyck PJ, Grina LA, Lambert EH, et al. Nitrous oxide neurotoxicity studies in man and rat. *Anesthesiology* 1980;53:205-9.
- Smith CA. Metal fume fever—a case review. *Occup Health Nurs* 1980;28:23-5.
- Markowitz L, Schaumburg HH. Successful treatment of inorganic mercury neurotoxicity with N-acetyl-penicillamine despite an adverse reaction. *Neurology (NY)* 1980;30:1000-1.
- Hauglustaine D, Van Damme B, Daenens, P, Michielsen P. Silicon nephropathy: a possible occupational hazard. *Nephron* 1980;26:219-24.
- Therault G, Cordier S, Harvey R. Skin telangiectasis in workers at an aluminium plant. *N Engl J Med* 1980;303:1278-81.
- Crawford WA, Jones R, Rainsford F, Shandar A. Anatomy of an industrial inorganic lead poisoning epidemic. *Med J Aust* 1980;2:318-9.
- Craighead JE, Vallyathan NV. Cryptic pulmonary lesions in workers occupationally exposed to dust containing silica. *JAMA* 1980;244:1939-41.
- Brown CP, Spivey GH, Valentine JL, Browdy BL. Cigarette smoking and lead levels in occupationally exposed lead workers. *J Toxicol Environ Health* 1980;6:877-83.
- Wall S. Survival and mortality pattern among Swedish smelter workers. *Int J Epidemiol* 1980;9:73-87.
- Raghavan SR, Culver BD, Gonick HC. Erythrocyte lead-binding protein after occupational exposure. I. Relationship to lead toxicity. *Environ Res* 1980;22:264-70.
- Lange A. An epidemiological survey of immunological abnormalities in asbestos workers. I. Nonorgan and organ-specific autoantibodies. II. Serum immunological levels. *Environ Res* 1980;22:162-83.
- McDonald AD, McDonald JC. Malignant mesothelioma in North America. *Cancer* 1980;46:1650-6.
- Bernard A. Evaluation of renal dysfunction induced by cadmium in man by determination of enzymes and specific proteins in urine. *Arch Toxicol [Suppl]* 1980;4:223-32.
- Buchet JP, Lauwerys R, Roels H, Bernard A. Relationship between exposure to heavy metals and prevalence of renal dysfunction. *Arch Toxicol [Suppl]* 1980;4:215-8.
- Hahon N, Morgan WK, Petersen M. Serum immunoglobulin levels in coal workers' pneumoconiosis. *Ann Occup Hyg* 1980;23:165-74.
- Tsuneta Y, Ohsaki Y, Kimura K, Mikami H, Abe S, Murao M. Chromium content of lungs of chromate workers with lung cancer. *Thorax* 1980;35:294-7.
- Sulkowski W, Kowalska S, Iżycki J, Gielec L. Changes in upper airways in workers of a cement factory (Author's translation). *Otolaryngol (Pol)* 1980;34:357-63.
- Tepperman PB. Fatality due to acute systemic fluoride poisoning following a hydrofluoric acid skin burn. *JOM* 1980;22:691-2.
- Vorobéva RS, Eremeeva EP. State of the cardiovascular system in cadmium exposure. *Gig Sanit* 1980;10:22-5.
- Zhang Z. Pleural mesothelioma and asbestos (Author's translation). *Chung Hua Chieh Ho Ho Hu Hsi Hsi Chi Ping Tsa Chih* 1980;3:52-4.
- Freitas e Costa M, Teles de Araújo A. Some radiological aspects in cement workers. *Bronchopneumologie* 1980;30:74-81.
- Sheers G, Coles RM. Mesothelioma risks in a naval dockyard. *Arch Environ Health* 1980;35:276-82.
- Bittersohl G, Krause-Liebscher I. Results of retinal photographic studies of carbon disulfide-exposed workers. *Z Gesamte Hyg* 1980;26:260-2.
- Christensen JB, Rehfeld E. Mesothelioma in a gardener briefly exposed to asbestos. *Ugeskr Laeger* 1980;142:2510.
- Sjögren I, Hillerdal G, Andersson A, Zetterström O. Hard metal lung disease: importance of cobalt in coolants. *Thorax* 1980;35:653-9.
- Elmes PC. Mesotheliomas, minerals, and man-made mineral fibres. *Thorax* 1980;35:561-3.
- El-Gazzar R, Noweir MH, Moselhi M, Nofal FH. A possible role for trace metals on the development of lung fibrogenic response in workers exposed to flax dust. *J Egypt Public Health Assoc* 1979;54:345-58.
- Ivanova LA, Nikitina LS, Vasileva NS, Sokolov VV. State of the peripheral blood in persons working in contact with beryllium and in berilliosis patients. *Gig Tr Prof Zabol* 1980;11:19-23.
- Thiringer G. Are pleural plaques a predictor for carcinoma of the lung? *Eur J Respir Dis [Suppl]* 1980;61 Suppl 107:109-10.
- Hillerdal G. The pathogenesis of pleural plaques and pulmonary asbestosis: possibilities and impossibilities. *Eur J Respir Dis* 1980;61:129-38.
- Grobe JW. Expert observations on late lesions of arsenic poisoning with porphyria cutanea tarda and Dupuytren's contracture. *Derm Beruf Umwelt* 1980;28:116-7.
- Bignon J, Jaurand MC. Reaction of the inferior lobes of the lung to the inhalation of mineral fibres. *C R Soc Biol (Paris)* 1980;174:479-87.

6 Effects of organic substances

- EO exposure poses employee health hazard. *AORN J* 1980;31:1284.
- Hogstedt C, Davidsson B. Nitroglycerol and nitroglycerine exposure in a dynamite industry 1958-1978. *Am Ind Hyg Assoc J* 1980;41:373-5.
- Hogstedt C, Stål R. Skin absorption and protective gloves in dynamite work. *Am Ind Hyg Assoc J* 1980;41:367-72.
- Vannucchi C, Berlincioni M. Sampling and analytical method to determine PCB concentrations in the air of the working areas of an electrical industry. *Am Ind Hyg Assoc J* 1980;41:352-60.
- Nigg HN. Prediction of agricultural worker safety reentry times for organophosphate insecticides. *Am Ind Hyg Assoc J* 1980;41:340-5.
- From the NIH: Occupational asthma from a low-molecular-weight organic chemical. *JAMA* 1980;244:1667-8.
- Ott MG, Kolesar RC, Scharnweber HC, Schneider EJ, Venable JR. A mortality survey of employees engaged in the development or manufacture of styrene-based products. *JOM* 1980;22:445-60.
- Scelsi R, Poggi P, Fera L, Gonella G. Toxic polyneuropathy due to n-hexane. *J Neurol Sci* 1980;47:7-19.
- Linos A, Kyle RA, O'Fallon WM, Kurland LT. A case-control study of occupational exposures and leukaemia. *Int J Epidemiol* 1980;9:131-5.
- Polednak AP. Mortality among men occupationally exposed to phosgene in 1943-1945. *Environ Res* 1980;22:357-67.
- Pevny I, Schafer U. Ethylenediamine allergy. *Derm Beruf Umwelt* 1980;28:35-40.
- Sengel D, Khelladi A, Foussereau J. Occupational allergy to diazopaper used in the textile industry (Author's translation). *Derm Beruf Umwelt* 1979;27:178-9.
- Baranski B, Gromiec J, Krajewski J. Biological effect of mineral oils. *Med Pr* 1980;31:135-42.
- Prazanowski M, Głuszczoła M. Determination of the granulocyte bone marrow reserve for evaluation of the leukocyte count in persons exposed to agents harmful to the hematopoietic system. *Med Pr* 1980;31:129-33.
- Mäki-Paakkanen J, Husgafvel-Pursiainen K, Kelliömäki PL, Tuominen J, Sorsa M. Toluene-exposed workers and chromosome aberrations. *J Toxicol Environ Health* 1980;6:775-81.
- Heise H, Brust B, Mattheus A, et al. Experiences with parex-paraffine—a contribution to skin irritant checking (Author's translation). *Dermatol Monatsschr* 1980;166:394-401.
- Rothe A, Folesky H, Heine A. Contact dermatitis due to p-chlorophenyl phenyl chloromethane (Author's translation). *Dermatol Monatsschr* 1980;166:389-93.
- Burrows D, Campbell HS. Contact dermatitis due to polyester spin finishes. *Contact Dermatitis* 1980;6:362-3.
- Hodgson C. Chlorovinylchloropyrimidine. *Contact Dermatitis* 1980;6:361.
- Rycroft RJ. Allergic contact sensitization to Epoxide 7 in grinding oil. *Contact Dermatitis* 1980;6:316-20.
- Pauli G, Bessot JC, Kopferschmitt MC, et al. Meat wrapper's asthma:

- identification of the causal agent. *Clin Allergy* 1980;10:263-9.
- Faneli R, Bertoni MP, Castelli MG, et al. 2,3,7,8-Tetrachlorodibenzo-p-dioxin toxic effects and tissue levels in animals from the contaminated area of Seveso, Italy. *Arch Environ Contam Toxicol* 1980;9:569-77.
- Shipman AJ, Whim BP. Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the U.K. *Ann Occup Hyg* 1980;23:197-204.
- Pal D, Weber JB, Overcash MR. Fate of polychlorinated biphenyls (PCBs) in soil-plant systems. *Residue Rev* 1980;74:45-98.
- Swarbrick P. Vitiligo as an occupational disease. *Occup Health (Lond)* 32:442-8.
- Yasuda K, Nozawa G, Goto T, Sasaki N, Ishizu S. Experimental studies on TDI dermatitis in mice. *J Toxicol Sci* 1980;5:11-21.
- Chiazze L Jr, Wong O, Nichols WE, Ference LD. Breast cancer mortality among PVC fabricators. *JOM* 1980;22:677-9.
- Cockcroft DW, Cartier A, Jones G, Tarlo SM, Dolovich J, Hargreave FE. Asthma caused by occupational exposure to a furan-based binder system. *J Allergy Clin Immunol* 1980;66:458-63.
- Sanagi S, Seki Y, Sugimoto K, Hirata M. Peripheral nervous system functions of workers exposed to n-hexane at a low level. *Int Arch Occup Environ Health* 1980;47:69-79.
- Ivashina SA, Komarova LI. Humoral and cellular factors of non-specific immunity in persons in contact with zineb. *Gig Sanit* 1980;6:82-3.
- Richter G, Wozel G. Is the coincidence of vitiligo and professional exposure to parateriary butylphenol in polychloroprene glues a causality or not? (Author's translation). *Dermatol Monatsschr* 1980;166:489-95.
- Aksoy M. Different types of malignancies due to occupational exposure to benzene: a review of recent observations in Turkey. *Environ Res* 1980;23:181-90.
- Huff JE, Moore JA, Saracci R, Tomatis L. Long-term hazards of polychlorinated dibenzodioxins and polychlorinated dibenzofurans. *Environ Health Perspect* 1980;36:221-40.
- Meadway J. Asthma and atopy in workers with an epoxy adhesive. *Br J Dis Chest* 1980;74:149-54.
- Popovski P, Orušev T, Uromova E, Blagoeva L, Trpovski V. Skin changes in workers in trichlorobenzene production. *Arh Hig Rada Toksikol* 1980;31:177-84.
- Gebhart W, Luger T, Niebauer G. Vitiligo due to p-tert-butylphenol. *Ann Dermatol Venereol* 1980;107:809-14.
- Camus JP, Prier A. Occupational systemic lupus due to cosmetics (Author's translation). *Ann Med Interne (Paris)* 1980;131:279-80.
- Luckenbach M, Kielar R. Toxic corneal epithelial edema from exposure to high atmospheric concentration of toluene diisocyanates. *Am J Ophthalmol* 1980;90:682-6.
- Fazekas T, Kiss Z. Organophosphate cardiomyopathy. Congestive cardiomyopathy caused by long-term organic phosphoric acid ester exposure (Author's translation). *Z Kardiol* 1980;69:584-6.
- Soutar CA, Copland LH, Thornley PE, et al. Epidemiological study of respiratory disease in workers exposed to polyvinylchloride dust. *Thorax* 1980;35:644-52.
- Egnatz DG, Ott MG, Townsend JC, Olson RD, Johns DB. DBCP and testicular effects in chemical workers: an epidemiological survey in Midland, Michigan. *JOM* 1980;22:727-32.
- Kimbrough RD. Human health effects of selected pesticides, chloro-aniline derivatives. *J Environ Sci Health [B]* 1980; B15:977-92.
- Juntunen J, Hernberg S, Eistola P, Hupli V. Exposure to industrial solvents and brain atrophy. A retrospective study of pneumoencephalographic findings among 37 patients with exposure to industrial solvents. *Eur Neurol* 1980;19:366-75.
- Spencer PS, Schaumburg HH, Sabri MI, Veronesi B. The enlarging view of hexacarbon neurotoxicity. *CRC Crit Rev Toxicol* 1980;7:279-356.
- Rycroft RJ, Calnan CD. Dermatitis from slimicides in a paper mill. *Contact Dermatitis* 1980;6:435-9.
- Fagin J, Bradley J, Williams D. Carbon monoxide poisoning secondary to inhaling methylene chloride. *Br Med J* 1980;281:1461.

7 Effects of biological hazards

- Flaherty DK, Braun SR, Marx JJ, Blank JL, Emanuel DA, Rankin J. Serologically detectable HLA-S, B, and C loci antigens in farmer's lung disease. *Am Rev Respir Dis* 1980;122:437-43.
- Kutz SA, Mentnech MS, Olenchock SA, Major PC. Precipitation of serum proteins by extracts of cotton dust and stems. Identification of beta-lipoprotein and production of specific antibodies. *Environ Res* 1980;22:476-84.
- Thiel H, Ulmer WT. Bakers' asthma: development and possibility for treatment. *Chest* 1980;78:400-5.
- Short RC. Leptospirosis. *Aust Fam Physician* 1980;9:685-6.
- Kutz SA, Mentnech MS, Mull JC, Olenchock SA, Major PC. Acute experimental pulmonary responses to cardroom cotton dust. *Arch Environ Health* 1980;35:205-10.
- Mauff AC. Acute brucellosis in Johannesburg. *S Afr Med J* 1980;58:477-9.
- Mikotajczyk E, Lewińska Z, Dabrowski Z. Serological studies in the diagnosis of Q fever in persons in professional contact with cattle and sheep. *Przegl Epidemiol* 1980;34:303-9.
- Heyden S, Pratt P. Exposure to cotton dust and respiratory disease. Textile workers, 'brown lung', and lung cancer. *JAMA* 1980;244:1797-8.
- Ghosh SK, Parikh JR, Gokani VN, Rao MN, Kashyap SK, Chatterjee SK. Studies on occupational health problems in agricultural tobacco workers. *J Soc Occup Med* 1980;30:113-7.
- Shpirt MB, Abdashimov KA. Allergenic properties of tobacco dust. *Gig Sanit* 1980;9:15-9.
- Toppich E, Kruger W. Zoonoses as occupational diseases. *Z Aerzt Fortbild (Jena)* 1980;74:820-4.
- Cuthbert OD, Brighton WD, Jeffrey IG, McNeil HB. Serial IgE levels in allergic farmers related to the mite content of their hay. *Clin Allergy* 1980;10:601-7.

8 Effects of physical agents

- Oosterveld WJ, Polman AR, Schoonheydt J. Noise-induced hearing loss and vestibular dysfunction. *Aviat Space Environ Med* 1980;51:823-6.
- Pollak VA, Romanchuk KG. The risk of retina damage from high intensity light sources. *Am Ind Hyg Assoc J* 1980;41:322-7.
- Gilbert ES, Marks S. An updated analysis of mortality of workers in a nuclear facility. *Radiat Res* 1980;83:740-1.
- Cohen BL. The low-level radiation link to cancer of the pancreas. *Health Phys* 1980;38:712-4.
- Levashov ES. Status and prophylactic measures in vibration pathology among borehole drillers at oil wells. *Gig Tr Prof Zabol* 1980;7:7-10.
- Follenius M, Brandenberger G, Lecornu C, Simeoni M, Reinhardt B. Plasma catecholamines and pituitary adrenal hormones in response to noise exposure. *Eur J Applied Physiol* 1980;43:253-61.
- Andrén L, Hansson L, Björkman, Jonsson A. Noise as a contributory factor in the development of elevated arterial pressure. A study of the mechanisms by which noise may raise blood pressure in man. *Acta Med Scand* 1980;207:493-8.
- Ikehata K, Kawauchi S, Kohno F, Nishiyama M, Ide N. Increased platelet function and von Willebrand factor in vibration syndrome. *Tokushima J Exp Med* 1980;27:23-8.
- Sturgeon JH 3rd, Mariani RC Jr. Hearing loss: is it a necessary hazard in dental practice? *New Dent* 1979;10:7.
- Aniolczyk H. Microwave radiation sources requiring periodic or sporadic hygienic control. *Med Pr* 1980;31:155-63.
- Stewart DJ, Keating MJ. Radiation exposure as a possible etiologic factor in hairy cell leukemia (leukemic reticuloendotheliosis). *Cancer* 1980;46:1577-80.
- Abel SM, Alberti PW, Riko K. Speech intelligibility in noise with ear protectors. *J Otolaryngol* 1980;9:256-65.
- Cuzick J. Radiation-induced myelomatosis. *N Engl J Med* 1981;304:204-10.
- Martinenghi C. Biological effects of exposure to ionizing radiations (Author's translation). *Med Lav* 1979;70:481-6.
- Resnekov L. Noise, radio frequency radiation and the cardiovascular system. *Circulation* 1981;63:264A-266A.
- Gloag D. Risks of low-level radiation—the evidence of epidemiology. *Br Med J* 1981;281:1479-82.

9 Methods of investigation of body function

- Krajewska B, Osińska J, Podobiński M. Use of the RBJ-131 test for evaluation of liver lesions in persons chronically exposed to carbon disulfide. *Med Pr* 1980;31:123-7.
- Erlandsson B, Hakanson H, Ivarsson A, Nilsson P. The reliability of Békésy sweep audiometry recording and effects of the earphone position. *Acta Otolaryngol [Suppl] (Stockh)* 1980; Suppl 366:99-112.
- Biot N, Grosclaude M, Meyer JL, Perrin-Fayolle M. Contribution of biological tests in the evaluation of professional asthma (Author's translation). *Poumon Coeur* 1980;36:257-61.

10 Environmental measurement, control, and protection of the subject

- Ackley MW. Paint spray tests for respirators: aerosol characteristics. *Am Ind Hyg Assoc J* 1980;41:309-16.
- Kloos EJ. Putting the respiratory protection problem in perspective. *Occup Health Saf* 1980;49:32-41,43.
- Figard WH. Intensifying the efforts of proper glove selection. *Occup Health Saf* 1980;49:30,42.
- McGarry MG. Appropriate technologies for environmental hygiene. *Proc R Soc Lond [Biol]* 1980;209:37-46.
- Clark EM. A new design concept for an audio dosimeter. *Am Ind Hyg Assoc J* 1980;41:700-3.
- Krajewski J, Milczarska A, Dobecki M. Usefulness of different methods of air sampling for the evaluation of workers' occupational exposure to vinyl chloride. *Med Pr* 1980;31:165-70.
- Hemingway RE. Industrial hygiene: safer working through analytical chemistry. *Anal Chem* 1980;52:876A-882A.
- Morris E. Lead: preventing absorption. *Occup Health (Lond)* 1980;32:523-30.

11 Miscellaneous

- David P, David H. Does aortocoronary bypass encourage a return to work? *Ann Cardiol Angeiol (Paris)* 1979;28:491-7.
- Bezugiyl VP. Effect of pesticides and their complexes on the development of nonspecific diseases. *Vrach Delo* 1980;7:102-5.
- Kleine-Natrop HE, Richter G. Occupational dermatoses in the pharmaceutical industry. *Derm Beruf Umwelt* 1980;28:8-10.
- Lindemayr H, Jäger S. Occupational immediate type allergy to hemp pollen and hashish (Author's translation). *Derm Beruf Umwelt* 1980;28:17-9.
- Gee JB, Cullen MR. Cellular function in occupational lung disease: new directions. *Chest* 1980;78:393-4.
- Gee JB. Cellular mechanisms in occupational lung disease. *Chest* 1980;78:384-7.
- Bovet P, Lob M. Cancer mortality among the workers of a Swiss rubber goods factory. Epidemiological study, 1955-75. *Schweiz Med Wochenschr* 1980;110:1277-87.
- Glass RI, Ford R, Allegra DT, Markel HL. Deaths from asphyxia among fishermen. *JAMA* 1980;244:2193-4.
- Hazra J, Banerjee B. Environmental health of glass and ceramic workers in the Calcutta metropolitan district. *Geogr Med* 1980;10:40-60.
- Jones A, Harrop C. Study of migraine and the treatment of acute attacks in industry. *J Int Med Res* 1980;8:321-5.
- Edling C. Anesthetic gases as an occupational hazard—a review. *Scand J Work Environ Health* 1980;6:85-93.
- Nurminen M, Mutanen P. Statistical modeling of epidemiologic data. *Scand J Work Environ Health* 1980;6:146-52.
- Hansson E, Jansa S, Wande H, Källén B, Ostlund E. Pregnancy outcome for women working in laboratories in some of the pharmaceutical industries in Sweden. *Scand J Work Environ Health* 1980;6:131-4.
- Wolska H, Kleniewska D. Phototoxic reactions. *Przegl Dermatol* 1980;67:505-10.
- Falck K, Sorsa M, Vainio H, Kilpikari I. Mutagenicity in urine of workers in rubber industry. *Mutat Res* 1980;79:45-52.
- Diehl AK. Epidemiology of gallbladder cancer: a synthesis of recent data. *J Natl Cancer Inst* 1980;65:1209-14.
- Morse DL, Woodbury MA, Rentmeester K, Farmer D. Death caused by fermenting manure. *JAMA* 1981;245:63-4.
- Hamminki K, Niemi ML, Koskinen K, Vainio H. Spontaneous abortions among women employed in the metal industry in Finland. *Int Arch Occup Environ Health* 1980;47:53-60.
- Rothman KJ, Cann CI, Flanders D, Fried MP. Epidemiology of laryngeal cancer. *Epidemiol Rev* 1980;2:195-209.
- Villar TG, Nogueira T. Radiology and respiratory function in "vineyard sprayer's lung". *Bronchopneumologie* 1980;30:61-7.
- Ryan M. Questions of sickness certification. *Br Med J* 1980;281:791-3.
- Culliton BJ, Waterfall WK. Hazards at work. *Br Med J* 1980;281:376-7.
- Bisanti L, Bonetti F, Caramaschi F, et al. Experiences from the accident of Seveso. *Acta Morphol Acad Sci Hung* 1980;28:139-57.
- Ochnjanskaja LG. Theoretical aspects of the early detection of occupational diseases. *Z Gesamte Hyg* 1980;26:255-7.
- Mosbech H. Mortality of respiratory tract diseases in agricultural occupations in Denmark. *Ugeskr Laeger* 1980;142:3057-8.
- Amadori D, Ravaioli A, Gardini A, et al. N-nitroso compound precursors and gastric cancer: preliminary data of a study on a group of farm workers. *Tumori* 1980;66:145-52.
- Fraser P, Chilvers C, Fox J. Human relevance: epidemiology and occupational exposure. *Oncology* 1980;37:278-81.
- Landrigan PJ, Kreiss K, Xinteras C, Feldman RG, Heath CW Jr. Clinical epidemiology of occupational neurotoxic disease. *Neurobehav Toxicol* 1980;2:43-8.
- Kaufman V, Bundle N. Occupational health and safety in hospitals. *Lamp* 1980;37:29-33.
- Burrows GE. Health care of people at work: screening of workers in research laboratories. *J Soc Occup Med* 1980;30:164-8.
- Sparks PJ, Wegman DH. Cause of death among jewelry workers. *JOM* 1980;22:733-6.
- Hoar SK, Morrison AS, Cole P, Silverman DT. An occupation and exposure linkage system for the study of occupational carcinogenesis. *JOM* 1980;22:722-6.
- Butcher BT. Approaches to the understanding of mechanisms in occupational asthma. *Eur J Respir Dis [Suppl]* 1980;61 Suppl 107:183-91.
- Pickering CA. A 7 year survey of 'allergic' occupational lung disease in the United Kingdom. *Eur J Respir Dis [Suppl]* 1980;61 Suppl 107:137-49.
- Chest diseases and the working environment. A symposium of Glaxo, Sweden. *Eur J Respir Dis [Suppl]* 1980;61 Suppl 107:1-191.
- Wilkinson DS. The challenge of industrial dermatitis. *Clin Exp Dermatol* 1980;5:327-38.
- Weill H. Cardiorespiratory effects of inhalant occupational exposures. *Circulation* 1981;63:250A-252A.
- Nishioka K, Sarashi C, Katayama I. Chronic pigmented purpura induced by chemical substances. *Clin Exp Dermatol* 1980;5:213-8.