
British Journal of Industrial Medicine

Volume 42, 1985

EDITOR H A Waldron

ASSISTANT EDITORS P J Baxter L Magos K M Venables

EDITORS, INFORMATION SECTION C Lawrence-Jones D K Lund E L Teasdale

EDITOR, BOOK REVIEWS A G Salmon

EDITORIAL COMMITTEE

J A Bonnell

R I McCallum

Editor

Joan M Davies

C White

British Medical Journal

J A Lunn

TECHNICAL EDITOR Elizabeth Bond

BRITISH MEDICAL ASSOCIATION TAVISTOCK SQUARE LONDON WC1

Contents

No 1 *JANUARY 1985*

Editorial

Which way ahead?

	PAGE
H A Waldron	1
Mortality of factory workers in east London 1933-80	
Muriel Newhouse, G Berry, and J C Wagner	4
Combined effect of asbestos and smoking on mortality from lung cancer and mesothelioma in factory workers	
G Berry, M L Newhouse, and P Antonis	12
Cytogenetic, immunological, and haematological effects in workers in an ethylene oxide manufacturing plant	
N J van Sittert, G de Jong, M G Clare, R Davies, B J Dean, L J Wren, and A S Wright	19
Exposure to glyceryl trinitrate during gun powder production: plasma glyceryl trinitrate concentration, elimination kinetics, and discomfort among production workers	
K Gjesdal, S Bille, J E Bredesen, E Bjørge, B Halvorsen, K Langseth, P K M Lunde, and E Sivertssen	27
Effects of intervention on the cardiovascular mortality of workers exposed to carbon disulphide: a 15 year follow up	
M Nurminen and S Hernberg	32
Morphometric and elemental microanalytical studies of human lung in health and disease	
K A Siegesmund, A Funahashi, and D E Yorde	36
Lung function, atopy, specific hypersensitivity, and smoking of workers in the enzyme detergent industry over 11 years	
D F S Flood, R E Blofeld, C F Bruce, J I Hewitt, C P Juniper, and D M Roberts	43
Occupational asthma due to an emulsified oil mist	
M S Hendy, B E Beattie, and P S Burge	51
Pulmonary function of London firemen	
D B Douglas, R B Douglas, D Oakes, and G Scott	55
Effect of commercial diving on ventilatory function	
S J Watt	59
Determination of diethylead in the urine by flameless atomic absorption spectrometry	
Z Turlakiewicz, M Jakubowski, and J Chmielnicka	63
Short report	
Effects of radiant heat in fire fighting instructors	
C J Stevenson	67
Correspondence	
Long term follow-up of workers exposed to beryllium	69
On the relative toxicity of asbestos fibres	69
A problem in looking for relationships between concentrations of urinary components	70
Book review	71

No 2 *FEBRUARY 1985*

Editorial

	PAGE
Vinyl chloride: the evidence for human carcinogenicity in different target organs	
A G Salmon	73
Health of workers exposed to electric fields	
D E Broadbent, M H P Broadbent, J C Male, and M R L Jones	75
Mortality of workers in an automobile engine and parts manufacturing complex	
J E Vena, H A Sultz, R C Fiedler, and R E Barnes	85
Respiratory abnormalities among workers in an iron and steel foundry	
A Johnson, Moira Chan-Yeung, Lonia Maclean, Elizabeth Atkins, Ann Dybuncio, F Cheng, and D Enarson	94
Respiratory disease in foundry workers	
I Low and C Mitchell	101
Lung function after exposure to barley dust	
P E McCarthy, A E Cockcroft, and M McDermott	106
Coexposure to toluene and p-xylene in man: uptake and elimination	
M Wallén, S Holm, and M Byfält Nordqvist	111
Coexposure to toluene and p-xylene in man: central nervous functions	
B Anshelm Olson, F Gamberale, A Iregren	117
Sperm as an indicator of reproductive risk among petroleum refinery workers	
M J Rosenberg, A J Wyrobek, Jennifer Ratcliffe, L A Gordon, G Watchmaker, S H Fox, D H Moore II, and R W Hornung	123
Comparative study of the effects of biphenyl and Kanechlor-400 on the respiratory and energy linked activities of rat liver mitochondria	
Y Nishihara	128

Effects of whole body vibration on biogenic amines in rat brain	
M Ariizumi and A Okada	133
Short report	
A note on "Job related mortality risks of Hanford workers and their relation to cancer effects of measured doses of external radiation"	
Ethel S Gilbert and G R Petersen	137
Book reviews	140
Information section	142

No 3 *MARCH 1985* PAGE

Editorial	
Biological exposure limits: the fetus and EEC politics	
R L Zielhuis	145
Minor psychiatric morbidity in employed young men and women and its contribution to sickness absence	
Rachel Jenkins	147
Experimental study on the enhancement of the neurotoxicity of methyl n-butyl ketone by non-neurotoxic aliphatic monoketones	
J Misumi and M Nagano	155
Partition coefficients of some industrial aliphatic hydrocarbons (C5-C7) in blood and human tissues	
L Perbellini, F Brugnone, D Caretta, and G Maranelli	162
Total contribution of airborne lead to blood lead	
W I Manton	168
Neurophysiological studies on workers exposed to lead	
J Jeyaratnam, G Devathanan, C N Ong, W O Phoon, and P K Wong	173
Recovery from paraquat pneumonitis	
J J Seidenfeld, R E Sobonya, and Janice M Toyoshima	178
Gassings due to methylene chloride, xylene, toluene, and styrene reported to Her Majesty's Factory Inspectorate 1961-80	
M A Bakinson and R D Jones	184
Cancer morbidity among workers in the telecommunications industry	
D Vågerö, A Ahlbom, R Olin, and S Sahlsten	191
Ventilatory responses of normal subjects to flax dust inhalation: the protective effect of autoclaving the flax	
J P Jamison, J H M Langlands, and C C Bodel	196
Determinants of changes in FEV₁ over a workshift	
D A Enarson and Moira Yeung	202
Statistical derivation of a standard procedure for counting expectorated alveolar macrophages as indicators of occupational air pollution	
A M Nilsen and S Engen	205
Short reports	
Dysbaric hazard of a new fishing method in Hong Kong: case report	
T H Lam, K P Yau, and F J O'Kelly	209
Mortality experience of electrical engineers	
R Olin, D Vågerö, and A Ahlbom	211
Correspondence	
Allergy to laboratory animals	213

No 4 *APRIL 1985* PAGE

Editorial	
Uptake of solvents from the lungs	
I Åstrand	217
Mortality of workers in a French asbestos cement factory 1940-82	
A M Alies-Patin and A J Valleron	219
Back pain and heavy physical work: a comparative study of concrete reinforcement workers and maintenance house painters	
Hilkka Riihimäki	226
Strain on the back in concrete reinforcement work	
G Wickström, T Niskanen, and Hilkka Riihimäki	233
Mortality and cancer incidence in the perfumery and flavour industry of Geneva	
E Guberan and L Raymond	240

Professional driving, smoking, and lung cancer: a case referent study	246
L Damber and L G Larsson	
Relation of haemostatic function, neurovascular impairment, and vibration exposure in workers with different stages of vibration induced white finger	253
M Bovenzi, C Giansante, A Fiorito, and S Calabrese	
Comparative study of vibration disease among operators of vibrating tools by factor analysis	260
M Futatsuka, N Yasutake, T Sakurai, and T Matsumoto	
Follow up study of vibration induced white finger in chain saw operators	267
M Futatsuka, T Ueno and T Sakurai	
Sympathetic and local vasoconstrictor response to cold in vibration induced white finger	272
N Olsen, P Fjeldborg, and J Brochner-Mortensen	
Reduced killer cell activity of lymphocytes from patients with asbestosis	276
M Kubota, S Kagamimori, K Yokoyama, and A Okada	
A spin label study of the effects of asbestos, quartz, and titanium dioxide dusts on the bovine erythrocyte membrane	281
W Leyko and E Gendek	
Mortality of tanners	285
E C Pippard, E D Acheson, and P D Winter	
Book review	288
Correction: Lung function, atopy, specific hypersensitivity, and smoking of workers in the enzyme detergent industry over 11 years (January 1985)	288
No 5 MAY 1985	PAGE
Editorial	
"One simple set of regulations"	289
W R Lee	
Neurobehavioural effects of repeated occupational exposure to toluene and paint solvents	291
Nicola Cherry, Helen Hutchins, T Pace, and H A Waldron	
No acute behavioural effects of exposure to styrene: a safe level of exposure?	301
C Edling and Kerstin Ekberg	
Dechlorination of halocarbons by microsomes and vesicular reconstituted cytochrome P-450 systems under reductive conditions	305
A G Salmon, JA Nash, CM Walklin, and RB Freedman	
Clinical and immunological reactions to Aspergillus niger among workers at a biotechnology plant	312
M D Topping, D A Scarisbrick, C M Luczynska, E C Clarke, and A Seaton	
A study of dose-response relationships for asbestos associated disease	319
M M Finkelstein	
Rates of sickness absenteeism among employees of a modern hospital: the role of demographic and occupational factors	326
A Pines, K Skulkeo, E Pollak, E Peritz, and J Steif	
Accident liability	336
JB Kuné	
Risk factors for radiogenic cancer: a comparison of factors derived from the Hanford survey with those recommended by the ICRP	341
K F Baverstock and D G Papworth	
Some factors influencing interobserver variation in classifying simple pneumoconiosis	346
DC Musch, ITT Higgins, and JR Landis	
Short reports	
Asymmetric rapidly progressive lung fibrosis: a cause of pseudotumour in asbestosis	350
W OCM Cookson, JJ Glancy, and FA Frost	
Reticulocyte haem synthesis in occupational exposure to trinitrotoluene	356
H Savolainen, R Tenhunen, and H Härkönen	
Book reviews	356
Correction: Health of workers exposed to electric fields (February 1985)	357
Information section	358
No 6 JUNE 1985	PAGE
Editorial	
AIDS: minimising the occupational risks	361
H A Waldron	
Synthetic pyrethroid insecticides: a dermatological evaluation	363
S A Flannigan, S B Tucker, M M Key, C E Ross, E J Fairchild II, B A Grimes, and R B Harrist	

Ethylene oxide induces central-peripheral distal axonal degeneration of the lumbar primary neurones in rats A Ohnishi, N Inoue, T Yamamoto, Y Murai, H Hori, M Koga, I Tanaka, and T Akiyama	373
Carcinogenic potential of hydrotreated petroleum aromatic extracts Sheila M A Doak, R W Hend, A van der Wiel, and P F Hunt	380
Relations between asbestos exposure and lung cancer SMRs in occupational cohort studies F D K Liddell and J A Hanley	389
Lung cancer among asbestos cement workers. A Swedish cohort study and a review C-G Ohlson and C Hogstedt	397
Respiratory cancers in furniture workers Maria R Gerhardsson, S E Norell, H J Kivanta, and A Ahlbom	403
Mortality of welders and other craftsmen at a shipyard in NE England Muriel L Newhouse, D Oakes, and A J Woolley	406
Mortality pattern in a glass producing area in SE Sweden G Wingren and O Axelson	411
Bronchial reactivity in green coffee exposure Eugenija Žuškin, Božica Kanceljak, Zdenka Skurić, and D Butković	415
Legionella pneumophila in coal miners D H Davies, E C Hill, C H L Howells, and C D Ribeiro	421
Oculodermatological findings in workers with occupational exposure to polychlorinated biphenyls (PCBs) A Fischbein, Joan N Rizzo, S J Solomon, and Mary S Wolff	436
Book reviews	431

No 7 JULY 1985

PAGE

Editorial	
Solvent neurotoxicity J B Cavanagh	433
Mortality among members of a heavy construction equipment operators union with potential exposure to diesel exhaust emissions O Wong, R W Morgan, L Kheifets, S R Larson, and M D Whorton	435
Comparison of SMR, PMR, and PCMR in a cohort of union members potentially exposed to diesel exhaust emissions O Wong, R W Morgan, L Kheifets, and S R Larson	449
Compensation, radiographic changes, and survival in applicants for asbestosis compensation W O C Cookson, A W Musk, J J Glancy, N D de Klerk, R Yin, R Mele, N G Carr, B K Armstrong, and M S T Hobbs	461
Nasal cancer in the textile and clothing industries Louise A Brinton, W J Blot, and J F Fraumeni Jr	469
Raised mortality from lung cancer and high sex ratios of births associated with industrial pollution O L Lloyd, G Smith, M M Lloyd, Y Holland, and P Gailey	475
Mutagenicity studies in a tyre plant: in vitro activity of workers' urinary concentrates and raw materials R Crebelli, A Paoletti, E Falcone, G Aquilina, G Fabri, and A Carere	481
Female reproductive health in two lamp factories: effects of exposure to inorganic mercury vapour and stress factors F de Rosis, S P Anastasio, L Selvaggi, A Beltrame, and G Moriani	488
Respiratory impairment in coffee factory workers in the Asaro Valley of Papua New Guinea D Smith, Karen Brott, and G Koki	495
Byssinosis in Hong Kong S G Ong, T H Lam, C M Wong, P L Ma, S K Lam, and F J O'Kelly	499
Correspondence	
Neurophysiological studies on workers exposed to lead	503
Book review	503

No 8 AUGUST 1985

PAGE

Editorial	
Health problems of pesticide usage in the Third World J Jeyaratnam	505
Occupational lead neurotoxicity: improvement in behavioural effects after reduction of exposure E L Baker, Roberta F White, Lucille J Pothier, Catherine S Berkey, G E Dinse, Patricia H Travers, J P Harley, and R G Feldman	507
Occupational asthma in a steel coating plant Katherine M Venables, M B Dally, P S Burge, C A C Pickering, and A J Newman Taylor	517
Radiation, work experience, and cause specific mortality among workers at an energy research laboratory H Checkoway, R M Mathew, C M Shy, J E Watson Jr, W G Tankersley, Susanne H Wolf, Joanna C Smith, and Shirley A Fry	525

Minor psychiatric morbidity and labour turnover	
Rachel Jenkins	534
Prostatic cancer and chronic respiratory and renal disease in British cadmium workers: a case control study	
B G Armstrong and G Kazantzis	540
Cancer incidence and cancer mortality in a cohort of semiconductor workers	
T Sorahan, J A H Waterhouse, M J McKiernan, and R H R Aston	546
Microanalyses of lesions and lymph nodes from coalminers' lungs	
J S Chapman and V A Ruckley	551
Severe diffuse small airways abnormalities in long term chrysotile asbestos miners	
Joanne L Wright and A Churg	556
Modified nucleosides in asbestos workers at high risk of malignant disease: results of a preliminary study applying discriminant analysis	
S J Solomon, A Fischbein, O K Sharma, and E Borek	560
Short reports	
Accuracy of occupational histories obtained from wives	
D Coggon, E C Pippard, and E D Acheson	563
Is low intensity vibration harmful to the digits?	
J Vestbo, Inge Vestbo, K-O Larsen, and S L Nielsen	565
Correction: Nasal cancer in the textile and clothing industries (July 1985)	566
Correspondence	
Do amines induce occupational asthma in workers manufacturing polyurethane foams?	567
Mesothelioma and asbestos fibre type	567
Job related mortality risks of Hanford workers and their relation to cancer effects of measured doses of external radiation	568
Uptake of solvents from the lungs	569
Formaldehyde and the nasal mucosa	570
Information section	573
No 9 SEPTEMBER 1985	PAGE
Editorial	
Does acute toxicity tell us anything useful? Methyl isocyanate as a test case	
A G Salmon	577
Behavioural evaluation of workers exposed to mixtures of organic solvents	
N A Maizlish, G D Langolf, L W Whitehead, L J Fine, J W Albers, J Goldberg, and P Smith	579
Influence of organic solvent mixtures on biological membranes	
Christina Gustafson and C Tagesson	591
Normal serum activities of liver enzymes in Swedish paint industry workers with heavy exposure to organic solvents	
I Lundberg and Marianne Håkansson	596
Lung function measurements over 21 days shiftwork in steelworkers from a strandcasting department	
B Nemery, R van Leemputten, E Goemaere, C Veriter, and L Bresseur	601
Ventilatory decrements in former asbestos cement workers: a four year follow up	
C-G Ohlson, L Bodin, T Rydman, C Hogstedt	612
Protective effect of selenium on lung cancer in smelter workers	
L Gerhardsson, D Brune, I G F Nordberg, and P O Wester	617
Gastric cancer in coal miners: a case-control study in a coal mining area	
G M H Swaen, C W H M Aerdt, F Sturmans, J J M Slangen, and P Knipschild	627
Changes in permeability of the alveolar-capillary barrier in firefighters	
Barbara D Minty, D Royston, J G Jones, D J Smith, Caroline S M Searing, and M Beeley	631
Quantitative mineralogical analysis of small samples of china clay using x ray diffractometry	
P D Salt	635
Dissolution of metals by human and rabbit alveolar macrophages	
Margot Lundborg, A Eklund, B Lind, and P Camner	642
Correspondence	
Occupational asthma due to an emulsified oil mist	646
Risk factors for radiogenic cancer: a comparison of factors derived from the Hanford survey with those recommended by the ICRP	647
Book review	647
No 10 OCTOBER 1985	PAGE
Editorial	
Health assessment of applicants for nurse training	
J A Lunn	649

Cancer mortality of cadmium workers	
C-G Elinder, T Kjellström, C Hogstedt, K Andersson, and G Spång	651
Job load and hazard analysis: a method for the analysis of workplace conditions for occupational health care	
M K Mattila	656
Body reactions during chain saw work	
T Matoba, M Chiba, and T Sakurai	667
A study of white finger in the gas industry	
D D Walker, B Jones, S Ogston, E G Tasker, and A J Robinson	672
Influence of local vibration on plasma creatine phosphokinase (CPK) activity	
A Okada, H Okuda, R Inaba, and M Ariizumi	678
Diethyllead as a specific indicator of occupational exposure to tetraethyllead	
Z Turlakiewicz and J Chmielnicka	682
An outbreak of illness after occupational exposure to ozone and acid chlorides	
T P Ng, T W Tsin, and F J O'Kelly	686
Urinary screening for potentially genotoxic exposures in a chemical industry	
G Ahlborg Jr, B Bergström, C Hogstedt, P Einistö, and Marja Sorsa	691
Pulmonary response to agate dust in vivo and cytotoxic and haemolytic effects in vitro	
J L Kaw and M Waseem	700
Kinetics of deposition and clearance of inhaled mineral dusts during chronic exposure	
J H Vincent, A M Johnston, A D Jones, R E Bolton, and J Addison	707
Short report	
Tumour initiators, promoters, and complete carcinogens	
E Boyland	716
Book reviews	719

No 11 *NOVEMBER 1985*

Editorial	PAGE
Radon daughter exposure and lung cancer	
C Edling	721
Dust exposure, pneumoconiosis, and mortality of coalminers	
B G Miller and M Jacobsen	723
Progressive massive fibrosis and simple pneumoconiosis in ex-miners	
W M Maclaren and C A Soutar	734
Mortality of men in the Rhondda Fach 1950-80	
L K Atuhaire, M J Campbell, A L Cochrane, M Jones, and F Moore	741
Peritoneal mesothelioma and malignant lymphoma in mice caused by fibrous zeolite	
M Özesmi, T E Papiroglu, G Hillerdal, and C Özesmi	746
Exposure to vinyl chloride and angiosarcoma of the liver: a report of the register of cases	
D Forman, B Bennett, J Stratford, and R Doll	750
Assessment of renal function in workers previously exposed to cadmium	
C G Ellinder, C Elding, E Lindberg, B K Ågedal, and O Vesterberg	754
Silicosis in jade workers	
T P Ng, W G L Allan, T W Tsin, and F J O'Kelly	761
Changes in the sense of balance correlate with concentrations of m-xylene in venous blood	
K Savolainen, V Riihimäki, R Luukkonen, and O Muona	765
Toxicity in man due to stain removers containing 1,2-dichloropropane	
C Pozzi, P Marai, R Ponti, C Dell'Oro, C Sala, S Zedda, and F Locatelli	770
Variation in cutaneous perfusion due to synthetic pyrethroid exposure	
S A Flannigan and S B Tucker	773
A job-exposure matrix for use in population based studies in England and Wales	
B Pannett, D Coggon, and E D Acheson	777
Short report	
Methyl groups of additional aromatic groups donate tumour promoting activity	
E Boyland	784
Correspondence	
Rates of sickness absenteeism among employees of a modern hospital: the role of demographic and occupational factors	787
Information section	789

Editorial**Occupational health and the archaeologist**

H A Waldron	793
Acute toxicity of methyl isocyanate: a preliminary study of the dose response for eye and other effects	
A G Salmon, M Kerr Muir, and N Andersson	795
Effects of methyl isocyanate on the respiratory tract of rats	
B Nemery, D Dinsdale, S Sparrow, and D E Ray	799
Mortality from occupational accidents to United Kingdom fisherman 1961-80	
M S J Reilly	806
Is the Armadale epidemic over? Air pollution and mortality from lung cancer and other diseases, 1961-82	
O L Lloyd, Fiona L R Williams, and Fiona A Y Gailey	815
A further study of air pollution in diesel bus garages	
R E Waller, L Hampton, and P J Lawther	824
Respiratory effects of borax dust	
D H Garabrant, L Bernstein, J M Peters, T J Smith, and W E Wright	831
Silica, silicosis, and progressive systemic sclerosis	
G K Sluis-Cremer, P A Hessel, E H Nizdo, A R Churchill, and E A Zeiss	838
Hand injuries in south Wales coal miners	
W J Morgan and S N Harrop	844
Visual disturbances after experimental human exposure to triethylamine	
B Åkesson, I Floren, and S Skerfving	848
Index to volume	851

need be submitted but two additional copies will be required. Legends to figures should be typed on a separate sheet of paper.

Tables should be kept to a minimum and should not contain material that is fully described in the text. **They should be typed on separate sheets of paper.** Long appendices should be avoided. When the author considers it essential to include large numbers of tables or long appendices it may be possible to print them at the end of the text in miniprint. The Editor should be consulted in advance.

Signed editorials will normally be specially commissioned, and authors who are considering the submission of an editorial should do so only after consultation with the Editor. Letters to the Editor, which should not exceed 500 words, may deal with any topic and will be published as soon as space permits. When letters refer to papers that have appeared in the Journal, the authors of the original paper will be given the opportunity to reply. Unsolicited book reviews will not be published.

References The number of references in the text of papers submitted to the Journal should be kept to a minimum. They are required only if they are essential to the development of a hypothesis which the authors are proposing to test, if they are necessary for the development of an argument or discussion, or if they describe methods that are being used when the original account is too lengthy to be included in full. Exhaustive lists of references are frequently included in a paper more to impress than to instruct and should be avoided whenever possible; over-frequent reference to the authors' own papers is an indulgence best avoided.

All references in material submitted to the journal must conform with the so-called Vancouver style which is intended to standardise requirements for authors. The style is described in detail in the *British Medical Journal* (1979;i:532-5) and authors are urged to study it carefully. Manuscripts in which the references do not follow the prescribed style will be returned to be amended before they are considered for publication. The essentials of the style are as follows.

References should be numbered consecutively in the order in which they are first mentioned in the text by Arabic numerals above the line on each occasion the reference is cited. References cited only in tables or in legends to figures should be numbered in accordance with a sequence established by the first identification in the text of a par-

ticular table or illustration. The references must include: the names and initials of all authors (unless there are more than six, when only the first three should be given followed by *et al*); the title of journal articles or book chapters; the titles of journals abbreviated according to the style of the *Index Medicus*; the year and volume number; and the first and final page numbers of the article or chapter. Titles of books should be followed by place of publication, publisher, and year. Papers given at meetings cannot be cited as a reference unless the proceedings have been published. If they have not been published they must be referred to in the text.

Examples of common forms of references are:

- ¹ International Steering Committee of Medical Editors. Uniform requirements for manuscripts submitted to biomedical journals. *Br Med J* 1979;i:532-5.
- ² Soter NA, Wasserman SI, Austen KF. Cold urticaria: release into the circulation of histamine and eosinophil chemotactic factor of anaphylaxis during cold challenge. *N Engl J Med* 1976;294:687-90.
- ³ Weinstein L, Swartz MN. Pathogenic properties of invading micro-organisms, In: Sodeman WA Jr, Sodeman WA, eds. *Pathologic physiology: mechanisms of disease*. Philadelphia: W B Saunders, 1974:457-72.
- ⁴ Hargreave FE. Non-specific bronchial reactivity. In: DeKock MA, Nadel JA, Lewis CM, eds. *Mechanisms of airways obstruction in human respiratory disease. Proceedings of the international symposium, Tygerburg, South Africa, 1978*. Rotterdam: AA Balkema, 1979:77-87.

Authors should note that references will not be checked by the editorial office; responsibility for the accuracy and completeness of references lies solely with the author.

Proofs Contributors will receive one proof on which only minor alterations may be made. It is assumed that the submitted manuscript will have been carefully proofread and will be essentially correct.

Reprints Twenty five reprints will be supplied free of charge. Further copies will be available on the payment of a fee; the number of additional reprints required should be inserted on the form sent with the proofs. Reprints of letters to the Editor will not be available.