

---

# British Journal of Industrial Medicine

---

Volume 43, 1986

EDITOR H A Waldron

ASSISTANT EDITORS P J Baxter L Magos K M Venables

EDITORS, INFORMATION SECTION F G Rose E L Teasdale

EDITOR, BOOK REVIEWS A G Salmon

EDITORIAL COMMITTEE

J A Bonnell

R I McCallum

Editor

Joan M Davies

C White

*British Medical Journal*

J A Lunn

TECHNICAL EDITOR Elizabeth Bond

BRITISH MEDICAL ASSOCIATION TAVISTOCK SQUARE LONDON WC1

# Contents

No 1 <i>JANUARY 1986</i>		PAGE
<b>Editorial</b>		
<b>From Flixborough to Bhopal: is legislation enough?</b>		
P J Baxter .. .. .		1
<b>An epidemiological study of petroleum refinery employees</b>		
O Wong, R W Morgan, W J Bailey, R E Swencicki, Kathleen Claxton, and Leeka Kheifets .. .. .		6
<b>Asbestos content of lung tissue in asbestos associated diseases: a study of 110 cases</b>		
V L Roggli, P C Pratt, and A R Brody .. .. .		18
<b>Quantitative relations between exposure to respirable coalmine dust and coalworkers' simple pneumoconiosis in men who have worked as miners but have left the coal industry</b>		
C A Soutar, W M Maclaren, R Annis, and A W T Melville .. .. .		29
<b>IgE antibody responses to platinum group metals: a large scale refinery survey</b>		
R D Murdoch, J Pepys, and E G Hughes .. .. .		37
<b>Occupation and cancer in London: an investigation into nasal and bladder cancer using the Cancer Atlas</b>		
P J Baxter and M E McDowall .. .. .		44
<b>Occupational mortality from gastric and duodenal ulcer</b>		
A Sonnenberg and G S Sonnenberg .. .. .		50
<b>Toluene concentrations in the blood and alveolar air of workers during the workshift and the morning after</b>		
F Brugnone, E de Rosa, L Perbellini, and G B Bartolucci .. .. .		56
<b>Gas chromatographic determination of methoxyacetic and ethoxyacetic acid in urine</b>		
D Groeseneken, E van Vlem, H Veulemans, and R Masschelein .. .. .		62
<b>Short reports</b>		
<b>Acute encephalopathy due to occupational exposure to arsenic</b>		
W S Beckett, J L Moore, J P Keogh, and Margit L Bleecker .. .. .		66
<b>Thioethers in urine during occupational exposure to tetrachloroethylene</b>		
Amalia Lafuente and J Mallol .. .. .		68
<b>Correspondence</b>		
<b>Neurophysiological studies on workers exposed to lead</b>		
J Jeyaratnam .. .. .		70
<b>Book reviews</b> .. .. .		70
<b>Notices</b> .. .. .		72
No 2 <i>FEBRUARY 1986</i>		PAGE
<b>Editorial</b>		
<b>Solvents and the brain</b>		
H A Waldron .. .. .		73
<b>Non-Hodgkin's lymphoma and exposure to phenoxyherbicides, chlorophenols, fencing work, and meat works employment: a case-control study</b>		
N E Pearce, A H Smith, J K Howard, Raewyn A Sheppard, Heather J Giles, and C A Teague .. .. .		75
<b>Respiratory cancers and chemical exposures in the wood industry: a nested case-control study</b>		
T P Kauppinen, T J Partanen, M M Nurminen, J I Nickels, S G Hernberg, T R Hakulinen, E I Pukkala, and E T Savonen .. .. .		84
<b>On the causal association between exposure to leather dust and nasal cancer: further evidence from a case-control study</b>		
E Merler, A Baldasseroni, R Laria, P Faravelli, R Agostini, R Pisa, and F Berrino .. .. .		91
<b>Bladder cancer and occupational exposure to leather</b>		
L D Marrett, P Hartge, and J W Meigs .. .. .		96
<b>Chronic and acute effects of solvents on central nervous system functions in floorlayers</b>		
Kerstin Ekberg, L Barregård, S Hagberg, and Gerd Sällsten .. .. .		101
<b>Health effects among refrigeration repair workers exposed to fluorocarbons</b>		
D D Campbell, J E Lockey, J Petajan, B J Gunter, and W N Rom .. .. .		107
<b>Kinetics of the metal components of intratracheally instilled stainless steel welding fume suspensions in rats</b>		
Pirkko-Liisa Kalliomäki, Hanna-Kaisa Hyvärinen, A Aitio, Eeva-Liisa Lakoma, and K Kalliomäki .. .. .		112
<b>Determination of safe load</b>		
S Gracovetsky .. .. .		120
<b>Short reports</b>		
<b>Multiple pigmented papular basal cell carcinomas: a new pattern of industrial tar induced skin tumours</b>		
L G Millard .. .. .		134

<b>Correction: Mortality of men in the Rhondda Fach 1950-80 (November 1985)</b>	136
<b>Herbal tea asthma</b>	
P D Blanc, W D Trainor, and D T Lim	137
<b>Correspondence</b>	
<b>Hepatotoxicity of organic solvents</b>	
G Franco, R Fonte, and F Candura	139
<b>Information section</b>	141

No 3 *MARCH 1986*

	PAGE
<b>Editorial</b>	
<b>Is asbestos or asbestosis the cause of the increased risk of lung cancer in asbestos workers?</b>	
K Browne	145
<b>Can exposure to coalmine dust cause a severe impairment of lung function?</b>	
J F Hurley and C A Soutar	150
<b>Mortality of asbestos workers in England and Wales 1971-81</b>	
J T Hodgson and R D Jones	158
<b>Hazards of lung biopsy in asbestos workers</b>	
Y Lerman, J Ribak, and I J Selikoff	165
<b>Asbestos fibres in bronchoalveolar lavage fluid from asbestos workers: examination by electron microscopy</b>	
A R Gellert, J Y Kitajewska, S Uthayakumar, J B Kirkham, and R M Rudd	170
<b>Respiratory ill health among coal miners and telecommunication workers in south Wales</b>	
M H Lloyd, S J Gauld, and C A Soutar	177
<b>Human ventilatory response to washed and unwashed cottons from different growing areas</b>	
E L Petsonk, S A Olenchock, R M Castellan, D E Banks, Judith C Mull, J L Hankinson, K C Bragg, H H Perkins, and J B Cocke	182
<b>Spirometric data and penetration of particles to the alveoli</b>	
M Svartengren, E Hassler, K Philipson, and P Camner	188
<b>Allergy to laboratory animals in laboratory technicians and animal keepers</b>	
G Agrup, L Belin, L Sjöstedt, and S Skerfving	192
<b>Spontaneous abortions among women working in the pharmaceutical industry</b>	
H Taskinen, M L Lindbohm, and K Hemminki	199
<b>Census based mortality study of pharmaceutical industry workers</b>	
J M Harrington and P Goldblatt	206
<b>Cancer in the electric power industry</b>	
S Törnqvist, S Norell, A Ahlbom, and B Knave	212
<b>Correspondence</b>	
<b>PMR and relative risk</b>	
Eric S Johnson	214
<b>Book reviews</b>	215
<b>Notice</b>	216

No 4 *APRIL 1986*

	PAGE
<b>Editorial</b>	
<b>Chemical pollution, verbal pollution, and paratotoxicology</b>	217
<b>Airway constrictor response to cotton bract extracts in the absence of endotoxin</b>	
M G Buck, J H Wall, and E N Schachter	220
<b>Cancer incidence among workers in the Norwegian ferroalloy industry</b>	
H Kjuus, A Andersen, S Langård, and K E Knudsen	227
<b>Incidence of cancer among workes producing calcium carbide</b>	
H Kjuus, A Andersen, and S Langård	237
<b>Investigation of the potential carcinogenicity of a range of chromium containing materials on rat lung</b>	
L S Levy, P A Martin, and P L Bidstrup	243
<b>Biliary tract cancer and occupation in Sweden</b>	
H S R Walker, J K McLaughlin, Birgitta K Walker, B J Stone, J A Weiner, J L E Ericsson, and W J Blot	257
<b>Total population study of factors affecting chronic bronchitis prevalence in the coal mining industry of New South Wales, Australia</b>	
J Leigh, A N Wiles, and M Glick	263
<b>Notifications of industrial chemical cyanosis poisoning in the United Kingdom 1961-80</b>	
D K Sekimpi and R D Jones	272

<b>Vibration white finger and digital systolic pressure during cooling</b>	
Lena Ekenvall and L E Lindblad .. .. .	280
<b>Assessment of vibration induced white finger: reliability and validity of two tests</b>	
M Hack, M-A Boillat, C Schweizer, and M Lob .. .. .	284
<b>Book review</b> .. .. .	288
<b>Notices</b> .. .. .	288
<b>Correction: Spirometric data and penetration of particles to the alveoli (March 1986)</b> .. .. .	279

No 5 *MAY 1986* PAGE

<b>Editorial</b>	
<b>Volcanoes and occupational health</b>	
P J Baxter .. .. .	289
<b>Irreversible effects of dichloromethane on the brain after long term exposure: a quantitative study of DNA and the glial cell marker proteins S-100 and GFA</b>	
L E Rosengren, P Kjellstrand, A Aurell, and K G Haglid .. .. .	291
<b>Respiratory disability in ex-flax workers</b>	
J H Elwood, P C Elwood, M J Campbell, C F Stanford, A Chivers, Iris Hey, L Brewster, and P M Sweetnam .. .. .	300
<b>Relation between dust exposure and lung function in miners and ex-miners</b>	
C A Soutar and J F Hurley .. .. .	307
<b>Determination of the distribution of conduction velocities in workers exposed to lead, zinc, and copper</b>	
S Araki, K Yokoyama, K Murata, and H Aono .. .. .	321
<b>Bronchial challenge of normal subjects with the endotoxin of Enterobacter agglomerans isolated from cotton dust</b>	
J P Jamison and R C Lowry .. .. .	327
<b>A survey of cancer and occupation in young and middle aged men. I Cancers of the respiratory tract</b>	
D Coggon, B Pannett, C Osmond, and E D Acheson .. .. .	332
<b>Effects of 50 Hz electric currents on mood and verbal reasoning skills</b>	
B T Stollery .. .. .	339
<b>Short reports</b>	
<b>Gastric cancer in a south Wales valley</b>	
L K Atuhaire, M J Campbell, A L Cochrane, M Jones, and F Moore .. .. .	350
<b>Arsine gas poisoning: the importance of exchange transfusions in severe cases</b>	
C S Hesdorffer, F J Milne, J Terblanche, and A M Meyers .. .. .	353
<b>Correspondence</b>	
<b>Regression estimate of the adjusted risk ratio</b>	
James Lee .. .. .	356
<b>Book review</b> .. .. .	356
<b>Notice</b> .. .. .	357
<b>Information section</b> .. .. .	358

No 6 *JUNE 1986* PAGE

<b>Editorial</b>	
<b>Vibration induced injury</b>	
M Färkkilä .. .. .	361
<b>Cancer mortality in the British rubber industry: 1946-80</b>	
T Sorahan, H G Parkes, C A Veys, and J A H Waterhouse .. .. .	363
<b>Neurobehavioural effects of occupational exposure to lead</b>	
A M Williamson and R K C Teo .. .. .	374
<b>A survey of cancer and occupation in young and middle aged men. II. Non-respiratory cancers</b>	
D Coggon, B Pannett, C Osmond, and E D Acheson .. .. .	381
<b>Erythrocyte arginase, pyrimidine 5'-nucleotidase (P5N), and deoxyypyrimidine 5'-nucleotidase (dP5N) as indices of lead exposure</b>	
L R Cook, C R Angle, and S J Stohs .. .. .	387
<b>Correlation between fibre content of the lungs and disease in naval dockyard workers</b>	
J C Wagner, C B Moncrieff, R Coles, D M Griffiths, and D E Munday .. .. .	391
<b>Atopy, non-allergic bronchial reactivity, and past history as determinants of work related symptoms in seasonal grain handlers</b>	
W O C M Cookson, G Ryan, Sharon MacDonald, and A W Musk .. .. .	396
<b>Bronchoalveolar lavage in farmers' lung disease: diagnostic and physiological significance</b>	
Y Cormier, J Bélanger, P Leblanc, and M Laviolette .. .. .	401

<b>Pulmonary function in asbestos cement workers: a dose-response study</b>	
M Finkelstein .....	406
<b>Toxicity of dipterex: a field study</b>	
Xiaohan Hu, Yaoping Lu, Shouzhen Xue, Youxin Ling, and Xueqi Gu .....	414
<b>Short reports</b>	
<b>An unusual source of lead exposure in a precious metal assay worker</b>	
A Margaret Samuel and P J Baxter .....	420
<b>Acute nickel carbonyl poisoning: a report of 179 cases</b>	
Shi Zhicheng .....	422
<b>A study of serum monoamine oxidase (MAO) activity and the EEG in nickel carbonyl workers</b>	
Shi Zhicheng, A Lata, and Han Yuhua .....	425
<b>Duration of exposure as a surrogate for dose in the examination of dose response relations</b>	
E S Johnson .....	427
<b>Correspondence</b>	
<b>Cancer mortality of cadmium workers</b>	
G Kazantzis and T H Lam .....	430
<b>Are hazard warnings sufficient?</b>	
M R Braddick .....	431
<b>Notices</b> .....	432

No 7 JULY 1986 PAGE

<b>Editorial</b>	
<b>Cadmium and the kidney</b>	
R R Lauwerys and A M Bernard .....	433
<b>Cohort study of mortality of vermiculite miners exposed to tremolite</b>	
J C McDonald, A D McDonald, B Armstrong, and P Sebastien .....	436
<b>Radiological survey of past and present vermiculite miners exposed to tremolite</b>	
J C McDonald, P Sebastien, and B Armstrong .....	445
<b>Prevalence of radiographic asbestosis in crocidolite miners and millers at Wittenoom, Western Australia</b>	
W O C M Cookson, N H de Klerk, A W Musk, B K Armstrong, J J Glancy, and M S T Hobbs .....	450
<b>Sickness absence and duration of service in the Post Office 1982-3</b>	
S J Searle .....	458
<b>Trinitrotoluene: assessment of occupational absorption during manufacture of explosives</b>	
B H Woollen, M G Hall, R Craig, and G T Steel .....	465
<b>Respiratory diseases in hard metal workers: an occupational hygiene study in a factory</b>	
Y Kusaka, K Yokoyama, Y Sera, S Yamamoto, S Sone, H Kyono, T Shirakawa, and S Goto .....	474
<b>Effect of hard metal dust on ventilatory function</b>	
Y Kusaka, Y Ichikawa, T Shirakawa, and S Goto .....	486
<b>Joint effect of occupation and nationality on the prevalence of peptic ulcer in German workers</b>	
A Sonnenberg and J Haas .....	490
<b>Cancer mortality among leather tanners</b>	
C Edling, H Kling, U Flodin, and O Axelson .....	494
<b>Specific causes of death in miners and ex-miners of the Rhondda Fach 1950-80</b>	
L K Atuhaire, M J Campbell, A L Cochraine, M Jones, and F Moore .....	497
<b>Short report</b>	
<b>Occupational mycoses</b>	
Shi Zhicheng and Lei Pangcheng .....	500
<b>Correspondence</b>	
<b>Bright red blood of Bhopal victims: cyanide or MIC?</b>	
A G Salmon .....	502
<b>Quantitative relations between exposure to respirable coalmine dust and coalworkers' simple pneumoconiosis in men who have worked as miners but have left the coal industry</b>	
W K C Morgan .....	503
<b>Book review</b> .....	504
<b>Notices</b> .....	504

No 8 AUGUST 1986 PAGE

<b>Editorial</b>	
<b>Cement workers and cancer: epidemiology at work?</b>	
M McDowall .....	505

<b>Mortality of nitrate fertiliser workers</b>	
S Al-Dabbagh, D Forman, D Bryson, Irene Stratton, and R Doll .. .. .	507
<b>Respiratory cancer in Danish bakers: a 10 year cohort study</b>	
F Tüchsen and L Nordholm .. .. .	516
<b>Mortality among masons in Iceland</b>	
V Rafnsson and S G Jóhannesdóttir .. .. .	522
<b>Mortality from stomach cancer in United States cement plant and quarry workers, 1950-80</b>	
H E Amandus .. .. .	526
<b>Comparison of sickness absence in Belgian, German, and Dutch firms</b>	
R Prins and A de Graaf .. .. .	529
<b>Kinetics of styrene in workers from a plastics industry after controlled exposure: a comparison with subjects not previously exposed</b>	
A Löf, E Lundgren, and M Byfält Nordqvist .. .. .	537
<b>Respiratory uptake and elimination of ethylene glycol monoethyl ether after experimental human exposure</b>	
D Groeseneken, H Veulemans, and R Masschelein .. .. .	544
<b>Mortality of slate workers in north Wales</b>	
P D Oldham, Carol Bevan, P C Elwood, and N G Hodges .. .. .	550
<b>Short reports</b>	
<b>A threshold for asbestos related lung cancer</b>	
K Browne .. .. .	556
<b>Occupational asthma due to unheated colophony</b>	
P S Burge, A Wieland, A S Robertson, and D Weir .. .. .	559
<b>Fatal methyl bromide poisoning</b>	
R H Behrens and D C D Dukes .. .. .	561
<b>Cancer morbidity in workers exposed to cutting fluids containing nitrites and amines</b>	
B Järholm, B Lavenius, and G Sällsten .. .. .	563
<b>Investigation by the Ames test of urine samples from rats exposed to methyl isocyanate</b>	
Diana Anderson, S D Blowers, and B Nemery .. .. .	566
<b>Localisation of the chronic osteoarthropathy related to dysbarism</b>	
I Rózsahégyi .. .. .	568
<b>Separation and determination of phenol, <math>\alpha</math>-naphthol m- and p-, o-cresols and 2,5-xyleneol, and catechol in the urine after mixed exposure to phenol, naphthalene, cresols, and xylenols</b>	
Grażyna Bieniek and T Wilczok .. .. .	570
<b>ARFAR: a person years at risk program</b>	
S F Barry .. .. .	572
<b>Information section</b> .. .. .	574

No 9 <i>SEPTEMBER 1986</i>	PAGE
<b>Editorial</b>	
<b>Sex differences in susceptibility to toxic industrial chemicals</b>	
E J Calabrese .. .. .	577
<b>Respiratory disability in ex-cotton workers</b>	
P C Elwood, P M Sweetnam, Carole Bevan, and M J Saunders .. .. .	580
<b>Symptoms and longitudinal changes in lung function in young seasonal grain handlers</b>	
A L James, W O C M Cookson, G Buters, S Lewis, G Ryan, R Hockey, and A W Musk .. .. .	587
<b>Dissolution of stainless steel welding fumes in the rat lung: an x ray microanalytical study</b>	
S Anttila .. .. .	592
<b>Occurrence of cancer in women in the meat industry</b>	
E S Johnson, H R Fischman, G M Matanoski, and E Diamond .. .. .	597
<b>Mechanisms of cardiovascular regulation in male rabbits chronically exposed to cadmium</b>	
P Boscolo and M Carmignani .. .. .	605
<b>Evaluation of the chelating action of methicillin in prolonged experimental metallic mercury poisoning</b>	
Krystyna Twardowska-Sauchá .. .. .	611
<b>Urinary excretion of ethoxyacetic acid after experimental human exposure to ethylene glycol monoethyl ether</b>	
D Groeseneken, H Veulemans, and R Masschelein .. .. .	615
<b>Assessment of occupational exposure to 4,4'-diaminodiphenylmethane (methylene dianiline) by gas chromatography-mass spectrometry analysis of urine</b>	
J Cocker, W Gristwood, and H K Wilson .. .. .	620
<b>Neuropsychological studies on lead workers in Singapore</b>	
J Jeyaratnam, K W Boey, C N Ong, C B Chia, and W O Phoon .. .. .	626

<b>Outbreak of legionnaires' disease from a cooling water system in a power station</b>	
S Morton, C L R Bartlett, L F Bibby, D N Hutchinson, J V Dyer, and P J Dennis .. .. .	630
<b>Mobilisation of heavy metals into the urine by CaEDTA: relation to erythrocyte and plasma concentrations and exposure indicators</b>	
S Araki, H Aono, and K Murata .. .. .	636
<b>Short reports</b>	
<b>Serum angiotensin converting enzyme, ceruloplasmin, and lactic dehydrogenase in anthracosilicosis and anthracosilicotuberculosis</b>	
S Zhicheng, Y Zhiming, A Lata, and H Yuhua .. .. .	642
<b>A study of lung function in coalworkers' pneumoconiosis</b>	
S Zhicheng .. .. .	644
<b>Correspondence</b>	
<b>Risk factors for radiogenic cancer: a comparison of factors derived from the Hanford survey with those recommended by the ICRP</b>	
K F Baverstock and D G Papworth .. .. .	646
<b>Book reviews</b> .. .. .	647
<b>Notice</b> .. .. .	648

No 10 *OCTOBER 1986*

PAGE

**Editorial**

<b>The carcinogenicity of chromium and its salts</b>	
T Norseth .. .. .	649
<b>Granulomatous disease associated with pulmonary deposition of titanium</b>	
Susan Redline, Barbara P Barna, J F Tomaszefski jr, and J L Abraham .. .. .	652
<b>Lung function in workers using cadmium containing solders</b>	
C Edling, C G Elinder, and Ester Randma .. .. .	657
<b>Occupational cadmium exposure in jig solderers</b>	
N J Smith, M D Topping, J D Stewart, and J G Fletcher .. .. .	663
<b>Inter-rater agreement in assessing occupational exposure in a case-control study</b>	
M S Goldberg, J Siemiatycki, and M Gérin .. .. .	667
<b>Mortality of middle aged white South African gold miners</b>	
C H Wyndham, B N Bezuidenhout, M J Greenacre, and G K Sluis-Cremer .. .. .	677
<b>An update of mortality among chemical workers exposed to benzene</b>	
G G Bond, E A McLaren, C L Baldwin, and R R Cook .. .. .	685
<b>Quantitative relation of urinary phenol levels to breathzone benzene concentrations: a factory survey</b>	
O Inoue, K Seiji, M Kasahara, H Nakatsuka, T Watanabe, S-G Yin, G-L Li, C Jin, S-X Cai, X-Z Wang, and M Ikeda .. .. .	692
<b>Health status of school age children employed in carpet weaving in Ganderbal Block</b>	
G M Mattoo, A Rauf, and M L Zutshi .. .. .	698
<b>Is vibration white finger a primary sympathetic nerve injury?</b>	
Lena Ekenvall and L E Lindblad .. .. .	702
<b>Mortality and lead exposure: a retrospective cohort study of Swedish smelter workers</b>	
L Gerhardsson, N-G Lundström, F Nordberg, and S Wall .. .. .	707
<b>Short reports</b>	
<b>Effect of immersion on urinary lead excretion</b>	
Audrey Heywood, H A Waldron, P O'Hare, and P A Dieppe .. .. .	713
<b>Biliary tract cancer in the chemical industry: a proportional mortality study</b>	
P W Brandt-Rauf and J A Hathaway .. .. .	716
<b>Urinary thioether output as an index of occupational chemical exposure in petroleum retailers</b>	
J K Stock and B G Priestly .. .. .	718

No 11 *NOVEMBER 1986*

PAGE

**Editorial**

<b>Leptospirosis as an occupational disease</b>	
Sheena A Waitkins .. .. .	721
<b>Follow up study of workers manufacturing chrysotile asbestos cement products</b>	
M J Gardner, P D Winter, B Pannett, and C A Powell .. .. .	726
<b>Health, fitness, physical activity, and morbidity of middle aged male factory workers. I</b>	
W Tuxworth, A M Nevill, C White, and C Jenkins .. .. .	733

<b>Relation between pathological grading and lung fibre concentration in a patient with asbestosis</b>	
B Gylseth and V Skaug .. .. .	754
<b>Physiologicomathematical model for studying human exposure to organic solvents: kinetics of blood/tissue n-hexane concentrations and of 2,5-hexanedione in urine</b>	
L Perbellini, P Mozzo, F Brugnone, and A Zedde .. .. .	760
<b>Formaldehyde and the risk of squamous cell carcinoma of the sinonasal cavities</b>	
J H Olsen and S Asnaes .. .. .	769
<b>Occupational factors and pancreatic cancer</b>	
S Norell, A Ahlbom, R Olin, R Erwald, G Jacobson, I Lindberg-Navier, and K-L Wiechel .. .. .	775
<b>Hand wrist cumulative trauma disorders in industry</b>	
Barbara A Silverstein, L J Fine, and T J Armstrong .. .. .	779
<b>Acrylamide cohort mortality study</b>	
W Sobel, G G Bond, T W Parsons, and F E Brenner .. .. .	785
<b>Book reviews</b> .. .. .	789
<b>Notice</b> .. .. .	789
<b>Information section</b> .. .. .	790

No 12 <i>DECEMBER 1986</i>	PAGE
<b>Editorial</b>	
<b>A professional duty to inform</b>	
K P Duncan .. .. .	793
<b>Dust exposure, dust recovered from the lung, and associated pathology in a group of British coalminers</b>	
A N Douglas, A Robertson, J S Chapman, and V A Ruckley .. .. .	795
<b>Respiratory effects of occupational exposure to tobacco dust</b>	
G Viegi, P L Paggiaro, E Begliomini, E Vaggetti, P Paoletti, and C Giuntini .. .. .	802
<b>Ventilatory impairment from pre-harvest retted flax</b>	
J P Jamison, J H M Langlands, and R C Lowry .. .. .	809
<b>Alveolar sampling and fast kinetics of tetrachloroethene in man. I Alveolar sampling</b>	
J J G Opdam and J F J Smolders .. .. .	814
<b>Temperature and vibration thresholds in vibration syndrome</b>	
Lena Ekenvall, B Y Nilsson, and P Gustavsson .. .. .	825
<b>Phenotypic characterisation of peripheral blood lymphoid cells in people exposed to fibrous zeolite</b>	
M Özesmi, A Karlsson-Parra, G Hillerdal, and U Forsum .. .. .	830
<b>Gaseous and adsorbed PAH in an iron foundry</b>	
U Knecht, H-J Elliehausen, and H-J Woitowitz .. .. .	834
<b>A simplified method for determining erythrocyte pyrimidine 5'-nucleotidase (P5N) activity by HPLC and its value in monitoring lead exposure</b>	
T Sakai and K Ushio .. .. .	839
<b>Correspondence</b>	
<b>Respiratory disability in ex-flax workers</b>	
J E Cotes .. .. .	845
<b>Vibration induced injury</b>	
P V Pelnar .. .. .	845
<b>Book reviews</b> .. .. .	846
<b>Notices</b> .. .. .	847
<b>Index to volume</b> .. .. .	848



*tionary*. Both SI units and their equivalents must be given throughout. Authors should note that clarity and brevity are virtues that are given great weight when considering a paper for publication. The Editor cannot enter into correspondence about papers that are rejected as being unsuitable for publication and his decision is final. Rejected manuscripts will *not* be returned to authors, instead they will be kept securely for three months and then shredded. Authors are advised, therefore, not to submit original illustrations with their manuscripts but rather good quality reproductions. The original illustrations should be forwarded to the Editor on acceptance of the manuscript.

Papers are accepted on the understanding that the work described has not appeared in whole elsewhere and that they are subject to editorial revision. Where the findings have been published elsewhere *in part* this must be clearly stated and the submitted manuscript should be accompanied by a copy of the publication that contains those findings. If part of the findings are contained in a manuscript that is under consideration elsewhere a copy of that manuscript should be included with that submitted to the journal. A letter given consent to publication must be signed by *all* those whose name appears on the manuscript. Papers that describe studies carried out on human subjects must give evidence that the protocol was approved by an ethical committee and that all the subjects gave their informed consent.

There is no prescribed length for original papers but authors should not submit papers which exceed 10 000 words (about 30 typewritten sheets) without first consulting the Editor.

Original papers should follow the requirements of the International Steering Committee of Medical Editors; details, with which authors should familiarise themselves, are to be found in the *British Medical Journal* (1979;ii:532–5). Papers should be prefaced by an abstract of the argument and findings and should be more comprehensive than a summary. The abstract must not contain references. Short reports or case reports do not require an abstract.

On acceptance of a manuscript, authors must send original copies of all illustrations to the Editor as quickly as possible. Photographs on glossy paper should be submitted unmounted. An internal scale should be provided on photomicrographs and details of any staining procedure included in the legend. Colour photographs will not be published unless the authors underwrite the cost of production. Charts and graphs should be carefully drawn in black ink on tracing linen, Bristol board, or stout white paper. Legends to figures should be typed on a separate sheet of paper.

Tables should be kept to a minimum and should

not contain material that is fully described in the text. **They should be typed on separate sheets of paper.** Long appendices should be avoided. When the author considers it essential to include large numbers of tables or long appendices it may be possible to print them at the end of the text in miniprint. The Editor should be consulted in advance.

Signed editorials will normally be specially commissioned, and authors who are considering the submission of an editorial should do so only after consultation with the Editor. Letters to the Editor, which should not exceed 500 words, may deal with any topic and will be published as soon as space permits. When letters refer to papers that have appeared in the *Journal*, the authors of the original paper will be given the opportunity to reply. Unsolicited book reviews will not be published.

**References** The number of references in the text of papers submitted should be kept to a minimum. They are required only if they are essential to the development of a hypothesis which the authors are proposing to test, if they are necessary for the development of an argument or discussion, or if they describe methods that are being used when the original account is too lengthy to be included in full. Exhaustive lists of references are frequently included in a paper more to impress than to instruct and should be avoided whenever possible; over-frequent reference to the authors' own papers is an indulgence best avoided.

All references in material submitted to the journal must conform with the so-called Vancouver style which is intended to standardise requirements for authors. The style is described in detail in the *British Medical Journal* (1979;ii:532–5) and authors are urged to study it carefully. Manuscripts in which the references do not follow the prescribed style will be returned to be amended before they are considered for publication. Reference lists should be **typed in double spacing**. The essentials of the style are as follows.

References should be numbered consecutively in the order in which they are first mentioned in the text by Arabic numerals above the line on each occasion the reference is cited. References cited only in tables or in legends to figures should be numbered in accordance with a sequence established by the first identification in the text of a particular table or illustration. The references must include: the names and initials of all authors (unless there are more than six, when only the first three should be given followed by *et al*); the title of journal articles or book chapters; the titles of journals abbreviated according to the style of the *Index Medicus*; the year and volume number; and the first and final page numbers of the article or chap-

ter. Titles of books should be followed by place of publication, publisher, and year. Papers given at meetings cannot be cited as a reference unless the proceedings have been published. If they have not been published they must be referred to in the text.

Examples of common forms of references are:

- <sup>1</sup> International Steering Committee of Medical Editors. Uniform requirements for manuscripts submitted to biomedical journals. *Br Med J* 1979;i:532-5.
- <sup>2</sup> Soter NA, Wasserman SI, Austen KF. Cold urticaria: release into the circulation of histamine and eosinophil chemotactic factor of anaphylaxis during cold challenge. *N Engl J Med* 1976;**294**:687-90.
- <sup>3</sup> Weinstein L, Swartz MN. Pathogenic properties of invading micro-organisms, In: Sodeman WA Jr, Sodeman WA, eds. *Pathologic physiology: mechanisms of disease*. Philadelphia: W B Saunders, 1974:457-72.
- <sup>4</sup> Hargreave FE. Non-specific bronchial reactivity. In: DeKock MA, Nadel JA, Lewis CM, eds. *Mechanisms of airways obstruction in human respiratory disease. Pro-*

*ceedings of the international symposium, Tygerburg, South Africa, 1978*. Rotterdam: AA Balkema, 1979:77-87.

Authors should note that references will not be checked by the editorial office; responsibility for the accuracy and completeness of references lies solely with the author.

**Proofs** Contributors will receive one proof on which only minor alterations may be made. It is assumed that the submitted manuscript will have been carefully proofread and will be essentially correct.

**Reprints** Twenty five reprints will be supplied free of charge. Further copies will be available on the payment of a fee; the number of additional reprints required should be inserted on the form sent with the proofs. Reprints of letters to the Editor will not be available.

#### **Destruction of manuscripts**

From 1 July 1985 articles submitted for publication will not be returned. Authors whose papers are rejected will be advised of the decision and the manuscripts will be kept under security for three months to deal with any inquiries and then destroyed.