

- 1 International classification of radiographs of pneumoconioses. Geneva: International Labour Office, 1980.
- 2 Epler GR, McLoud TC, Gaensler EA. Prevalence and incidence of benign asbestos pleural effusion in a working population. *JAMA* 1982;247:617-22.
- 3 Gaensler EA, Kaplan AI. Asbestos pleural effusion. *Ann Intern Med* 1971;74:178-91.
- 4 Miller A, Teirstein AS, Selikoff IJ. Ventilatory failure due to asbestos pleurisy. *Am J Med* 1983;75:911-9.
- 5 McGavin CR, Sheers G. Diffuse pleural thickening in asbestos workers: disability and lung function abnormalities. *Thorax* 1984;39:604-7.
- 6 Miller A, Thornton JC, Warshaw R, Anderson HA, Teirstein AS, Selikoff IJ. Single breath diffusing capacity in a representative sample of the population of Michigan, a large industrial state. Predicted values, lower limits of normal and frequencies of abnormality by smoking history. *Am Rev Respir Dis* 1983;127:270-7.
- 7 Miller A, Thornton JC, Warshaw R, Bernstein J, Selikoff IJ, Teirstein AS. Mean and instantaneous expiratory flows, FVC and FEV₁: prediction equations from a probability sample of Michigan, a large industrial state. *Bull Eur Physiopathol Respir* 1986;22:589-97.
- 8 Bass H. The flow volume loop: normal standards and abnormalities in chronic obstructive pulmonary disease. *Chest* 1973;63:171-6.
- 9 Goldman HI, Becklake MR. Respiratory function tests. Normal values at median altitudes and the prediction of normal results. *Am Rev Respir Dis* 1959;79:457-67.
- 10 Eisenstadt HB. Asbestos pleurisy. *Dis Chest* 1964;46:78-81.
- 11 Eisenstadt HB. Benign asbestos pleurisy. *JAMA* 1965;192:419-21.
- 12 Mattson S-B. Monosymptomatic exudative pleurisy in persons exposed to asbestos dust. *Scand J Respir Dis* 1975;56:263-72.
- 13 Chahinian P, Hirsch A, Bignon J. Les pleurisies asbestosiques non tumorales. *Revue Francaise des Maladies Respiratoires* 1973;1:5-39.
- 14 Robinson BWS, Musk AW. Benign asbestos pleural effusion: diagnosis and course. *Thorax* 1981;36:896-900.
- 15 Teirstein AS, Chahinian P, Goldsmith SJ, Sorek M. Gallium scanning in differentiating malignant from benign asbestos-related pleural disease. *Am J Ind Med* 1986;9:487-94.
- 16 Becklake MR, Fournier-Massey G, McDonald JC, Shemiaticki J, Rossiter CE. Lung function in relation to chest radiographic changes in Quebec asbestos workers. *Bull Physiopathol Respir* 1970;6:637-59.
- 17 Zitting A, Huuskonen MS, Alanko I, Mattson T. Radiographic and physiologic findings in patients with asbestosis. *Scand J Work Environ Health* 1978;4:275-83.
- 18 Jarvholm B, Sanden A. Pleural plaques and respiratory function. *Am J Ind Med* 1986;10:419-26.

Accepted 14 August 1989

Vancouver style

All manuscripts submitted to the *Br J Ind Med* should conform to the uniform requirements for manuscripts submitted to biomedical journals (known as the Vancouver style)

The *Br J Ind Med*, together with many other international biomedical journals, has agreed to accept articles prepared in accordance with the Vancouver style. The style (described in full in *Br Med J*, 24 February 1979, p 532) is intended to standardise requirements for authors.

References should be numbered consecutively in the order in which they are first mentioned in the text by Arabic numerals above the line on each occasion the reference is cited (Manson¹ confirmed other reports²⁻⁵...). In future references to papers submitted to the *Br J Ind Med* should include: the names of all authors if there

are six or less or, if there are more, the first three followed by *et al*; the title of journal articles or book chapters; the titles of journals abbreviated according to the style of *Index Medicus*; and the first and final page numbers of the article or chapter.

Examples of common forms of references are:

- 1 International Steering Committee of Medical Editors. Uniform requirements for manuscripts submitted to biomedical journals. *Br Med J* 1979;1:532-5.
- 2 Soter NA, Wasserman SI, Austen KF. Cold urticaria: release into the circulation of histamine and eosino-phil chemotactic factor of anaphylaxis during cold challenge. *N Engl J Med* 1976;294:687-90.
- 3 Weinstein L, Swartz MN. Pathogenic properties of invading micro-organisms. In: Sodeman WA Jr, Sodeman WA, eds. *Pathologic physiology: mechanisms of disease*. Philadelphia: W B Saunders, 1974:457-72.

- 7 Katz RM, Jowett D. Female laundry and dry cleaning workers in Wisconsin: a mortality analysis. *Am J Public Health* 1981;71:305-7.
- 8 Brown DP, Kaplan SD. Retrospective cohort mortality study of dry cleaning workers using perchloroethylene. *J Occup Med* 1987;29:535-41.
- 9 Lin RS, Kessler II. A multifunctional model for pancreatic cancer in man. *JAMA* 1981;245:147-52.
- 10 Stemhagen A, Slade J, Altman R, Bill J. Occupational risk factors and liver cancer. *Am J Epidemiol* 1983;117:443-54.
- 11 Hernberg S, Korkala M, Asikaine U, Riala R. Primary liver cancer and exposure to solvents. *Int Arch Occup Environ Health* 1984;54:147-53.
- 12 Materna BL. Occupational exposure to perchloroethylene in the dry cleaning industry. *Am Ind Hyg Assoc J* 1985;46:268-73.
- 13 National Institute for Occupational Safety and Health. *Criteria for a recommended standard . . . occupational exposure to tetrachloroethylene (perchloroethylene)*. Cincinnati: NIOSH 1976. (HEW publ No (NIOSH) 76-185.)
- 14 National Institute for Occupational Safety and Health. *Engineering control technology assessment of the dry cleaning industry*. Cincinnati: NIOSH, 1980. (DHHS (NIOSH) publ No 80-136.)
- 15 Ludwig HR, Meister MV, Roberts DR, Cox C. Worker exposure to perchloroethylene in the commercial dry cleaning industry. *American Industrial Association Journal* 1983;44:600-5.
- 16 Ludwig HR. *Occupational exposure to perchloroethylene in the dry cleaning industry*. National Institute for Occupational Safety and Health, 1981. (Internal report, DHSS.)
- 17 Liddell FDK. Simple exact analysis of the standardised mortality ratio. *J Epidemiol Community Health* 1984;38:85-8.
- 18 Breslow NE, Lubin JH, Marek P, Langholz B. Multiplicative models and cohort analysis. *Journal of the American Statistical Association* 1983;78:1-12.
- 19 National Toxicology Program. *Toxicology and carcinogenesis studies of tetrachloroethylene (perchloroethylene) (CAS No 127-18-4) in F344/N rats and B6C3F₁ mice (inhalation studies)* (Tech Rep Ser No 311; NIH No 86-2567). Research Triangle Park, US Department of Health and Human Services, 1986.
- 20 Smith EM, Miller ER, Woolson RF, Brown CK. Bladder cancer risk among laundry workers, dry cleaners, and others in chemically-related occupations. *J Occup Med* 1985;27:295-7.
- 20a Silverman DJ, Levin LI, Hoover RN. Occupational risks of bladder cancer in the United States. II. Nonwhite men. *JNCI* 1989;81:1480-3.
- 21 Cramer DW. Uterine cancer. In: Schottenfeld D, Fraumeni JF, eds. *Cancer epidemiology and prevention*. WB Saunders, 1982:881-900.
- 22 Day NE, Munoz N. Esophagus. In: Schottenfeld D, Fraumeni JF, eds. *Cancer epidemiology and prevention*. WB Saunders, 1982:596-623.
- 23 Walrath J, Rogot E, Murray J, Blair A. *Mortality patterns among US veterans by occupation and smoking status*. Vol 1. Bethesda: US Department of Health and Human Services, 1985. (NIH publication No 85-2756.)
- 24 Sterling TD, Weinkam JJ. Smoking characteristics by type of employment. *J Occup Med* 1976;18:743-54.
- 25 McMichael AJ. Standardised mortality ratios and the "healthy worker effect": scratching beneath the surface. *J Occup Med* 1976;18:165-8.
- 26 Percy C, Stanek E, Gloecker L. Accuracy of cancer death certificates and its effect on cancer mortality statistics. *Am J Public Health* 1981;71:242-50.

Accepted 10 July 1989

Correspondence and editorials

The *British Journal of Industrial Medicine* welcomes correspondence relating to any of the material appearing in the journal. Results from preliminary or small scale studies may also be published in the correspondence column if this seems appropriate. Letters should be not more than 500 words in length and contain a minimum of references. Tables and figures should be kept to an absolute minimum. Letters are accepted on

the understanding that they may be subject to editorial revision and shortening.

The journal now also publishes editorials which are normally specially commissioned. The Editor welcomes suggestions regarding suitable topics; those wishing to submit an editorial, however, should do so only after discussion with the Editor.

- cancers in the coke oven plants of the Lorraine coalmining industry (Houilleres du Bassin de Lorraine). *Br J Ind Med* 1987;44:559-65.
- 11 Axelson O, de Verdier A, Sundell L, Tallgren U. Mortalitetensmönstret hos anställda vid svenskt koksverk (The mortality pattern among employees at a Swedish coke-oven works). *Nordisk Företagshälsövård* 1979;2:5-12.
 - 12 Ahlborg C jr, Hillert L, Tallgren U. Dödsorsaker och cancersjuklighet bland anställda vid ett koksverk (Mortality and cancer incidence among employees in a coke plant). Proceedings from the Swedish Society of Medicine. *Hygiea* 1987;96:134.
 - 13 Hogstedt C, Andersson K, Frenning B, Gustavsson A. A cohort study on mortality among long-time employed Swedish chimney sweeps. *Scand J Work Environ Health* 1982;8:72-8 (suppl 1).
 - 14 Gustavsson P, Gustavsson A, Hogstedt C. Excess mortality among Swedish chimney sweeps. *Br J Ind Med* 1987;44:738-43.
 - 15 Hansen E. Mortality from cancer and ischemic heart disease in Danish chimney sweeps: a five-year follow up. *Am J Epidemiol* 1983;117:160-4.
 - 16 MacLaren WM, Hurley JF. Mortality of tar distillation workers. *Scand J Work Environ Health* 1987;13:404-11.
 - 17 Thériault GP, Tremblay CG, Armstrong BG. Risk of ischemic heart disease among primary aluminium production workers. *Am J Ind Med* 1988;13:659-66.
 - 18 Lindstedt G, Sollenberg J. Polycyclic aromatic hydrocarbons in the occupational environment. *Scand J Work Environ Health* 1982;8:1-19.
 - 19 Marsh GM, Preininger M. OCMAP: a user-oriented occupational cohort mortality analysis program. *American Statistician* 1980;34:245.
 - 20 Andersson K, Anjou CG, Brodin G, Kling H, Samuelsson PJ. *Datain, Ratin, Cohort, Search, Stat Datorprogram för kohortstudier. Användarhandledning (Datain, Ratin, Cohort, Search, Stat Computer programs for cohort studies. User manual)*. Linköping: Linköping University. 1982.
 - 21 Swedish National Central Bureau of Statistics. *Dödsfallsregister 1961-1979 (Registry of deaths 1961-1979)*. Stockholm: SCB, 1982:5.
 - 22 National Board of Health and Welfare. *Cancer incidence in Sweden 1958-1983*. Stockholm: Cancer Registry, 1958-83.
 - 23 Albert RE, Vanderlaan M, Burns FJ, Nishizumi M. Effect of carcinogens on chicken atherosclerosis. *Cancer Res* 1977;37:2232-5.
 - 24 Bond JA, Gown AN, Yang HL, Benditt EP, Juchau MB. Further investigations of the capacity of polynuclear aromatic hydrocarbons to elicit atherosclerotic lesions. *J Toxicol Environ Health* 1981;7:327-35.
 - 25 Benditt EP, Benditt HJN. Evidence for a monoclonal origin of human atherosclerotic plaques. *Proc Natl Acad Sci USA* 1973;70:1753-6.
 - 26 Penn A, Garte SJ, Warren L, Nesta D, Mindich B. Transforming gene in human atherosclerotic plaque DNA. *Proc Natl Acad Sci USA* 1986;83:7951-5.
 - 27 Johnson ES, Matanoski GM. SMR estimations in "prevalent" cohorts and "incident" cohorts. *Med Lav* 1987;78:263-71.
 - 28 Fox AJ, Collier PF. Low mortality rates in industrial cohort studies due to selection for work and survival in the industry. *Br J Prev Soc Med* 1976;30:225-30.
 - 29 McMichael AJ. Standardised mortality ratios and the "healthy" workers effect." Scratching beneath the surface. *J Occup Med* 1976;18:165-8.
 - 30 Acheson ED, Cowdell RH, Hadfield E, Macbeth RG. Nasal cancer in woodworkers in the furniture industry. *Br Med J* 1968;ii:587-96.
 - 31 Gerhardsson MR, Norell SE, Kiviranta HJ, Ahlbom A. Respiratory cancer in furniture workers. *Br J Ind Med* 1985;42:403-5.
 - 32 Hernberg S, Westerholm P, Schultz-Larsen K, et al. Nasal and sinonasal cancer. Connection with occupational exposures in Denmark, Finland and Sweden. *Scand J Work Environ Health* 1983;9:315-26.
 - 33 Swedish Central Bureau of Statistics. *Rökvanor i Sverige (Smoking habits in Sweden)*. Stockholm, SCB, 1965.
 - 34 Vinni K, Hakama M. Defining expected mortality in occupational studies. *Scand J Work Environ Health* 1979;5:297-303.

Accepted 5 May 1989

Destruction of manuscripts

From 1 July 1985 articles submitted for publication will not be returned. Authors whose papers are rejected will be advised of the decision and the manuscripts will be kept under security for three months to deal with any inquiries and then destroyed.