

---

British Journal of

# INDUSTRIAL MEDICINE

---

Editor: H A Waldron

Assistant Editors: P J Baxter L Magos J C McDonald K M Venables

Technical Editor: N B Haynes

Editorial Committee:

M J Gardner

G H G McMillan

D C Snashall

J A Lunn

A J Newman Taylor

Editor, *British Medical Journal*

---

**NOTICE TO CONTRIBUTORS** The *British Journal of Industrial Medicine* is intended for the publication of original contributions relevant to occupational and environmental medicine, including fundamental toxicological studies of industrial and agricultural chemicals. Short papers relating to particular experience in occupational medicine may be submitted. Other short papers dealing with brief observations relevant to occupational medicine that do not warrant a full paper, such as individual case histories, preliminary reports, or modifications to analytical techniques, will also be considered. Extended book reviews may also be included but these should not be sent without first consulting the Editor. Review articles should also not be sent in unless the Editor has first been approached as to their suitability for the Journal. Letters to the Editor are always welcome.

All papers should be submitted in triplicate to The Editor, *British Journal of Industrial Medicine*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR. Each author must sign the covering letter as evidence of consent to publication. Papers reporting results of experiments on human subjects will not be considered unless the authors state explicitly that each subject gave his or her informed written consent to the procedure and that the protocol was approved by the appropriate ethical committee.

Papers are accepted on the understanding that they are contributed solely to this journal and are subject to editorial revision. The editor cannot enter into correspondence about papers rejected as being unsuitable for publication, and his decision is final. Papers should follow the requirements of the International Steering Committee of Medical Editors (*Br Med J* 1979;i:532-5). **Papers should be prefaced by an abstract of the argument and findings which should be more comprehensive than a summary. Papers and references must be typewritten on one side of the paper only, both in double spacing, and with a wide margin. Both SI units and their equivalents must be given throughout** (Baron *et al*, *J Clin Pathol* 1974;27:590-7). Photographs and photomicrographs on glossy paper should be submitted unmounted. Charts and graphs should be carefully drawn in black ink on tracing linen or Bristol board or stout white paper. Legends to figures should be typed on a separate sheet of paper.

**References will not be checked by the editorial office; responsibility for the accuracy and completeness of references lies with the author.** Number references consecutively in the order in which they are first mentioned in the text. Identify references in texts, tables, and legends by Arabic numerals above the line. References cited only in tables or in legends to figures should be numbered in accordance with a sequence established by the first identification in the text of a particular table or illustration. The number of references should be kept to the absolute minimum and only those essential to the argument being developed by the authors or to the discussion or if they describe methods which are being used

when the original is too long for inclusion. Usually one reference per typed page of manuscript should be sufficient.

Use the form of references adopted by *Index Medicus*—for instance, for a standard journal article: authors (list all authors when six or fewer, when seven or more, list only three and add *et al*), title, abbreviated title of journal, year of publication; volume number: **first and last page numbers**.

**Proofs** Contributors will receive one proof, but it is assumed that all but verbal corrections have been made in the original manuscript.

**Reprints** Reprints will be charged for; the number of reprints should be inserted on the form provided with the proofs.

**Copyright** © 1992 *British Journal of Industrial Medicine*. This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any relaxations permitted under national copyright laws, no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is not, however, required to copy abstracts of papers or of articles on condition that a full reference to the source is shown. Multiple copying of the contents of the publication without permission is always illegal.

**NOTICE TO ADVERTISERS** Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *British Journal of Industrial Medicine*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR.

**NOTICE TO SUBSCRIBERS** *British Journal of Industrial Medicine* is published monthly. The annual subscription rates are £114.00 (USA \$199.00). Orders should be sent to the Subscription Manager, *British Journal of Industrial Medicine*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR. Orders may also be placed with any leading subscription agent or bookseller. (For the convenience of readers in the USA subscription orders with or without payment may also be sent to *British Medical Journal*, Box 560B, Kennebunkport, Maine 04046. All inquiries, however, must be addressed to the publisher in London). All inquiries regarding air mail rates and single copies already published should be addressed to the publisher in London.

Subscribers may pay for their subscriptions by Access, Visa, or American Express by quoting on their order the credit or charge card preferred together with the appropriate personal account number and the expiry date of the card.

Second class postage paid Rahway NJ. Postmaster: send address changes to: *British Journal of Industrial Medicine*, c/o Mercury Airfreight International Ltd Inc, 2323 Randolph Avenue, Avenel, NJ 07001, USA.

- Chicago: The University of Chicago Press, 1952.
- 23 Paul WE. *Fundamental immunology*. 2nd edition. New York: Raven Press, 1989.
  - 24 Boscolo P, Carmignani M, Sacchettoni-Logroscino G, et al. Ultrastructure of the testis in rats with blood hypertension induced by long-term lead exposure. *Toxicol Lett* 1988;41:129-37.
  - 25 Krause LA, Henderson R, Shotwell HP, Culp DA. The analysis of mercury in urine, blood, water and air. *Am Ind Hyg Assoc J* 1971;32:331-7.
  - 26 Thorlacius-Ussing O, Møller Graabaek P. Simultaneous ultrastructural demonstration of heavy metals (silver, mercury) and acid phosphatase. *Histochem J* 1986;18:639-46.
  - 27 Glassock RJ, Cohen AH. Immunologically mediated renal disease. In: Klahr S, Massry S, eds. *Contemporary nephrology*, Vol 3. New York: Plenum Medical Book Company, 1985.
  - 28 Boscolo P, Carmignani M. Neurohumoral blood pressure regulation in lead exposure. *Environ Health Perspect* 1988;78:101-6.
  - 29 Victory M. Evidence for effects of chronic lead exposure on blood pressure in experimental animals: an overview. *Environ Health Perspect* 1988;78:71-6.
  - 30 Scicli AG, Carrettero AO. Renal kallikrein-kinin system. *Kidney Int* 1986;29:120-30.
  - 31 Boscolo P, Carmignani M, Menini E, et al. Urinary vanillylmandelic acid and kallikrein and cardiovascular parameters in rats chronically exposed to different toxic metals. *Acta Medica Romana* 1985;23:208-15.
  - 32 Roels HA, Lauwerys R, Buchet JP, Bernard AM, Lijnen P, Van Houte G. Urinary kallikrein activity in workers exposed to cadmium, lead, or mercury vapour. *Br J Ind Med* 1990;47:331-7.
  - 33 Boscolo P, Porcelli G, Carmignani M, Finelli VN. Urinary kallikrein and hypertension in cadmium-exposed rats. *Toxicol Lett* 1981;7:189-94.
  - 34 Campbell DJ. Circulating and tissue angiotensin systems. *J Clin Invest* 1987;79:1-5.

Accepted 15 July 1991

## Vancouver style

All manuscripts submitted to the *Br J Ind Med* should conform to the uniform requirements for manuscripts submitted to biomedical journals (known as the Vancouver style).

The *Br J Ind Med*, together with many other international biomedical journals, has agreed to accept articles prepared in accordance with the Vancouver style. The style (described in full in *Br Med J*, 24 February 1979, p 532) is intended to standardise requirements for authors.

References should be numbered consecutively in the order in which they are first mentioned in the text by Arabic numerals above the line on each occasion the reference is cited (Manson<sup>1</sup> confirmed other reports<sup>2-5</sup> . . .). In future references to papers submitted to the *Br J Ind Med* should include: the

names of all authors if there are six or less or, if there are more, the first three followed by *et al*; the title of journal articles or book chapters; the titles of journals abbreviated according to the style of *Index Medicus*; and the first and final page numbers of the article or chapter.

Examples of common forms of references are:

- 1 International Steering Committee of Medical Editors. Uniform requirements for manuscripts submitted to biomedical journals. *Br Med J* 1979;1:532-5.
- 2 Soter NA, Wasserman SI, Austen KF. Cold urticaria: release into the circulation of histamine and eosino-phil chemotactic factor of anaphylaxis during cold challenge. *N Engl J Med* 1976;294:687-90.
- 3 Weinstein L, Swartz MN. Pathogenic properties of invading micro-organisms. In: Sodeman WA Jr, Sodeman WA, eds. *Pathologic physiology: mechanisms of disease*. Philadelphia: W B Saunders, 1974:457-72.

- 22 National Academy of Sciences. *Biological effects of atmospheric pollutants: lead, airborne lead in perspective*. Washington, DC: National Academy of Sciences, 1972.
- 23 O'Flaherty EJ, Hammond PB, Lerner SI. Dependence of blood lead half-life on the length of previous lead exposure in humans. *Fund Appl Toxicol* 1982;2:49-54.
- 24 Tepper LB, Levin LS. A survey of air and population lead levels in selected American communities. In: Griffin TB, Knelson JH, eds. *Lead*. London: Academic Press, 1975.
- 25 Tsuchiya K, Sugita M, Seki Y, Kobayashi Y, Hori M, Park CB. Study of lead concentration in atmosphere and population of Japan. In: Griffin TB, Knelson JH eds. *Lead*. London: Academic Press, 1975.
- 26 Johnson DE, Tillery JB, Prevost RJ. Levels of platinum, palladium and lead in populations of southern California. *Environ Health Perspectives* 1975;12:27-33.

Accepted 12 August 1991

#### **Destruction of manuscripts**

From 1 July 1985 articles submitted for publication will not be returned. Authors whose papers are rejected will be advised of the decision and the manuscripts will be kept under security for three months to deal with any inquiries and then destroyed.

- pulmonary function, chest roentgenographic abnormalities, and smoking status in an asbestos-exposed cohort. *Am Rev Respir Dis* 1988;138:272-7.
- 5 Tocilj J, Dujic Z, Boschi S, Saric M. Correlation of radiological and functional findings in workers exposed to chrysotile asbestos. *Med Lav* 1990;81:373-81.
  - 6 Dujic Z, Tocilj J, Saric M. Early detection of interstitial lung disease in asbestos exposed non-smoking workers by mid-expiratory flow rate and high resolution computed tomography. *Br J Ind Med* 1991;48:663-4.
  - 7 Aberle DR, Gamsu G, Ray CS. High-resolution CT of benign asbestos-related diseases: clinical and radiographic correlation. *American Journal of Roentgenology* 1988;151:883-91.
  - 8 Cotes JE, Hall AM. The transfer factor for the lung; normal values in adults. In: Arcangeli P, ed. *Normal values for respiratory function in man*. Torino: Panminerva Medica, 1970:327-43.
  - 9 Crapo RO, Gardner RM. Single breath carbon monoxide diffusing capacity (transfer factor)—Recommendations for a standard technique. *Am Rev Respir Dis* 1987;136:1299-307.
  - 10 Cotes JE, Dabbs JM, Elwood PC, Hall AM, McDonald A, Saunders MJ. Iron deficiency anemia: its effect on transfer factor for the lung (diffusing capacity), ventilation and cardiac frequency during sub-maximal exercise. *Clin Sci* 1972;42:325-35.
  - 11 Roughton FJW, Forster RE. Relative importance of diffusion and chemical reaction rates in determining rate of exchange of gases in the human lung. With special references to true diffusing capacity of pulmonary membrane and volume of blood in the lung capillaries. *J Appl Physiol* 1957;11:290-302.
  - 12 Bates DV, Varvis CJ, Donevan RE, Christie RV. Variation in the pulmonary capillary blood volume and membrane diffusing component in health and disease. *J Clin Invest* 1960;39:1401-12.
  - 13 Cotes JE. Lung function at different stages of life, including reference values. In: Cotes JE, ed. *Lung function*. London: Blackwell Scientific Publications, 1975:340-95.
  - 14 International Labour Organisation. *Guidelines for the use of ILO international classification of radiographs of pneumoconioses* (revised edition). Geneva: ILO, 1980.
  - 15 Aberle DR, Gamsu G, Ray CS, Feuerstein IM. Asbestos-related pleural and parenchymal fibrosis: detection with high-resolution CT. *Radiology* 1988;166:729-34.
  - 16 Picado C, Rodriguez-Roisin R, Sala H, Agusti-Vidal A. Diagnosis of asbestosis. *Lung* 1984;162:325-35.
  - 17 Jodoin G, Gibbs GW, Macklem PT, McDonald JC, Becklake MR. Early effects of asbestos exposure on lung function. *Am Rev Respir Dis* 1971;104:525-35.
  - 18 Epler GR, Fitzgerald MX, Gaensler EA, Carrington CB. Asbestos-related disease from household exposure. *Respiration* 1980;39:229-40.
  - 19 Begin R, Cantin A, Berthianme Y. Clinical features to stage alveolitis in asbestos workers. *Am J Ind Med* 1985;8:521-36.
  - 20 Hayes AA, Mullan B, Lovegrove FT, Rose AH, Musk AW, Robinson BW. Gallium lung scanning and bronchoalveolar lavage in crocidolite-exposed workers. *Chest* 1989;96:22-6.
  - 21 Garcia JGN, Gray LD, Dodson RF, Callahan KS. Asbestos-induced endothelial cell activation. *Am Rev Respir Dis* 1988;138:958-64.
  - 22 Jones K, Higenbottan T, Wallwork J. Pulmonary vasodilatation with prostacycline in primary and secondary pulmonary hypertension. *Chest* 1989;96:784-9.
  - 23 Anderson TW, Shepard RJ. The effects of hyperventilation and exercise upon the pulmonary diffusing capacity. *Respiration* 1968;25:465-84.
  - 24 Staples CA, Gamsu G, Ray CS, Webb WR. High resolution computed tomography and lung function in asbestos-exposed workers with normal chest radiographs. *Am Rev Respir Dis* 1989;139:1502-8.

Accepted 19 August 1991

## Correspondence and editorials

The *British Journal of Industrial Medicine* welcomes correspondence relating to any of the material appearing in the journal. Results from preliminary or small scale studies may also be published in the correspondence column if this seems appropriate. Letters should be not more than 500 words in length and contain a minimum of references. Table and figures should be kept to an absolute minimum. Letters are accepted on the

understanding that they may be subject to editorial revision and shortening.

The journal now also publishes editorials which are normally specially commissioned. The Editor welcomes suggestions regarding suitable topics; those wishing to submit an editorial, however, should do so only after discussion with the Editor.