

# Occupational and Environmental Medicine



Adopted as the Journal of the Faculty of  
Occupational Medicine of the Royal College of  
Physicians of London

Editor: Anne Cockcroft

Technical Editor: Basil Haynes

Editorial Assistant: Rachel Harvey

Editorial Board:

T C Aw	F Kauffmann	T Okubo	D C Snashall
F J H Van Dijk	R L Maynard	P Paoletti	O Svane
J S Evans	R McNamee	L Rosenstock	G Thériault
R M Harrison	J Myers	M Sim	K M Venables
J Jeyaratnam	B Nemery	M Singal	Editor, <i>British Medical Journal</i>

**NOTICE TO CONTRIBUTORS** *Occupational and Environmental Medicine* is intended for the publication of original contributions relevant to occupational and environmental medicine, including toxicological studies of chemicals of industrial, agricultural, and environmental importance, and epidemiological studies. As well as full papers, short papers dealing with brief or preliminary observations relevant to occupational and environmental medicine will also be considered. Case reports should cover substantial new ground to merit publication. Other articles, including review or position papers, will be considered but should not be submitted without first approaching the Editor to discuss their suitability for the *Journal*. Letters to the Editor are always welcome.

**INSTRUCTIONS TO AUTHORS** Three copies of all submissions should be sent to: The Editor, *Occupational and Environmental Medicine*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR, UK. All authors should sign the covering letter as evidence of consent to publication. Papers reporting results of studies on human subjects must be accompanied by a statement that the subjects gave written, informed consent and by evidence of approval from the appropriate ethics committee. These papers should conform to the principles outlined in the Declaration of Helsinki (*BMJ* 1964;ii:177).

If requested, authors shall produce the data on which the manuscript is based, for examination by the Editor.

**Authors are asked to submit with their manuscript the names and addresses of three people who they consider would be suitable independent reviewers. They will not necessarily be approached to review the paper.**

Papers are considered on the understanding that they are submitted solely to this *Journal* and do not duplicate material already published elsewhere. In cases of doubt, where part of the material has been published elsewhere, the published material should be included with the submitted manuscript to allow the Editor to assess the degree of duplication. The Editor cannot enter into correspondence about papers rejected as being unsuitable for publication, and the Editor's decision in these matters is final.

**Papers should include a structured abstract of not more than 300 words, under headings of Objectives, Methods, Results, and Conclusions. Please include up to three keywords or key terms to assist with indexing.**

Papers should follow the requirements of the International Committee of Medical Journal Editors (*BMJ* 1991;302:338-41). Papers and references must be typewritten in double spacing on one side of the paper only, with wide margins. SI units should be used.

Short reports (including case reports) should be not more than 1500 words and do not require an abstract. They should comprise sections of Introduction, Methods, Results, and Discussion with not more than one table or figure and up to 10 references. The format of case reports should be Introduction, Case report, and Discussion.

**Illustrations** Photographs and photomicrographs on glossy paper should be submitted unmounted. Charts and graphs should be carefully drawn in black ink on firm white paper. Legends to figures should be typed on a separate sheet of paper.

**References** References will not be checked by the editorial office; responsibility for the accuracy and completeness of references lies with the authors. Number references consecutively in the order in which they are first mentioned in the text. Identify references in texts, tables, and legends by Arabic numerals. References cited only in tables or in legends to figures should be numbered in accordance with a sequence estab-

lished by the first identification in the text of a particular table or illustration. Include only references essential to the argument being developed in the paper or to the discussion of results, or to describe methods which are being used when the original description is too long for inclusion. Information from manuscripts not yet in press or personal communications should be cited in the text, not as formal references.

Use the Vancouver style, as in this issue for instance, for a standard journal article: authors (list all authors when seven or fewer, when eight or more, list only six and add *et al*), title, abbreviated title of journal as given in *Index Medicus* (if not in *Index Medicus* give in full), year of publication, volume number, and first and last page numbers.

**Proofs** Contributors will receive one proof. Only minor corrections can be made at this stage; corrections other than printer's errors may be charged to the author.

**Reprints** Reprints will be charged for. The number of reprints required should be stated on the form provided with the proofs.

**Copyright** © 1994 *Occupational and Environmental Medicine*. This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any relaxations permitted under national copyright laws, no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is not, however, required to copy abstracts of papers or of articles on condition that a full reference to the source is shown. Multiple copying of the contents of the publication without permission is always illegal.

**NOTICE TO ADVERTISERS** Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *Occupational and Environmental Medicine*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR.

**NOTICE TO SUBSCRIBERS** *Occupational and Environmental Medicine* is published monthly. The annual subscription rate (for 1994) is £129 (US \$240). Orders should be sent to the Subscription Manager, *Occupational and Environmental Medicine*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR. Orders may also be placed with any leading subscription agent or bookseller. (For the convenience of readers in the USA subscription orders with or without payment may also be sent to *British Medical Journal*, Box 560B, Kennebunkport, Maine 04046. All inquiries, however, must be addressed to the publisher in London). All inquiries regarding air mail rates and single copies already published should be addressed to the publisher in London.

Subscribers may pay for their subscriptions by Access, Visa, or American Express by quoting on their order the credit or charge card preferred together with the appropriate personal account number and the expiry date of the card.

Second class postage paid Rahway NJ. Postmaster: send address changes to: *Occupational and Environmental Medicine*, c/o Mercury Airfreight International Ltd Inc, 2323 Randolph Avenue, Avenel, NJ 07001, USA.

**FACULTY OF OCCUPATIONAL MEDICINE** The Faculty of Occupational Medicine of the Royal College of Physicians of London is a registered charity founded to promote, for the public benefit, the advancement of knowledge in the field of occupational medicine. The Faculty has offices at 6 St Andrew's Place, Regent's Park, London NW1 4LB.

ISSN 1351-0711.

- 15 Skipper PL, Tannenbaum SR. Protein adducts in the molecular dosimetry of chemical carcinogens. *Carcinogenesis* 1990;11:507-18.
- 16 Neumann HG. Analysis of hemoglobin as a dose monitor for alkylating and arylating agents. *Arch Toxicol* 1984; 56:1-6.
- 17 Lee BM, Santella R. Quantitation of protein adducts as a marker of genotoxic exposure: immunologic detection of benzo(a)pyrene-globin adducts in mice. *Carcinogenesis* 1988;9:1773-7.
- 18 Weston A, Rowe ML, Manchester DK, Farmer PB, Mann DL, Harris CC. Fluorescence and mass spectral evidence for the formation of benzo(a)pyrene anti-diol-epoxide-DNA and -hemoglobin adducts in humans. *Carcinogenesis* 1989;10:251-7.
- 19 Naylor S, Gan L, Day BW, Skipper PL, Tannenbaum SR. A rapid method for isolation of human hemoglobin benzo[a]pyrene diol epoxide derived adducts using high performance liquid chromatography. *Biomed Chromatogr* 1989;3:266-8.
- 20 Jankoviak R, Day BW, Lu PQ, Doxtader MM, Skipper PL, Tannenbaum SR, Small GJ. Fluorescence line narrowing spectral analysis of in vivo human hemoglobin adducts: comparison to synthetic analogues. *Journal of the American Chemical Society* 1990;112:5866-9.
- 21 Bjelogrić N, Vähäkangas K. Benzo(a)pyrene-globin adducts detected by synchronous fluorescence spectrophotometry: method development and relation to lung DNA adducts in mice. *Carcinogenesis* 1991;12: 2205-9.
- 22 Day BW, Naylor S, Gan LS, Sahali Y, Nguyen TT, Skipper PL, et al. Molecular dosimetry of polycyclic aromatic hydrocarbon epoxides and diol epoxides via hemoglobin adducts. *Cancer Res* 1990;50:4611-8.
- 23 Jongeneelen FJ, Anzion RBM, Henderson PT. Determination of hydroxylated metabolites of polycyclic aromatic hydrocarbons in urine. *J Chromatogr* 1987;413: 227-32.
- 24 Shugart L. Quantitating exposure to chemical carcinogens: in vivo alkylation of hemoglobin by benzo(a)pyrene. *Toxicology* 1985;34:211-20.
- 25 Pettigrew AR, Fell GS. Simplified colorimetric determination of thiocyanate in biological fluids, and its application to investigation of toxic amblyopias. *Clin Chem* 1972;18:996-1000.
- 26 Bernard A, Lauwerys R. Continuous flow system for automation of latex immunoassay by particle counting. *Clin Chem* 1983;29:1007-11.
- 27 Tucker SM, Boyd PJR, Thompson AD, Price RG. Automatic assay of N-acetyl- $\beta$ -D-glucosaminidase in normal and pathological urine. *Clin Chim Acta* 1975; 62:333-9.
- 28 SAS/STAT. *Guide for personal computers version 6*. Cary, NC: SAS Institute, 1987.
- 29 Sherson D, Sabro P, Sigsgaard T, Johansen F, Autrup H. Biological monitoring of foundry workers exposed to polycyclic aromatic hydrocarbons. *Br J Ind Med* 1990;47:448-53.
- 30 Pré J, Vassy R. Urine thiocyanate:creatinine ratio as a reliable indicator of cigarette smoking. *Clin Chim Acta* 1991;204:87-94.
- 31 Hemminki K, Grzybowski E, Chorazy M, Twardowska-Sauchka K, Sroczynski JW, Putman KL, et al. DNA Adducts in human environmentally exposed to aromatic compounds in an industrial area of Poland. *Carcinogenesis* 1990;11:1229-31.

## Correspondence and editorials

*Occupational and Environmental Medicine* welcomes correspondence relating to any of the material appearing in the journal. Results from preliminary or small scale studies may also be published in the correspondence column if this seems appropriate. Letters should be not more than 500 words in length and contain a minimum of references. Tables and figures should be kept to an absolute

minimum. Letters are accepted on the understanding that they may be subject to editorial revision and shortening.

The journal also publishes editorials which are normally specially commissioned. The Editor welcomes suggestions regarding suitable topics; those wishing to submit an editorial, however, should do so only after discussion with the Editor.

- 1 Järholm B, Arvidsson H, Bake B, Hillerdal G, Westrin C-G. Pleural plaques— asbestos—ill health. *European Journal Respiratory Diseases* 1986;68(suppl 145): 1–59.
- 2 Kiviluoto R. Pleural calcification as a roentgenologic sign of non-occupational endemic anthophyllite-asbestosis. *Acta Radiol* 1960;194(suppl):1–67.
- 3 Meurman L. Asbestos bodies and pleural plaques in a Finnish series of autopsy cases. *Acta Pathologica et Microbiologica Scandinavica* 1966;181(suppl): 1–107.
- 4 Hillerdal G, Zitting A, van Assenfelt A, Kuusela T. Rarity of mineral fibre pleurisy among persons exposed to Finnish anthophyllite and with low risk of mesothelioma. *Thorax* 1984;39:608–11.
- 5 Central Statistical Office of Finland. *Classification of occupations 1987. Handbooks series*. Helsinki: Central Statistical Office of Finland, 1987. (In Finnish, English summary.)
- 6 Tuomi T, Segerberg-Konttinen M, Tammilehto L, Tossavainen A, Vanhala E. Mineral fiber concentration in lung tissue of mesothelioma patients in Finland. *Am J Ind Med* 1989;16:247–54.
- 7 Mollo F, Andrion A, Pira E, Barocelli MP. Indicators of asbestos exposure in autopsy routine. 2. Pleural plaques and occupation. *Med Lav* 1983;74:137–42.
- 8 Davis JMG, Gylseth B, Morgan A. Assessment of mineral fibres from human lung tissue. *Thorax* 1986;41: 167–75.
- 9 Ministry of Labour. *Report of the Asbestos Committee*. Helsinki: Ministry of Labour, 1989. (Report series of the Governmental Committees No 66). (In Finnish, with English summary).
- 10 Hiraoka T, Hiro Y, Kohyama N, Morinaga K. *Anthophyllite exposure and endemic plaques in Japan. Proceedings of the 8th International Conference on Occupational diseases, Prague 14–17.9.1992*. Geneva: International Labour Organisation 1993:248–53.
- 11 Burlikov T, Babadjov L. Ein Beitrag zum endemischen auftreten doppelseitiger pleuraverkalkungen. *Praxis der Pneumologie Verreingt mit der Tuberkulosearzt* 1970;24: 433–8.
- 12 Karjalainen A, Vanhala E, Karhunen P, Lalu K, Penttilä A, Tossavainen A. Asbestos exposure and pulmonary fiber concentration of 300 Finnish urban men. *Scand J Work Environ Health* 1994;20:34–41.
- 13 International Agency for Research on Cancer. *IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol 42, Silica and some silicates*. Lyon: IARC, 1987:290.
- 14 Baris YI, Saracci R, Simonato L, Skidmore JW, Artvinli M. Malignant mesothelioma and radiological chest abnormalities in two villages in central Turkey. *Lancet* 1981;ii:984–7.
- 15 Mcmillan GH, Sheers G, Pethybridge RJ. A radiological follow-up study of the effects of asbestos in dockyard workers in Portsmouth. *J R Nav Med Serv* 1978; 64:88–104.
- 16 Andrion A, Pira E, Mollo F. Pleural plaques at autopsy, smoking habits and asbestos exposure. *European Journal of Respiratory Diseases* 1984;65:125–30.
- 17 Weiss W, Levin R, Goodman L. Pleural plaques and cigarette smoking in asbestos workers. *J Occup Med* 1981;23:427–30.
- 18 Hillerdal G. Pleural plaques in a health survey material. Frequency, development and exposure to asbestos. *Scand J Respir Dis* 1978;59:257–63.
- 19 Järholm B, Sandén A. Estimating asbestos exposure: a comparison of methods. *J Occup Med* 1987;29:361–3.
- 20 Roggli VL. Human disease consequences of fiber exposures: a review of human lung pathology and fiber burden data. *Environ Health Perspect* 1990;88: 295–303.
- 21 Weiss W. Asbestos-related pleural plaques and lung cancer. *Chest* 1993;103:1854–9.
- 22 Smith DD. Plaques, cancer, and confusion [editorial]. *Chest* 1994;105:8–9.
- 23 Nurminen M, Tossavainen A. Pleural plaques and lung cancer: is there an association without asbestosis. *Scand J Work Environ Health* 1994;20:62–4.

## Destruction of manuscripts

From 1 July 1985 articles submitted for publication will not be returned. Authors whose papers are rejected will be advised of

the decision and the manuscripts will be kept under security for three months to deal with any inquiries and then destroyed.

- 5 McDonald AD, McDonald JC, Armstrong B, *et al.* Prematurity and work in pregnancy. *Br J Ind Med* 1988; 45:56-62.
- 6 Pope CA, Xu X. Passive cigarette smoking, coal heating, and respiratory symptoms of nonsmoking women in China. *Environ Health Perspect* 1993;101:314-6.
- 7 Liang K-Y, Zeger SL. Longitudinal data analysis using generalized linear models. *Biometrika* 1986;73:13-22.
- 8 Xu X, Christiani DC, Dockery DW, Wang LH, *et al.* Exposure-response relationships between occupational exposures and chronic respiratory illness. *Am Rev Respir Dis* 1986;146:413-8.
- 9 Minors DS, Waterhouse JM. Circadian rhythms in general. In: Scott AJ, ed. *Occupational medicine: state of the art reviews. Shiftwork*. Philadelphia: Hanley and Belfus Inc, 1990;5:165-82.
- 10 Scott AJ, Ladou J. Shiftwork: effects on sleep and health with recommendations for medical surveillance and screening. In: Scott AJ, ed. *Occupational medicine: state of the art reviews. Shiftwork*. Philadelphia: Hanley and Belfus Inc, 1990;5:273-99.
- 11 Angersbach D, Knauth P, Loskant H, *et al.* A retrospective cohort study comparing complaints and diseases in day and shift workers. *Arch Occup Environ Health* 1980;45: 127-40.
- 12 Minors DS, Scott AR, Waterhouse JM. Circadian arrhythmia: shiftwork, travel and health. *J Occup Med* 1986; 36:39-44.
- 13 Knutsson A, Akerstedt T, Jonsson BG, Orth-Gomer K. Increased risk of ischaemic heart disease in shiftworkers. *Lancet* 1986;12:89-92.
- 14 Axelsson G, Rylander R, Molin I. Outcome of pregnancy in relation to irregular and inconvenient work schedules. *Br J Ind Med* 1989;46:393-8.

## Vancouver style

All manuscripts submitted to *Occup Environ Med* should conform to the uniform requirements for manuscripts submitted to biomedical journals (known as the Vancouver style.)

*Occup Environ Med*, together with many other international biomedical journals, has agreed to accept articles prepared in accordance with the Vancouver style. The style (described in full in the *BMJ*, 24 February 1979, p 532) is intended to standardise requirements for authors.

References should be numbered consecutively in the order in which they are first mentioned in the text by Arabic numerals above the line on each occasion the reference is cited (Manson<sup>1</sup> confirmed other reports<sup>2-5</sup> . . .). In future references to papers submitted to *Occup Environ Med*

should include: the names of all authors if there are seven or less or, if there are more, the first six followed by *et al*; the title of journal articles or book chapters; the titles of journals abbreviated according to the style of *Index Medicus*; and the first and final page numbers of the article or chapter. Titles not in *Index Medicus* should be given in full.

Examples of common forms of references are:

- 1 International Steering Committee of Medical Editors, Uniform requirements for manuscripts submitted to biomedical journals. *Br Med J* 1979;1:532-5.
- 2 Soter NA, Wasserman SI, Austen KF. Cold urticaria: release into the circulation of histamine and eosinophil chemotactic factor of anaphylaxis during cold challenge. *N Engl J Med* 1976;294:687-90.
- 3 Weinstein L, Swartz MN. Pathogenic properties of invading micro-organisms. In: Sodeman WA Jr, Sodeman WA, eds. *Pathologic physiology, mechanisms of disease*. Philadelphia: W B Saunders, 1974:457-72.