Background Increasing work participation is an important political objective in many countries. In Norway, a voluntary national intervention program aimed at increasing work participation (the IA Agreement) was implemented in 2001, and is still ongoing. One of the main goals of the IA Agreement is to reduce sickness absence (SA) and disability pensions (DP). Organisations that sign the agreement commit themselves to take active measures in order to reduce SA and DP, and in return, they are given special rights such as grants for workplace adjustments and job training. Scientific evaluations of the IA Agreement have been limited. We aim to estimate the impact of the IA Agreement on SA and DP in Norway during 2001–2009.

Methods The source population is a national cohort of all 626 928 individuals born 1967–1976. Individual-level data on SA, DP, employment, and background characteristics were obtained from national registries. We apply a quasi-experimental design using difference-in-difference analysis, comparing employees in IA organisations (intervention group) with employees in non-IA organisations (control group), with respect to pre-post differences in SA and DP.

Results The IA Agreement was signed by 13 760 organisations by March 2003 and covered 43% of Norwegian employees. Compared to the general working population, IA organisations had a higher proportion of women and workers in the health-care sector. We will analyse the nationwide impact of the IA Agreement on SA and DP and explore differences by gender, industry and diagnostic category.

Poster Presentation

Other

0214 TRANSITIONS OF BLOOD LEAD LEVELS OF PRESCHOOL CHILDREN ACROSS COUNTRIES OF VARIOUS EXTENT OF DEVELOPMENT

Yaw-Huei Hwang*, Pei-Wen Lin. *Institute of Occupational Medicine and Industrial Hygiene, College of Public Health, National Taiwan University, Taipei, Taiwan*

10.1136/oemed-2017-104636.170

Lead exposure has long been recognised as a threat to human health. In the last century, tons of studies demonstrated the adverse health effects of lead exposure on neural and haematological systems in human body, and resulted in the restraint of lead use, including the elimination of leaded gasoline and lead-containing paint in the past decades. This study was aimed to profile preschool children blood lead level distribution around the world. Information on blood lead levels was obtained based on peer reviewed articles accessed through dataset like PubMed, etc. Study subject inclusion criteria were set as children aged 1–7 years old without hot-spot lead exposure. Collected data were plotted in chronicle by group of UN Human Development Index (HDI) to establish the transition trends of blood lead levels in the past three decades. For the very high HDI countries, the mode of blood lead level of preschool children was reduced from 4–6 µg/dL to 0.8–1.5 µg/dL, while that for the high HDI

countries was down from 8–12 µg/dL to 3–5 µg/dL, and no substantially decrease was observed for the medium and low HDI countries. Extrapolation analysis showed the decreasing trend would reach the possible ground level of around 0.3–0.5 µg/dL for the very high HDI countries in the next two decades. Results of this study provided advices on strategy planning and source allocation for lead exposure prevention across countries of various extent of development.

Poster Presentation

Disease Surveillance

0215 INTERNATIONALISING SIGNAAL: THE EUROPEAN CHANCE IN OCCUPATIONAL HEALTH VIGILANCE – PROPOSAL FOR THE SPANISH VERSION

¹Chiara Foresti*, ²Annet Lenderink, ¹Stefano Mattioli, ^{3,4}Lode Godderis, ⁵Ana Beltran, ^{6,7}Consol Serra. ¹School of Occupational Medicine, Department of Medical and Surgical Sciences, University of Bologna, Bologna, Italy; ²AMC/University of Amsterdam, Netherlands Centre for Occupational Diseases, Coronel Institute on Work and Health, Amsterdam, The Netherlands; ³KULeuven, Centre for Environment and Health, Kapucijnenvoer 35/5, 3000 Leuven, Belgium; ⁴Idewe External Service for Prevention and Protection at Work, Interleuvenlaan 58, 3001 Heverlee, Belgium; ⁵IMIM – Hospital del Mar Medical Research Institute, Barcelona, Spain; ⁶CISAL – Centre of Research in Occupational Health, Barcelona, Spain; ⁷CIBER of Epidemiology and Public Health, Spain, Spain

10.1136/oemed-2017-104636.171

Introduction SIGNAAL is an online non-compensation-based sentinel system to notify possibly new work-related diseases[1]. It is in place since July 2013 in the Netherlands and Belgium and currently in pilot phase in Italy. Through SIGNAAL physicians report diseases they suspect to be work-related: experts assess them identifying possible new occupational health risks. Our aim is to develop the Spanish SIGNAAL to detect these new risks in Spain[1,2].

Methods Every part of the online tool will be translated and adapted. The online platform will be developed. A separate team of Spanish assessors within the Occupational Diseases Unit (UPL) of Barcelona will be trained to assess cases reported to the system. SIGNAAL will be promoted through publications, conferences and advertising.

Results Expected Spanish cases will be assessed within the Spanish SIGNAAL. Costs: periodically presented to assess feasibility and acceptability; effectiveness: evaluated in helping the Public Health System to obtain diseases recognition as occupational (and to claim for them); data usage: for informing policy and preventive measures, at a company level but also involving Public Health stakeholders[3,4]; spreading: progress reports and publications in peer-reviewed journals[4,5]. By August 2017 the Spanish SIGNAAL will be in pilot phase, so its first results can be presented with examples and encountered pitfalls[5].

Conclusions An online reporting system within the occupational health framework can provide valuable data on new occupational health risks, especially while using the same tool in several countries to produce comparable information. Internationalising SIGNAAL is a first step to promote Occupational Health Vigilance across Europe[2,6].