

Supplementary File 3. Relative frequencies of outcome classifications according to study location extracted from articles on occupational pesticide exposures and various health outcomes.														
Study location ⁱ	LIC		LMIC		UMIC		HIC		SHIC		AHIC		Study location not reported	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Number of articles	16	1.3	134	10.5	204	16.1	841	66.2	13	1.0	30	2.4	33	2.6
Articles applying >1 EAM	1	6.3	11	8.2	19	9.4	159	18.9	1	7.6	5	16.7	7	21.2
Articles not reporting EAM	1	6.2	1	2.2	4	0.2	2	0.2	1	7.7
Number of EAM occurrences in studies	17	1.1	145	9.8	222	15.0	1007	67.9	16	1.1	36	2.4	40	2.7
Self-reported health outcomes	12	70.6	27	18.6	37	16.7	119	11.8	3	18.8	2	5.6	5	12.5
Cancer	.	.	11	7.6	21	9.5	342	34.0	4	25.0	13	36.1	3	7.5
Genetic biomarkers ⁱⁱ	1	5.9	27	18.6	60	27.0	80	7.9	1	6.2	1	2.8	14	35.0
Neurological:														
Doctor diagnosed	.	.	4	2.8	3	1.4	78	7.7	4	25.0	4	11.1	1	2.5
Test result ⁱⁱ	2	11.8	16	11.0	9	4.1	45	4.5	5	12.5
Reproductive + offspring:														
Doctor diagnosed	.	.	4	2.8	7	3.2	75	7.4	.	.	11	30.6	.	.
Test result ⁱⁱ	.	.	3	2.1	28	12.6	43	4.3	1	6.2	.	.	1	2.5
Respiratory:														
Doctor diagnosed	.	.	1	0.7	2	0.9	3	0.3
Test result ⁱⁱ	2	11.8	7	4.8	2	0.9	12	1.2
Mortality (all-cause)	1	0.5	73	7.2	.	.	4	11.1	.	.
Other ⁱⁱⁱ	.	.	45	31.0	52	23.4	137	13.6	3	18.8	1	2.8	11	27.5

ⁱ Classification according to the World Bank Atlas Method, 2019 (31). LIC=low-income countries. LMIC=lower middle-income countries. UMIC=upper middle-income countries. HIC=high-income countries. AHIC=multiple study locations all high-income countries. SHIC=multiple study locations some high-income countries.

ⁱⁱ Refers to results from medical/diagnostic tests for a disease.

ⁱⁱⁱ Miscellaneous outcomes with very low frequencies, e.g. musculoskeletal disorders, suicide, and diseases of the circulatory system.